


# Zoznam vedeckých štúdií elektromagnetické polia - pozitívny efekt



2020

**ZOZNAM VEDECKÝCH A LEKÁRSKÝCH ŠTÚDIÍ  
TÉMATICKY ZAMERANÝCH NA EFEKTY ELEKTROMAGNETICKÝCH POLÍ  
NA ŽIVÉ ORGANIZMY**

Pokiaľ ide o problémy s elektromagnetickými poliami, elektrosmogom, zvýšenou expozíciou nízkofrekvenčnému a vysokofrekvenčnému (mikrovlnnému) žiareniu, jednou z najčastejšie používaných fráz v mediách je "Neexistuje žiadny dôkaz, že elektromagnetické polia majú vplyv na zdravie" alebo jednoducho "Neexistujú žiadne presvedčivé dôkazy".

Na základe tohto dokumentu je jasne vidieť, že tieto frázy sú úplným nezmyslom. Vo svete je nepreberné množstvo dôkazov, ale verejnosť a niekedy aj akademická obec sa zdajú byť veľmi zle informované.

V tomto dokumente nájdete rozsiahly zoznam článkov a výskumného materiálu, ktorý preukazuje závažné nežiadúce účinky, alebo je považovaný za dôležitý dokument týkajúci sa témy. Články sú zverejňované na portále „US National Library of Medicine - PubMed“. Zoznam je pravidelne aktualizovaný.

---

## **Obsah**

<b>Účinky na plod a novorodené deti</b> .....	3
<b>Účinky na detskú populáciu</b> .....	5
<b>Mozgové nádory</b> .....	6
<b>Nádory príušných žliaz</b> .....	7
<b>Účinky na DNA</b> .....	8
<b>Neurologické a psychosomatické účinky</b> .....	9
<b>Účinky na mužskú plodnosť</b> .....	10
<b>Precitlivenosť na elektromagnetické polia</b> .....	12
<b>Interferencia s medicínskymi implantátmi</b> .....	13
<b>Ostatné nepriaznivé účinky</b> .....	13
<b>Nezaradené štúdie</b> .....	14
<b>Milimetrové vlny, 5G</b> .....	16
<b>Mobilné a bezdrôtové telefóny</b> .....	17
<b>Základňové stanice mobilnej siete (BTS)</b> .....	31
<b>Wi-Fi</b> .....	33
<b>Rozhlasové a TV vysielače</b> .....	37
<b>Rozvody elektriny, vysoké napätie a iné zdroje nízkych frekvencií</b> .....	39
<b>Elektrohypersenzitivita</b> .....	48
<b>EEG a mozgové reakcie</b> .....	51
<b>Efekty rádiofrekvenčných elektromagnetických polí</b> .....	54
<b>Efekty nízkofrekvečných elektrických a magnetických polí</b> .....	62

## **Účinky na plod a novorodené deti**

---

1. Mother's Exposure to Electromagnetic Fields Before and During Pregnancy is Associated with Risk of Speech Problems in Offspring. Zarei, S., et al. Journal of Biomedical Physics and Engineering 9(1):61-68 (2019).
2. Prenatal Exposure to Extremely Low Frequency Magnetic Field and Its Impact on Fetal Growth. Ren, Y., et al. Environmental Health (2019).
3. The Effects of Radio Frequency Radiation on Mice Fetus Weight, Length and Tissues. Alimohammadi, I., et al. Data in Brief 19:2189-2194 (2018).
4. Effects of Prenatal Exposure to WiFi Signal (2.45 GHz) on Postnatal Development and Behavior in Rat: Influence of Maternal Restraint. Othman, H., et al. Behavioral Brain Research 326: 291-301 (2017).
5. Exposure to Magnetic Field Non-Ionizing Radiation and the Risk of Miscarriage: A prospective Cohort Study. Li, De-Kun, et al. Scientific Reports (2017).
6. Postnatal Development and Behavior Effects of In-Utero Exposure of Rats to Radiofrequency Waves Emitted From Conventional WiFi Devices. Othman, H., et al. Environmental Toxicology and Pharmacology 52:239-247 (2017).
7. Lasting Hepatotoxic Effects of Prenatal Mobile Phone Exposure. Yilmaz, A., et al. The Journal of Maternal-Fetal & Neonatal Medicine 30(11): 1355-1359 (2017).
8. Multiple Assessment Methods of Prenatal Exposure to Radio Frequency Radiation from Telecommunication in the Mothers and Children's Environmental Health (MOCEH) Study. Choi, Ha, et al. International Journal of Occupational Medicine and Environmental Health 29(6):959-972 (2016).
9. The Use of Signal-Transduction and Metabolic Pathways to Predict Human Disease Targets from Electric and Magnetic Fields Using in vitro Data in Human Cell Lines. Parham, Portier, et al. Frontiers in Public Health (2016).
10. A Review on Electromagnetic Fields (EMFs) and the Reproductive System. Asghari, Khaki, et al. Electronic Physician 8(7):2655-2662 (2016).
11. Genotoxicity Induced by Foetal and Infant Exposure to Magnetic Fields and Modulation of Ionising Radiation Effects. Udroiu, Antoccia, et al. PLoS One (2015).
12. Oxidative Stress of Brain and Liver is Increased by Wi-Fi (2.45 GHz) Exposure of Rats During Pregnancy and the Development of Newborns. Çelik, Ömer, et al. Journal of Chemical Neuroanatomy 75(B):134-139 (2015).
13. Neurodegenerative Changes and Apoptosis Induced by Intrauterine and Extrauterine Exposure of Radiofrequency Radiation. Güler, Göknur, et al. Journal of Chemical Neuroanatomy 75(B):128-133 (2015).
14. Maternal Exposure to a Continuous 900-MHz Electromagnetic Field Provokes Neuronal Loss and Pathological Changes in Cerebellum of 32-Day-Old Female Rat Offspring. Odaci, Ersan, et al. Journal of Chemical Neuroanatomy 75(B):105-110 (2015).
15. Different Periods of Intrauterine Exposure to Electromagnetic Field: Influence on Female Rats' Fertility, Prenatal and Postnatal Development. Alchalabi, Aklilu, et al. Asian Pacific Journal of Reproduction 5(1):14-23 (2015).
16. Use of Mobile Phone During Pregnancy and the Risk of Spontaneous Abortion. Mahmoudabadi, Ziae, et al. Journal of Environmental Health Science and Engineering 13:34 (2015).
17. Oxidative Mechanisms of Biological Activity of Low-Intensity Radiofrequency Radiation. Yakymenko, et al. Electromagnetic Biology and Medicine 34(3):1-16 (2015).
18. Effects of Prenatal 900 MHz Electromagnetic Field Exposures on the Histology of Rat Kidney. Ulubay, et al. International Journal of Radiation Biology 91(1):35-41 (2015).

19. **The Effect of Exposure of Rats During Prenatal Period to Radiation Spreading from Mobile Phones on Renal Development.** Bedir, et al. *Renal Failure* 37(2):305-9 (2014).
20. **Dosimetric Study of Fetal Exposure to Uniform Magnetic Fields at 50 Hz.** Liorni, et al. *Bioelectromagnetics* 35(8):580-97 (2014).
21. **Influence of Pregnancy Stage and Fetus Position on the Whole-Body and Local Exposure of the Fetus to RF-EMF.** Varsier, et al. *Physics in Medicine and Biology* 59(17):4913-26 (2014).
22. **Autism-Relevant Social Abnormalities in Mice Exposed Perinatally to Extremely Low Frequency Electromagnetic Fields.** Alsaeed, et al. *International Journal of Developmental Neuroscience* 37:58-6 (2014).
23. **Pyramidal Cell Loss in the Cornu Ammonis of 32-day-old Female Rats Following Exposure to a 900 Megahertz Electromagnetic Field During Prenatal Days 13–21.** Bas, et al. *NeuroQuantology* Volume 11, Issue 4: 591-599 (2013).
24. **The Effects of 900 Megahertz Electromagnetic Field Applied in the Prenatal Period on Spinal Cord Morphology and Motor Behavior in Female Rat Pups.** Odaci, et al. *NeuroQuantology* Volume 11, Issue 4: 573-581 (2013).
25. **Fetal Radiofrequency Radiation Exposure From 800-1900 MHz-Rated Cellular Telephones Affects Neurodevelopment and Behavior in Mice.** Aldad, Gan, et al. *Scientific Reports* 2(312) (2013).
26. **Cranial and Postcranial Skeletal Variations Induced in Mouse Embryos by Mobile Phone Radiation.** Fragopoulou, Koussoulakos, et al. *Pathophysiology* 17(3):169-77 (2010).
27. **Dysbindin Modulates Prefrontal Cortical Glutamatergic Circuits and Working Memory Function in Mice.** Jentsch, et al *Neuropsychopharmacology* 34, 2601–8 (2009).
28. **Stress Signalling Pathways that Impair Prefrontal Cortex Structure and Function.** Arnsten, A. F. *National Review of Neuroscience* 10, 410–22 (2009).
29. **Maternal Occupational Exposure to Extremely Low Frequency Magnetic Fields and the Risk of Brain Cancer in the Offspring.** Li, McLaughlin, et al. *Cancer Causes & Control* 20(6):945-55 (2009).
30. **Reproductive and Developmental Effects of EMF in Vertebrate Animal Models.** Pourlis, A.F. *Pathophysiology* 16(2-3):179-89 (2009).
31. **Prenatal and Postnatal Exposure to Cell Phone Use and Behavioral Problems in Children.** Divan, Kheifets, et al. *Epidemiology* 19(4):523-29 (2008).
32. **Effects of Prenatal Exposure to a 900 MHz Electromagnetic Field on the Dentate Gyrus of Rats: A Stereological and Histopathological Study.** Odaci, et al. *Brain Research* 1238: 224–229 (2008).
33. **Exposure to Cell Phone Radiation Up-Regulates Apoptosis Genes in Primary Cultures of Neurons and Astrocytes.** Zhao, et al. *Science Digest* 412: 34–38 (2007).
34. **Cell Death Induced by GSM 900-MHz and DCS 1800-MHz Mobile Telephony Radiation.** Panagopoulos, et al. *Mutation Research* 626, 69–78 (2006).
35. **Ultra High Frequency-Electromagnetic Field Irradiation During Pregnancy Leads to an Increase in Erythrocytes Micronuclei Incidence in Rat Offspring.** Ferreira, Knakievicz, et al. *Life Sciences* 80(1):43-50 (2006).
36. **Attention-Deficit Hyperactivity Disorder.** Biederman, J. & Faraone, S. V. *Lancet* 366, 237–248 (2005).
37. **Attention-Deficit/Hyperactivity Disorder: An Overview of the Etiology and a Review of the Literature Relating to the Correlates and Lifecourse Outcomes for Men and Women.** Brasset-Harknett, A. & Butler, N. *Clinical Psychology Review* 27,188–210 (2005).

## **Účinky na detskú populáciu**

---

1. Electromagnetic Fields, Pulsed Radiofrequency Radiation, and Epigenetics: How Wireless Technologies May Affect Childhood Development. Sage, C. & Burgio, E. *Child Development* (2017).
2. Prospective Cohort Analysis of Cellphone Use and Emotional and Behavioural Difficulties in Children. Sudan, M, et al. *Journal of Epidemiology and Community Health* (2016).
3. Why Children Absorb More Microwave Radiation than Adults: The Consequences. Morgan, Kesari, et al. *Journal of Microscopy and Ultrastructure* 2(4):196-204 (2014).
4. Epidemiological Characteristics of Mobile Phone Ownership and Use in Korean Children and Adolescents. Byun, Yoon-Hwan, et al. *Environmental Health and Toxicology* 28 (2013).
5. A Prospective Study of In-Utero Exposure to Magnetic Fields and the Risk of Childhood Obesity. Li, De-Kun, et al. *Scientific Reports* 2.540 (2012).
6. Exposure to Extremely Low-Frequency Magnetic Fields and the Risk of Childhood Cancer: Update of the Epidemiological evidence. Schüz and Joachim. *Progress in Biophysics and Molecular Biology* 107(3):339-42 (2011).
7. Cell Phone Use and Behavioural Problems in Young Children. Divan, Kheifets, et al. *Journal of Epidemiol Community Health* 66(6):524-9 (2010).
8. Mobile Phones, Radiofrequency Fields, and Health Effects in Children-Epidemiological Studies. Feychtung, Maria. *Progress in Biophysics and Molecular Biology* 107(3):343-348 (2010).
9. Exposure to Radio-Frequency Electromagnetic Fields and Behavioral Problems in Bavarian Children and Adolescents. Thomas, Silke, et al. *European Journal of Epidemiology* 25(2):135-41 (2009).
10. The Sensitivity of Children to Electromagnetic Fields. Repacholi, et al. *Deventer. Journal of Pediatrics* 116(2):303-313 (2005).

## Mozgové nádory

---

1. **Simulation of The Incidence of Malignant Brain Tumors in Birth Cohorts That Started Using Mobile Phones When They First Became Popular in Japan.** Sato, Y., Kojimahara, N., and Yamaguchi, N. *Bioelectromagnetics* 40(3): 143-149 (2019).
2. **Report of Final Results Regarding Brain and Heart Tumors in Sprague-Dawley Rats Exposed From Prenatal Life Until Natural Death to Mobile Phone Radiofrequency Field Representative of a 1.8 GHz GSM Base Station Environmental Emission.** Falcioni, L, et al. *Environmental Research* (2018).
3. **Exposure to Cell Phone Radiofrequency Changes Corticotrophin Hormone Levels and Histology of The Brain and Adrenal Glands in Male Wistar Rat.** Shahabi, S., et al. *Iranian Journal of Basic Medical Sciences* 21:1269-1274 (2018).
4. **Brain Tumours: Rise in Glioblastoma Multiforme Incidence in England 1995-2015 Suggests an Adverse Environmental or Lifestyle Factor.** Philips, A., et al. *Journal of Environmental and Public Health* (2018).
5. **The 2100 MHz Radiofrequency Radiation of a 3G-Mobile Phone and the DNA Oxidative Damage in Brain.** Sahin, Ozgur, et al. *Journal of Chemical Neuroanatomy* 75(B):94-98 (2016).
6. **Mobile Phone and Cordless Phone Use and the Risk for Glioma - Analysis of Pooled Case-Control Studies in Sweden 1997-2003 and 2007-2009.** Hardell and Carlberg. *PathoPhysiology* 22(1):1-13 (2015).
7. **Mobile Phone Radiation Causes Brain Tumors and Should Be Classified as a Probable Human Carcinogen.** Morgan, Miller, et al. *International Journal of Oncology* 46:1865-1871 (2015).
8. **Mobile Phone Use and Brain Tumours in the CERENAT Case-Control Study.** Coureau, Bouvier, et al. *Occupational & Environmental Medicine* 71(7):514-22 (2014).
9. **Use of Mobile Phones and Cordless Phones is Associated with Increased Risk for Glioma and Acoustic Neuroma.** Hardell, Carberg, et al. *PathoPhysiology* 20(2):85-110 (2013).
10. **Mobile Phones and Head Tumours: A Critical Analysis of Case-Control Epidemiological Studies.** Levis, Minicuci, et al. *Open Environmental Sciences* 6(1):1-12 (2012).
11. **On the Association Between Glioma, Wireless Phones, Heredity and Ionising Radiation.** Carlberg and Hardell. *PathoPhysiology* 19(4):243-252 (2012).
12. **Mobile Phones and Head Tumours. The Discrepancies in Cause-Effect Relationships in the Epidemiological Studies - How Do They Arise?** Levis, Minicuci, et al. *Environmental Health* 10:59 (2011).
13. **Indications of Possible Brain Tumour Risk in Mobile-Phone Studies: Should We Be Concerned?** Cardis and Sadetzki. *Occupational & Environmental Medicine* 68:169-171 (2011).
14. **Estimating the Risk of Brain Tumors from Cell Phone Use: Published Case-Control Studies.** Morgan, LL. *Pathophysiology* 16(2-3):137-147 (2009).
15. **Cell Phones and Brain Tumors: A Review Including the Long-Term Epidemiologic Data.** Khurana, Teo, et al. *Surgical Neurology* 72(3):205-14 (2009).
16. **Epidemiological Evidence for an Association Between Use of Wireless Phones and Tumor Diseases.** Hardell, Carlberg, et al. *PathoPhysiology* 16(2-3):113-122 (2009).
17. **Histopathological Examinations of Rat Brains After Long-Term Exposure to GSM Mobile Phone Radiation.** Grafström, Gustav, et al. *Brain Research Bulletin* 77(5):257-63 (2008).
18. **Mobile Phone Use and the Risk of Acoustic Neuroma.** Lonn, Ahlbom, et al. *Epidemiology* 15(6):653-659 (2004).

## **Nádory príušných žliaz**

---

1. **Influence of Handheld Mobiles on Parotid: A Cohort Study.** Ranjitha, G., et al. Journal of Indian Academy of Oral Medicine & Radiology 29:254-258 (2017).
2. **Does Cell Phone Use Increase the Chances of Parotid Gland Tumor Development? A Systematic Review and Meta-Analysis.** De Siqueira, de Souza, et al. Journal of Oral Pathology and Medicine 45(11) (2016).
3. **Pooled Analysis of Case-Control Studies on Acoustic Neuroma Diagnosed 1997-2003 and 2007-2009 and Use of Mobile and Cordless Phones.** Hardell, Carlberg, et al. International Journal of Oncology 43(4):1036-144 (2015).
4. **Using the Hill Viewpoints from 1965 for Evaluating Strengths of Evidence of the Risk for Brain Tumors Associated with use of Mobile and Cordless Phones.** Hardell and Carlberg. Reviews on Environmental Health 28(2-3):97-106 (2013).
5. **Case-Control study of the Use of Mobile and Cordless Phones and the Risk for Malignant Melanoma in the Head and Neck Region.** Hardell, Carlberg, et al. Pathophysiology 18(4):325-333 (2011).
6. **Correlation Between Cellular Phone Use and Epithelial Parotid Gland Malignancies.** Duan, Zhang, et al. Clinical Paper Head and Oncology 40(9):966-7 (2011).
7. **Mobile Phones Use and Risk of Tumors: A Meta-Analysis.** Mynf, Ju, et al. Journal of Clinical Oncology 27(33):5565-72 (2009).
8. **Mobile Phone, Cordless Phones and the Risk for Brain Tumours.** Hardell and Carlberg. International Journal of Oncology 35(1):5-17 (2009).
9. **Public Health Implications of Wireless Technologies.** Sage and Carpenter. PathoPhysiology 16(2-3):233-46 (2009).
10. **Epidemiological Evidence for an Association Between use of Wireless Phones and Tumor Diseases.** Hardell, Carlberg, et al. PathoPhysiology 16(2-3):113-122 (2009).
11. **Cell Phone Use and Risk of Benign and Malignant Parotid Gland Tumors - A Nationwide Case-Control Study.** Sadetzki, Chetrit, et al. American Journal of Epidemiology 167(4):457-467 (2008).

## **Účinky na DNA**

---

1. **Microwaves from Mobile Phones Inhibit 53BP1 Focus Formation in Human Stem Cells More Strongly Than in Differentiated Cells: Possible Mechanistic Link to Cancer Risk.** Markova, Malmgren, et al. Environmental Health Perspectives 118(3):394-399 (2010).
2. **Radiofrequency Radiation and Gene/Protein Expression: A Review.** McNamee and Chauhan. Radiation Research 172(3):265-287 (2009).
3. **Evaluation of HSP70 Expression and DNA Damage in Cells of a Human Trophoblast Cell Line Exposed to 1.8GHz Amplitude-Modulated Radiofrequency Fields.** Valbonesi, Franzellotto, et al. Radiation Research 169(3):270-279 (2008).
4. **Gene and Protein Expression Following Exposure to Radiofrequency Fields from Mobile Phones.** Vanderstraeten and Verschaeve. Environmental Health Perspectives 116(9):1131-5 (2008).
5. **Nonthermal Effects of RadioFrequency-Field Exposure on Calcium Dynamics in Stem Cell-derived Neuronal Cells: Elucidation of Calcium Pathways.** Rao, Titushkin, et al. Radiation Research 169(3):319-329 (2008).
6. **Gene Expression Changes in the Skin of Rats Induced by Prolonged 35 GHz Millimeter-Wave Exposure.** Millenbaugh, Roth, et al. Radiation Research 169(3):288-300 (2008).
7. **DNA Damage in Molt-4 T-lymphoblastoid Cells Exposed to Cellular Telephone Radiofrequency Fields in Vitro.** Philips, Ivaschuk, et al. Bioelectrochemistry and Bioenergetics 45(1):103-110 (1998).

## **Neurologické a psychosomatické účinky**

---

1. Early-Life Exposure to Pulsed LTE Radiofrequency Fields Causes Persistent Changes in Activity and Behavior in C57BL/6 J Mice. Broom, K., et al. Bio Electro Magnetics 40(7):498-511 (2019).
2. Are Rises in Electro-Magnetic Field in The Human Environment, Interacting with Multiple Environmental Pollutants, The Tripping Point for Increases in Neurological Deaths in the Western World? Pritchard, C., Silk, A. and Hansen, L. Medical Hypotheses 127: 76-83 (2019).
3. Effect of 1800-2100 MHz Electromagnetic Radiation on Learning-Memory and Hippocampal Morphology in Swiss Albino Mice. Kishore, G., Venkatashu, K., and Sridevi, N. Journal of Clinical and Diagnostic Research 12(2): 14-17 (2019).
4. Monitoring of BALB/C Strain Mice Health, Investigation of Behavior, Hematological Parameters Under the Effect of an Electromagnetic Field. Zymantiene, J., et al. Medycyna Weterynarzna 75(03): 158-163 (2019).
5. 2.45 GHz Microwave Radiation Impairs Learning, Memory, and Hippocampal Synaptic Plasticity in The Rat. Karimi, N., et al. Toxicology and Industrial Health 34(12): 873-883 (2018).
6. Mobile Phone Distance From Head and Temperature Changes of Radio Frequency Waves on Brain Tissue. Forouharmajd, F., Ebrahimi, H. and Pourabdian, S. International Journal of Preventative Medicine (2018).
7. A Prospective Cohort Study of Adolescents' Memory Performance and Individual Brain Dose of Microwave Radiation from Wireless Communication. Foerster, M., et al. Environmental Health Perspectives 126(7) (2018).
8. Electromagnetic Radiation 2450 MHz Exposure Causes Cognition Deficit with Mitochondrial Dysfunction and Activation of Intrinsic Pathway of Apoptosis in Rats. Gupta, S.K., Mesharam, M.K., and Krishnamurthy, S. Journal of Biosciences 43(2) 263-276 (2018).
9. The Effect of Wi-Fi Electromagnetic Waves in Unimodal and Multimodal Object Recognition Tasks in Male Rats. Hassanshahi, A., et al. Neurological Sciences 38(6):1069-1076 (2017).
10. Effects of Short and Long Term Electromagnetic Fields Exposure on the Human Hippocampus. Deniz, O.G., et al. Journal of Microscopy and Ultrastructure 5(4):191-197 (2017).
11. Effects of Long Term Exposure of 900-1800 MHz Radiation Emitted from 2G Mobile Phone on Mice Hippocampus – A Histomorphometric Study. Mugunthan, Shanmugasamy, et al. Journal of Clinical and Diagnostic Research 10(8):AF01-6 (2016).
12. Effect of Mobile Phone Radiation on Pentylenetetrazole-Induced Seizure Threshold in Mice. Kouchaki, Motaghedifard, et al. Iranian Journal of Basic Medical Sciences 19(7):800-3 (2016).
13. Effects of 3 Hz and 60Hz Extremely Low Frequency Electromagnetic Fields on Anxiety-Like Behaviors, Memory Retention of Passive Avoidance and ElectroPhysiological Properties of Male Rats. Rostami, Shahani, et al. J Lasers Medical Science 7(2):120-125 (2016).
14. Short-Term Memory in Mice is Affected by Mobile Phone Radiation. Ntzouni, Stamatakis, et al. PathoPhysiology 18(3):193-199 (2011).
15. Use of Mobile Phones and Changes in Cognitive Function in Adolescents. Thomas, Benke, et al. Occupational Environmental Medicine 67(12):861-866 (2010).
16. Increased Blood-Brain Barrier Permeability in Mammalian Brain 7 Days After Exposure to the Radiation from a GSM-900 Mobile Phone. Nitby, Brun, et al. PathoPhysiology 16(2-3):103-112 (2009).
17. Effects of GSM 1800 MHz on Dendritic Development of Cultured Hippocampal Neurons. Ning, Xu, et al. Acta Pharmacol Sin 28(12):1873-1880 (2007).
18. Neurological Effects of Radiofrequency Electromagnetic Radiation. Lai, Henry. Advances in Electromagnetic Fields in Living Systems 1:27-80 (1994).

## **Účinky na mužskú plodnosť**

---

1. Long-Term Exposure to 4G Smartphone Radiofrequency Electromagnetic Radiation Diminished Male Reproductive Potential by Directly Disrupting Spck3-MMP2-BTB Axis in the Testes of Adult Rats. Yu, G., et al. *Science of The Total Environment* 698 (2020).
2. Radiations and Male Fertility. Kesari, K., Agarwal, A. and Henkel, R. *Reproductive Biology and Endocrinology* 16(118) (2018).
3. The Effect of 2.45 GHz Non-Ionizing Radiation on the Structure and Ultrastructure of The Testis in Juvenile Rats. *Histology and Histopathology*(2018).
4. Modulatory Effect of 900 MHz Radiation on Biochemical and Reproductive Parameters in Rats. Narayana, SN., et al. *Bratislava Medical Journal*119(9):581-587 (2018).
5. Aloe Arborescens Juice Prevents EMF-Induced Oxidative Stress and Thus Protects from Pathophysiology in the Male Reproductive System In Vitro. Solek, P., Majchrowics, L., and Koziorowski, M. *Environmental Research* 166:141-149 (2018).
6. Radiofrequency Radiation (900 MHz)-Induced DNA Damage and Cell Cycle Arrest in Testicular Germ Cells in Swiss Albino Mice. Pandey, N., et al. *Toxicology and Industrial Health* 33(4) 373-384 (2017).
7. The Effects of Radiofrequency Electromagnetic Radiation on Sperm Function. Houston, Nixon, et al. *Reproduction* (2016)
8. Male Fertility and its Association with Occupational and Mobile Phone Tower Hazards: An Analytical Study. Al-Quzwini, Al-Taee, et al. *Middle East Fertility Society Journal* (2016).
9. Sperm DNA Damage – The Effect of Stress and Everyday Life Factors. Radwan, M, et al. *International Journal of Impotence Research* 28, 148-154 (2016).
10. Electromagnetic Radiation at 900 MHz Induces Sperm Apoptosis through bcl-2, bax and caspase-3 Signaling Pathways in Rats. Liu, Si, et al. *Journal of Reproductive Health* 12:65 (2015).
11. Habits of Cell Phone usage and Sperm Quality - Does It Warrant Attention? Zilverlight, Wiener-Magnazi, et al. *Reproductive BioMedicine Online* 31(3):421-426 (2015).
12. Extremely Low frequency Magnetic Fields Induce Spermatogenic Germ Cell Apoptosis: Possible Mechanism. Lee, Park, et al. *BioMed Research International* (2014).
13. In Vitro Effect of Cell Phone Radiation on Motility, DNA Fragmentation and Clusterin Gene Expression in Human Sperm. Zalata, El-Samanoudy, et al. *International Journal of Fertility and Sterility* 9(1):129-136 (2014).
14. Effect of Electromagnetic Field Exposure on the Reproductive System. Gye and Park. *Journal of Clinical and Experimental Reproductive Medicine* 39(1):1-19 (2012).
15. Effects of the Exposure of Mobile Phones on Male Reproduction: A Review of the Literature. Vignera, Condorelli, et al. *Journal of Andrology* 33(3):350-356 (2012).
16. Use of Laptop Computers Connected to Internet Through Wi-Fi Decreases Human Sperm Motility and Increases Sperm DNA Fragmentation. Avendano, C., et al. *Fertility and Sterility* 97(1):39045 (2012).
17. Exposure to Magnetic fields and the Risk of Poor Sperm Quality. Li, Yan, et al. *Journal of Reproductive Toxicology* 29(1):86-92 (2010).
18. Mobile Phone Radiation Induces Reactive Oxygen Species Production and DNA Damage in Human Spermatozoa In Vitro. Luliis, Newey, et al. *PLoS ONE* 4(7) (2009).
19. Radio Frequency Electromagnetic Radiation (Rf-EMR) from GSM Mobile Phones Induces Oxidative Stress and Reduces Sperm Motility in Rats. Mailankot, Kunnath, et al. *Clinical Science* 64(6):561-5 (2009).
20. Cell Phones: Modern Man's Nemesis? Makker, Varghese, et al. *Reproductive BioMedicine Online* 18(1):148-157 (2008).

21. **Indicative SAR Levels Due to an Active Mobile Phone in a Front Trouser Pocket in Proximity to Common Metallic Objects.** Whittow, Panagamuwa, et al. Propagation Conference 149-152 (2008).
22. **Cell Phones and Male Infertility: Dissecting the Relationship.** Deepinder, Makker, et al. Reproductive BioMedicine Online 15(3):266-270 (2007).
23. **Evaluation of the Effect of Using Mobile Phones on Male Fertility.** Wdowiak, Wiktor, et al. Annals of Agricultural and Medicine 14(1):169-172 (2007).
24. **Effect of Cell Phone Usage on Semen Analysis in Men Attending Infertility Clinic: An Observational Study.** Agarwal, Deepinder, et al. American Society for Reproductive Medicine 89(1):124-8 (2008).

## Precitlivenosť na elektromagnetické polia

---

1. **Becoming Electro-Hypersensitive: A Replication Study.** Dieudonne, M. Bioelectromagnetic 40: 188-200 (2019).
2. **Functional Brain MRI in Patients Complaining of Electrohypersensitivity After Long Term Exposure to Electromagnetic Fields.** Heuser, G. & Heuser, S. Reviews on Environmental Health 32(3):291-299 (2016).
3. **"Hot Nano Spots" as an Interpretation of So-Called Non-Thermal Biological Mobile Phone Effects.** Pfutzner, Helmut. Journal of Electromagnetic Analysis and Applications 8(3):62-69 (2016).
4. **Analysis of the Genotoxic Effects of Mobile Phone Radiation Using Buccal Micronucleus Assay: A Comparative Evaluation.** Banerjee, Singh, et al. Journal of Clinical and Diagnostic Research 10 (3):ZC82-ZC85 (2016).
5. **Tinnitus and Cell Phones: The Role of Electromagnetic Radiofrequency Radiation.** Medeiros and Sanchez. Brazilian Journal of Otorhinolaryngology 82(1):97-104 (2016).
6. **Microwave Frequency Electromagnetic Fields (EMFs) Produce Widespread Neuropsychiatric Effects Including Depression.** Pall, Martin L. Journal of Chemical Neuroanatomy (2015).
7. **Subjective Symptoms Related to GSM Radiation from Mobile Phone Base Stations: a Cross-Sectional Study.** Gomez-Perretta, Navarro, et al. BMJ Open 3.12 (2013).
8. **Green Communication- A Stipulation to Reduce Electromagnetic Hypersensitivity from Cellular Phones.** Kumar, Khan, et al. Procedia Technology 4:682-686 (2012).
9. **Electromagnetic Hypersensitivity: Fact or Fiction?** Genius and Lipp. Science of the Total Environment 414(1):103-112 (2012).
10. **Radiofrequency (RF) Sickness in the Lilienfeld Study: An Effect of Modulated Microwaves?** Liakouris, A. Archives of Environmental Health 236-238 (2010).
11. **Neurobehavioral Effects Among Inhabitants Around Mobile Phone Base Stations.** Abdel-Rassoul, El-Fateh, et al. NeuroToxicology 28(2):434-440 (2007).
12. **Electrohypersensitivity: State-Of-The-Art of A Functional Impairment.** Johansson, O. Electromagnetic Biology and Medicine 25(4): 245-258 (2006).
13. **Electromagnetic Hypersensitivity: Biological Effects of Dirty Electricity With Emphasis on Diabetes and Multiple Sclerosis.** Havas, M. Electromagnetic Biology and Medicine 25(4): 259-268 (2006).
14. **Establishing the Health Risks of Exposure to Radiofrequency Fields Requires Multidisciplinary Research.** Hietanen, Maila. Scandinavian Journal of Work, the Environment, and Health 32(3):169-170 (2006).
15. **Hypersensitivity of Human Subjects to Environmental Electric and Magnetic Field Exposure: A Review of the Literature.** Levallois, Patrick. Environmental Health Perspectives 110(4):613-8 (2002).
16. **Electric Hypersensitivity and Neurophysical Effects of Cellular Phones - Facts or Needless Anxiety?** Harma, Mikko Ilmari. Scandinavian Journal of Work, the Environment and Health 26(2):85-86 (2000).

## **Interferencia s medicínskymi implantátmami**

---

1. **Ad Hoc Electromagnetic Compatibility Testing of Non-Implantable Medical Devices and Radio Frequency Identification.** Seidman and Guag. Biomedical Engineering OnLine 12:71 (2013).
2. **Electromagnetic Interference of Pacemakers.** Lakshmanadoss, Chinnachamy, et al. Interchopen 229-252 (2011).
3. **Interference Between Mobile Phones and Pacemakers: A Look Inside.** Censi, Calcagnini, et al. Annali dell'Istituto superiore di sanità 43(3):254-259 (2007).
4. **Electromagnetic Interference on Pacemakers.** Erdogan, Okan. Indian Pacing and Electrophysiology Journal 2(3):74-78 (2002).
5. **Electromagnetic Interference in Patients with Implanted Cardioverter-Defibrillators and Implantable Loop Recorders.** Sousa, Klein, et al. Indian Pacing and Electrophysiology Journal 2(3):79-84 (2002).
6. **Radiofrequency Interference with Medical Devices. A Technical Information Statement.** IEEE Committee on Man and Radiation, Institute of Electrical and Electronics Engineers 17(3):111-4 (1998).
7. **Cellular Telephones and Pacemakers: Urgent Call or Wrong Number?** Ellenbogen and Wood. Journal of the American College of Cardiology 27(6):1478-9 (1996).

## **Ostatné nepriaznivé účinky**

---

1. **The Carcinogenic Potential of Non-Ionizing Radiations: The Cases of 50 Hz MF and 1.8 GHz GSM Radiofrequency Radiation.** Soffritti, M. and Giuliani, L. Basic & Clinical Pharmacology & Toxicology (2019).
2. **Tumor Promotion by Exposure to Radiofrequency Electromagnetic Fields Below Exposure Limits for Humans.** Lerchl, Klose, et al. Biochemical and Biophysical Research Communications 459(4):585-590 (2015).
3. **Swedish Review Strengthen Grounds for Concluding that Radiation from Cellular and Cordless Phones is a Probable Human Carcinogen.** Davis, Kesari, et al. Pathophysiology 20(2):123-129 (2013).
4. **Multifocal Breast Cancer in Young Women with Prolonged Contact Between Their Breasts and Their Cellular Phones.** West, Kapoor, et al. Case Reports in Medicine (2013).
5. **Epidemiological Evidence for an Association Between Use of Wireless Phones and Tumor Diseases.** Hardell, Carlberg, et al. Pathophysiology 16(2-3):113-122 (2009).
6. **Study on Potential Effects of "902 MHz GSM-type Wireless Communication Signals" on DMBA-Induced Mammary Tumours in Sprague-Dawley Rats.** Hruby, Neubauer, et al. Mutation Research 649(1-2):34-44 (2008).

## **Nezaradené štúdie**

---

1. Untargeted Metabolomics Unveil Alterations of Biomembranes Permeability in Human HaCaT Keratinocytes Upon 60 HGz Millimeter-Wave Exposure. Pogam, Pierre., et al. *Scientific Reports* 9(9343) (2019).
2. Risks to Health and Well-Being From Radio-Frequency Radiation Emitted by Cell Phones and Other Wireless Devices. Miller, A., et al. *Frontiers in Public Health* 7(223) (2019).
3. Computational Simulations of The Penetration of 0.30 THz Radiation into the Human Ear. Vilaagosh, Z., et al. *Biomedical Optics Express* 10(3) (2019).
4. Radiofrequency Electromagnetic Field Exposure and Risk Perception: A Pilot Experimental Study. Zeleke, B., et al. *Environmental Research* 170: 493-499 (2019).
5. Commentary on The Utility of The National Toxicology Program Study on Cell Phone Radiofrequency Radiation Data for Assessing Human Health Risks Despite Unfounded Criticisms Aimed at Minimizing the Findings of Adverse Health Effects. Melnick, R. *Environmental Research* 168:1-6 (2019).
6. Pathological Findings Observed in the Kidneys of Postnatal Male Rats Exposed to the 2100 MHz Electromagnetic Field. Bedir, R., et al. *Archives of Medical Research* (2019).
7. Genotoxic and Carcinogenic Effects of Non-Ionizing Electromagnetic Fields. Kocaman, A., et al. *Environmental Research* 163:71-79 (2018).
8. Non-Ionizing EMF Hazard in the 21st Century. Koh, W.J., and Moothala, S.M. *IEEE* (2018).
9. Thermal and Non-Thermal Health Effects of Low Intensity Non-Ionizing Radiation: An International Perspective. Belpomme, D., et al. *Environmental Pollution* 242(A):643-658 (2018).
10. Comparison of Radiofrequency Electromagnetic Field Exposure Levels in Different Everyday Microenvironments in an International Context. Sagar, S, et al. *Environmental International* 114:297-306 (2018).
11. Wi-Fi is an Important Threat to Human Health. Pall, M. *Environmental Research* 405-416 (2018).
12. Mobile-Phone Radiation-Induced Perturbation of gene-Expression Profiling, Redox Equilibrium and Sporadic-Apoptosis Control in the Ovary of *Drosophila Melanogaster*. Manta, A., et al. *FLY* 11(2): 75-95 (2017).
13. World Health Organization, Radiofrequency Radiation and Health – A Hard Nut to Crack (Review). Hardell, L. *International Journal of Oncology* 51:405-413 (2017).
14. Radiation from Wireless Technology Elevates Blood Glucose and Body Temperature in 40-Year-Old Type 1 Diabetic Male. Kleiber, C. *Electromagnetic Biology and Medicine* 36:3 259-264 (2017).
15. Cardiovascular Disease: Time to Identify Emerging Environmental Risk Factors. Bandara, P. & Weller, S. *European Journal of Preventative Cardiology* (2017).
16. Effects of Exposure to 2100MHz GSM-like Radiofrequency Electromagnetic Field on Auditory System of Rats. Celiker, Ozgur, et al. *Brazilian Journal of Otorhinolaryngology* (2017).
17. An Investigation of the Effect of Extremely Low Frequency Pulsed Electromagnetic Fields on Human Electrocardiograms (ECGs). Fang, Mahmoud, et al. *International Journal of Environmental Research and Public Health* 13(11) (2016).
18. Evaluation of the Protective Role of Vitamin C on the Metabolic and Enzymatic Activities of the Liver in the Male Rats After Exposure to 2.45 GHz of Wi-Fi Routers. Shekoohi-Shooli, F., et al. *Journal of Biomedical Physics and Engineering* 6(3):157-164 (2016).
19. Exposure of ELF-EMF and RF-EMF Increase the Rate of Glucose Transport and TCA Cycle in Budding Yeast. Lin, Yan, et al. *Frontiers in Microbiology* (2016).
20. Awareness Campaign Against Cell Phone Radiation Hazard: Case Study Oman. Osmen and Saar. *Procedia - Social and Behavioral Sciences* 205(9):381-385 (2015).

21. **Electromagnetic Energy Radiated from Mobile Phone Alters Electrocardiographic Records of Patients with Ischemic Heart Disease.** Alhusseiny, Al-Nimer, et al. Annals of Medical and Health Science Research 2(2):146-151 (2012).
22. **Effects of Radiofrequency Radiation on Human Ferritin: An in vitro Enzymun Assay.** Fattahiasl, Baradaran-Ghahfarokhi, et al. Journal of Medical Signals and Sensors 2(4):235-240 (2012).
23. **Apoptosis is Induced by Radiofrequency Fields through the Caspase-Independent Mitochondrial Pathway in Cortical Neurons.** Joubert, Bourthoumieu, et al. Radiation Research 169(1):38-45 (2008).
24. **Source of Funding and Results of Studies of Health Effects of Mobile Phone Use: Systematic Review of Experimental Studies.** Huss, Egger, et al. Environmental Health Perspectives 115(1):1-4 (2007).
25. **Epidemiology of Health Effects of Radiofrequency Exposure.** Ahlbom, Green, et al. Environmental Health Perspectives 112(17):1741-1753 (2004).
26. **The Possible Role of Radiofrequency Radiation in the Development of Uveal Melanoma** Stang, Anastassiou, et al. Journal of Epidemiology 12(1):7-12 (2001).
27. **Biological Effects of Amplitude-Modulated Radiofrequency Radiation.** Juutilainen and Seze. Scandinavian Journal of Work, the Environment and Health 24(2):245-254 (1998).

## Milimetrové vlny, 5G

---

1. **Model of Steady-state Temperature Rise in Multilayer Tissues Due to Narrow-beam Millimeter-wave Radiofrequency Field Exposure.** Gajda, G., et al. *Health Physics* 117(3):254-266 (2019).
2. **Untargeted Metabolomics Unveil Alterations of Biomembranes Permeability in Human HaCaT Keratinocytes Upon 60 HGz Millimeter-Wave Exposure.** Pogam, Pierre., et al. *Scientific Reports* 9(9343) (2019).
3. **Ocular Response to Millimeter Wave Exposure Under Different Levels of Humidity.** Kojima, M., et al. *Journal of Infrared Milli Terahz Waves* 40: 574–584 (2019).
4. **Millimeter Wave Radiation Activates Leech Nociceptors via TRPV1-Like Receptor Sensitization.** Romanenko, S., et al. *Biophysical Journal* 116(12): 2331-2345 (2019).
5. **Systematic Derivation of Safety Limits for Time-Varying 5G Radiofrequency Exposure Based on Analytical Models and Thermal Dose.** Neufeld, E., and Kuster, N. *Health Physics Society* (2018).
6. **Towards 5G Communication Systems: Are There Health Implications?** Ciaula, AD. *International Journal of Hygiene and Environmental Health* 367-375 (2018).
7. **5G Wireless Telecommunications Expansion: Public Health and Environmental Implications.** Russell, C.L. *Environmental Research* 165:484-495 (2018).
8. **The Human Skin As A Sub-THz Receiver – Does 5G Pose a Danger To It or Not?** Betzalel, N., Ishai, P.B., and Feldman, Y. *Environmental Research* 163:208-216 (2018).
9. **The Modeling of the Absorbance of Sun-THz Radiation by Human Skin.** Betzalel, N., Feldman, Y., and Ishai, P.B. *IEEE Transactions on Terahertz Science and Technology* 7(5):521-528 (2017).
10. **Human Exposure to RF Fields in 5G Downlink.** Nasim, I. and Kim, S. *Georgia Southern University* (2017).
11. **The Human body and Millimeter-Wave Wireless Communication Systems: Interactions and Implications.** Wu, T., Rappaport, T., and Collins, C. *IEEE International Conference on Communications* (2015).
12. **State of Knowledge on Biological Effects at 40-60 GHz.** Drean, Y., et al. *Comptes Rendus Physique* (2013).
13. **Effects of millimeter waves radiation on cell membrane-A brief review.** Ramundo-Orlando, Alfonsina. *Journal of Infrared, Millimeter, and Terahertz Waves* 31(12): 1400-1411 (2010).
14. **Human Skin as Arrays of Helical Antennas in Millimeter and Submillimeter Wave Range.** Feldman, Y., et al. *The American Physical Society* (2008).

## Mobilné a bezdrôtové telefóny

---

Can J Physiol Pharmacol. 2017 Feb;95(2):151-156. doi: 10.1139/cjpp-2016-0218. Epub 2016 Sep 5.  
*Effect of electromagnetic waves from mobile phone on immune status of male rats: possible protective role of vitamin D.* [Zobrazíť štúdiu](#)

Andrologia. 2017 Jan 26. doi: 10.1111/and.12761.  
*Quantitative changes in testicular structure and function in rat exposed to mobile phone radiation.* [Zobrazíť štúdiu](#)

Int J Yoga. 2017 Jan-Apr;10(1):16-23. doi: 10.4103/0973-6131.186163.  
*Acute effects of mobile phone radiations on subtle energy levels of teenagers using electrophotonic imaging technique: A randomized controlled study.* [Zobrazíť štúdiu](#)

Electron Physician. 2016 Dec 25;8(12):3445-3449. doi: 10.19082/3445. eCollection 2016.  
*The Effects of Exposure to Low Frequency Electromagnetic Fields in the Treatment of Migraine Headache: A Cohort Study.* [Zobrazíť štúdiu](#)

J Biomed Phys Eng. 2016 Dec 1;6(4):243-252. eCollection 2016.  
*Effects of RF-EMF Exposure from GSM Mobile Phones on Proliferation Rate of Human Adipose-derived Stem Cells: An In-vitro Study.* [Zobrazíť štúdiu](#)

Sci Rep. 2017 Jan 20;7:41129. doi: 10.1038/srep41129.  
*Long-term exposure to 835MHz RF-EMF induces hyperactivity, autophagy and demyelination in the cortical neurons of mice.* [Zobrazíť štúdiu](#)

**Lahham A et al**, (August 2015) *Public Exposure from Indoor Radiofrequency Radiation in the City of Hebron, West Bank-Palestine*, Health Phys. 2015 Aug;109(2):117-21. doi: 10.1097/HP.0000000000000296 [Zobrazíť štúdiu](#)

**Redmayne M**, (June 2015) *International policy and advisory response regarding children's exposure to radio frequency electromagnetic fields (RF-EMF)*, Electromagn Biol Med. 2015 Jun 19:1-9. [Zobrazíť štúdiu](#)

**Hareuveny R et al**, (June 2015) *Occupational exposures to radiofrequency fields: results of an Israeli national survey*, J Radiol Prot. 2015 Jun;35(2):429-45. doi: 10.1088/0952-4746/35/2/429. [Zobrazíť štúdiu](#)

**Balmori A**, (June 2015) *Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation*, Sci Total Environ. 2015 Jun 15;518-519:58-60. doi: 10.1016/j.scitotenv.2015.02.077. Epub 2015 Mar 4 [Zobrazíť štúdiu](#)

**Jeong YJ et al**, (2015) *1950 MHz Electromagnetic Fields Ameliorate AB Pathology in Alzheimer's Disease Mice*, Curr Alzheimer Res. 2015;12(5):481-92 [Zobrazíť štúdiu](#)

**Osei S et al**, (May 2015) *Assessment of levels of occupationsl exposure to workers in radiofrequency fields of two television stations in Accra, Ghana*, Radiat Prot Dosimetry. 2015 May 15. pii: ncv326. [Zobrazíť štúdiu](#)

**Roggeveen S et al**, (May 2015) *Does the Brain Detect 3G Mobile Phone Radiation Peaks? An Explorative In-Depth Analysis of an Experimental Study*, PLoS One. 2015 May 11;10(5):e0125390. doi: 10.1371/journal.pone.0125390. eCollection 2015 [Zobrazíť štúdiu](#)

**Morgan LL et al**, (May 2015) *Mobile phone radiation causes brain tumors and should be classified as a probable human carcinogen (2A)* (Review), Int J Oncol. 2015 May;46(5):1865-71. doi: 10.3892/ijo.2015.2908. Epub 2015 Feb 25 [Zobrazíť štúdiu](#)

**Lerchl A et al**, (April 2015) *Tumor promotion by exposure to radiofrequency electromagnetic fields below exposure limits for humans*, Biochem Biophys Res Commun. 2015 Apr 17;459(4):585-90. doi: 10.1016/j.bbrc.2015.02.151. Epub 2015 Mar 6 [Zobrazíť štúdiu](#)

**Aydogan F et al**, (April 2015) *The effects of 2100-MHz radiofrequency radiation on nasal mucosa and mucociliary clearance in rats*, Int Forum Allergy Rhinol. 2015 Apr 16. doi: 10.1002/alr.21509. [Zobrazíť štúdiu](#)

**Dasdag S et al**, (April 2015) *Long term and excessive use of 900 MHz radiofrequency radiation alter microRNA expression in brain*, Int J Radiat Biol. 2015 Apr;91(4):306-11. doi: 10.3109/09553002.2015.997896. Epub 2015 Jan 2 [Zobrazíť štúdiu](#)

**Boga A et al**, (March 2015) *The effect of 900 and 1800 MHz GSM-like radiofrequency irradiation and nicotine sulfate administration on the embryonic development of Xenopus laevis*, Ecotoxicol Environ Saf. 2015 Mar;113:378-90. doi: 10.1016/j.ecoenv.2014.12.020. Epub 2014 Dec 20. [Zobrazíť štúdiu](#)

**Zong C et al**, (March 2015) *Adaptive response in mice exposed to 900 MHZ radiofrequency fields: Bleomycin-induced DNA and oxidative damage/repair*, Int J Radiat Biol. 2015 Mar;91(3):270-6. doi: 10.3109/09553002.2014.980465. Epub 2015 Jan 27 [Zobrazíť štúdiu](#)

**Aerts S et al**, (February 2015) *Impact of a small cell on the RF-EMF exposure in a train*, Int J Environ Res Public Health. 2015 Feb 27;12(3):2639-52. doi: 10.3390/ijerph120302639. [Zobrazíť štúdiu](#)

**Ghosn R et al**, (February 2015) *Radiofrequency signal affects alpha band in resting electroencephalogram*, J Neurophysiol. 2015 Feb 18:jn.00765.2014. doi: 10.1152/jn.00765.2014. [Zobrazit štúdiu](#)

**Cao H et al**, (February 2015) *Circadian rhythmicity of antioxidant markers in rats exposed to 1.8 GHz radiofrequency fields*, Int J Environ Res Public Health. 2015 Feb 12;12(2):2071-87. doi: 10.3390/ijerph120202071. [Zobrazit štúdiu](#)

**Aydogan F et al**, (January 2015) *The effect of 2100 MHz radiofrequency radiation of a 3G mobile phone on the parotid gland of rats*, Am J Otolaryngol. 2015 Jan-Feb;36(1):39-46. doi: 10.1016/j.amjoto.2014.10.001. Epub 2014 Oct 5 [Zobrazit štúdiu](#)

**Agarwal A, Durairajayagam D**, (November 2014) *Are men talking their reproductive health away?*, Asian J Androl. 2014 Nov 18. doi: 10.4103/1008-682X.140963. [Zobrazit štúdiu](#)

**Geronikolou S et al**, (November 2014) *Diverse radiofrequency sensitivity and radiofrequency effects of mobile or cordless phone near fields exposure in Drosophila melanogaster*, PLoS One. 2014 Nov 17;9(11):e112139. doi: 10.1371/journal.pone.0112139. eCollection 2014 [Zobrazit štúdiu](#)

**Carpenter DO**, (November 2014) *Excessive exposure to radiofrequency electromagnetic fields may cause the development of electrohypersensitivity*, Altern Ther Health Med. 2014 Nov-Dec;20(6):40-2 [Zobrazit štúdiu](#)

**Carlberg M, Hardell L**, (October 2014) *Decreased Survival of Glioma Patients with Astrocytoma Grade IV (Glioblastoma Multiforme) Associated with Long-Term Use of Mobile and Cordless Phones*, Int J Environ Res Public Health. 2014 Oct 16;11(10):10790-10805 [Zobrazit štúdiu](#)

**Chiu CT et al**, (August 2014) *Mobile phone use and health symptoms in children*, J Formos Med Assoc. 2014 Aug 9. pii: S0929-6646(14)00207-1. doi: 10.1016/j.jfma.2014.07.002. Epub ahead of print [Zobrazit štúdiu](#)

**Marjanovic AM et al**, (August 2014) *Cell oxidation-reduction imbalance after modulated radiofrequency radiation*, Electromagn Biol Med. 2014 Aug 13:1-6. Epub ahead of print [Zobrazit štúdiu](#)

**Maskey D et al**, (August 2014) *Alteration of glycine receptor immunoreactivity in the auditory brainstem of mice following three months of exposure to radiofrequency radiation at SAR 4.0 W/kg*, Int J Mol Med. 2014 Aug;34(2):409-19. doi: 10.3892/ijmm.2014.1784. Epub 2014 May 22 [Zobrazit štúdiu](#)

**Coureau G et al**, (July 2014) *Mobile phone use and brain tumours in the CERENAT case-control study*, Occup Environ Med. 2014 Jul;71(7):514-22. doi: 10.1136/oemed-2013-101754. Epub 2014 May 9 [Zobrazit štúdiu](#)

**Chen C et al**, (May 2014) *Exposure to 1800 MHz radiofrequency radiation impairs neurite outgrowth of embryonic neural stem cells*, Sci Rep. 2014 May 29;4:5103. doi: 10.1038/srep05103. [Zobrazit štúdiu](#)

**Saikhedkar N et al**, (May 2014) *Effects of mobile phone radiation (900 MHz radiofrequency) on structure and functions of rat brain*, Neurol Res. 2014 May 26:1743132814Y0000000392. Epub ahead of print [Zobrazit štúdiu](#)

**Ozgur E et al**, (May 2014) *Mobile Phone Radiation Alters Proliferation of Hepatocarcinoma Cells*, Cell Biochem Biophys. 2014 May 11. Epub ahead of print [Zobrazit štúdiu](#)

**Liu K et al**, (May 2014) *The protective effect of autophagy on mouse spermatocyte derived cells exposure to 1800MHz radiofrequency electromagnetic radiation*, Toxicol Lett. 2014 May 9;228(3):216-224. doi: 10.1016/j.toxlet.2014.05.004. Epub ahead of print [Zobrazit štúdiu](#)

**Movvahedi MM et al**, (May 2014) *Does exposure to GSM 900 MHz mobile phone radiation affect short-term memory of elementary school students?*, J Pediatr Neurosci. 2014 May;9(2):121-4. doi: 10.4103/1817-1745.139300 [Zobrazit štúdiu](#)

**Seckin E et al**, (May 2014) *The effect of radiofrequency radiation generated by a Global System for Mobile Communications source on cochlear development in a rat model*, J Laryngol Otol. 2014 May;128(5):400-5. doi: 10.1017/S0022215114000723. Epub 2014 May 1 [Zobrazit štúdiu](#)

**Qin F et al**, (January 2014) *Effects of nano-selenium on cognition performance of mice exposed in 1800 MHz radiofrequency fields*, Wei Sheng Yan Jiu. 2014 Jan;43(1):16-21 [Zobrazit štúdiu](#)

**Ingole IV, Ghosh SK**, (December 2012) *Effect of exposure to radio frequency radiation emitted by cell phone on the developing dorsal root ganglion of chick embryo: a light microscopic study*, Nepal Med Coll J. 2012 Dec;14(4):337-41 [Zobrazit štúdiu](#)

**Pilla AA**, (September 2012) *Electromagnetic fields instantaneously modulate nitric oxide signaling in challenged biological systems*, Biochem Biophys Res Commun. 2012 Sep 28;426(3):330-3. doi: 10.1016/j.bbrc.2012.08.078. Epub 2012 Aug 24 [Zobrazit štúdiu](#)

**Kesari KK, Behari J**, (September 2012) *Evidence for mobile phone radiation exposure effects on reproductive pattern of male rats: Role of ROS*, Electromagn Biol Med. 2012 Sep;31(3):213-22 [Zobrazit štúdiu](#)

**Kesari KK et al**, (August 2012) *Biophysical Evaluation of Radiofrequency Electromagnetic Field Effects on Male Reproductive Pattern*, Cell Biochem Biophys. 2012 Aug 29. Epub ahead of print [Zobrazit štúdiu](#)

**Hamzany Y et al**, (August 2012) *Is human saliva an indicator of the adverse health effects of using mobile phones?*, Antioxid Redox Signal. 2012 Aug 15. Epub ahead of print [Zobrazit štúdiu](#)

**Bhargava S et al**, (August 2012) *Effect of handheld mobile phone use on parotid gland salivary flow rate and volume*, Oral Surg Oral Med Oral Pathol Oral Radiol. 2012 Aug;114(2):200-6 [Zobrazit štúdiu](#)

**Avcı B et al**, (July 2012) *Oxidative stress induced by 1.8 Ghz radio frequency electromagnetic radiation and effects of the garlic extract in rats*, Int J Radiat Biol. 2012 Jul 12. Epub ahead of print [Zobrazit štúdiu](#)

**Schmid MR et al**, (June 2012) *Sleep EEG alterations: effects of pulsed magnetic fields versus pulse-modulated radio frequency electromagnetic fields*, J Sleep Res. 2012 Jun 22. doi: 10.1111/j.1365-2869.2012.01025.x. Epub ahead of print [Zobrazit štúdiu](#)

**Lu YS et al**, (2012) *Reactive Oxygen Species Formation and Apoptosis in Human Peripheral Blood Mononuclear Cell Induced by 900 MHz Mobile Phone Radiation*, Oxid Med Cell Longev. 2012;2012:740280. Epub 2012 Jun 14 [Zobrazit štúdiu](#)

**Arendash GW et al**, (2012) *Electromagnetic treatment to old Alzheimer's mice reverses beta-amyloid deposition, modifies cerebral blood flow, and provides selected cognitive benefit*, PLoS One. 2012;7(4):e35751. Epub 2012 Apr 25 [Zobrazit štúdiu](#)

**Chen G et al**, (April 2012) *Using model organism Saccharomyces cerevisiae to evaluate the effects of ELF-MF and RF-EMF exposure on global gene expression*, Bioelectromagnetics. 2012 Apr 9. doi: 10.1002/bem.21724. Epub ahead of print [Zobrazit štúdiu](#)

**Aldad TS et al**, (March 2012) *Fetal radiofrequency radiation exposure from 800-1900 mhz-rated cellular telephones affects neurodevelopment and behavior in mice*, Sci Rep. 2012;2:312. Epub 2012 Mar 15 [Zobrazit štúdiu](#)

**Jing J et al**, (March 2012) *The influence of microwave radiation from cellular phone on fetal rat brain*, Electromagn Biol Med. 2012 Mar;31(1):57-66. Epub 2012 Jan 23 [Zobrazit štúdiu](#)

**Trivino Pardo JC et al**, (March 2012) *Microwave electromagnetic field regulates gene expression in T-lymphoblastoid leukemia CCRF-CEM cell line exposed to 900 MHz*, Electromagn Biol Med. 2012 Mar;31(1):1-18 [Zobrazit štúdiu](#)

**Xu XR et al**, (March 2012) *The effects of extremely low frequency electromagnetic field exposure on the pH of the adult male semen and the motoricity parameters of spermatozoa in vitro*, Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2012 Mar;30(3):178-80 [Zobrazit štúdiu](#)

**Jiang B et al**, (2012) *Adaptive Response in Mice Exposed to 900 MHz Radiofrequency Fields: Primary DNA Damage*, PLoS One. 2012;7(2):e32040. Epub 2012 Feb 28 [Zobrazit štúdiu](#)

**Calabro E et al**, (February 2012) *Modulation of heat shock protein response in SH-SY5Y by mobile phone microwaves*, World J Biol Chem. 2012 Feb 26;3(2):34-40 [Zobrazit štúdiu](#)

**Cam ST, Seyhan N**, (February 2012) *Single-strand DNA breaks in human hair root cells exposed to mobile phone radiation*, Int J Radiat Biol. 2012 Feb 21. Epub ahead of print [Zobrazit štúdiu](#)

**Vecchio F et al**, (February 2012) *Mobile phone emission increases inter-hemispheric functional coupling of electroencephalographic alpha rhythms in epileptic patients*, Int J Psychophysiol. 2012 Feb 16. Epub ahead of print [Zobrazit štúdiu](#)

**Cammaerts MC et al**, (January 2012) *GSM 900 MHz radiation inhibits ants' association between food sites and encountered cues*, Electromagn Biol Med. 2012 Jan 23. Epub ahead of print [Zobrazit štúdiu](#)

**Dasdag S et al**, (January 2012) *Effect of 900 MHz Radio Frequency Radiation on Beta Amyloid Protein, Protein Carbonyl, and Malondialdehyde in the Brain*, Electromagn Biol Med. 2012 Jan 23. Epub ahead of print [Zobrazit štúdiu](#)

**Fragopoulou AF et al**, (January 2012) *Brain proteome response following whole body exposure of mice to mobile phone or wireless DECT base radiation*, Electromagn Biol Med. 2012 Jan 20. Epub ahead of print [Zobrazit štúdiu](#)

**Maskey D et al**, (January 2012) *Calcium-binding proteins and GFAP immunoreactivity alterations in murine hippocampus after 1 month of exposure to 835MHz radiofrequency at SAR values of 1.6 and 4.0W/kg*, Neurosci Lett. 2012 Jan 11;506(2):292-6. Epub 2011 Nov 25 [Zobrazit štúdiu](#)

**Soderqvist F et al**, (December 2011) *Childhood brain tumour risk and its association with wireless phones: a commentary*, Environ Health. 2011 Dec 19;10(1):106. Epub ahead of print [Zobrazit štúdiu](#)

**Guler G et al**, (December 2011) *The effect of radiofrequency radiation on DNA and lipid damage in female and male infant rabbits*, Int J Radiat Biol. 2011 Dec 7. Epub ahead of print [Zobrazit štúdiu](#)

**Esmekaya MA et al**, (December 2011) *Mutagenic and morphologic impacts of 1.8GHz radiofrequency radiation on human peripheral blood lymphocytes (hPBLs) and possible protective role of pre-treatment with Ginkgo biloba (EGb 761)*, Sci Total Environ. 2011 Dec 1;410-411:59-64. Epub 2011 Oct 19 [Zobrazit štúdiu](#)

**Kesari KK et al**, (December 2011) 900-MHz microwave radiation promotes oxidation in rat brain, Electromagn Biol Med. 2011 Dec;30(4):219-34 [Zobrazit štúdiu](#)

**Sirav B, Seyhan N**, (December 2011) Effects of radiofrequency radiation exposure on blood-brain barrier permeability in male and female rats, Electromagn Biol Med. 2011 Dec;30(4):253-60 [Zobrazit štúdiu](#)

**Trosic I et al**, (December 2011) Effect of electromagnetic radiofrequency radiation on the rats' brain, liver and kidney cells measured by comet assay, Coll Antropol. 2011 Dec;35(4):1259-64 [Zobrazit štúdiu](#)

**Eskander EF et al**, (November 2011) How does long term exposure to base stations and mobile phones affect human hormone profiles?, Clin Biochem. 2011 Nov 27. Epub ahead of print [Zobrazit štúdiu](#)

**Sun W et al**, (November 2011) A 1.8-GHz radiofrequency radiation induces EGF receptor clustering and phosphorylation in cultured human amniotic (FL) cells, Int J Radiat Biol. 2011 Nov 18. Epub ahead of print [Zobrazit štúdiu](#)

**Ballardin M et al**, (November 2011) Non-thermal effects of 2.45 GHz microwaves on spindle assembly, mitotic cells and viability of Chinese hamster V-79 cells, Mutat Res. 2011 Nov 1;716(1-2):1-9. Epub 2011 Jul 30 [Zobrazit štúdiu](#)

**Lukac N et al**, (October 2011) In vitro effects of radiofrequency electromagnetic waves on bovine spermatozoa motility, J Environ Sci Health A Tox Hazard Subst Environ Eng. 2011 Oct;46(12):1417-23 [Zobrazit štúdiu](#)

**Cardis E et al**, (September 2011) Risk of brain tumours in relation to estimated RF dose from mobile phones: results from five Interphone countries, Occup Environ Med. 2011 Sep;68(9):631-40. Epub 2011 Jun 9 [Zobrazit štúdiu](#)

**Jorge-Mora T et al**, (August 2011) The Effects of Single and Repeated Exposure to 2.45 GHz Radiofrequency Fields on c-Fos Protein Expression in the Paraventricular Nucleus of Rat Hypothalamus, Neurochem Res. 2011 Aug 5. Epub ahead of print [Zobrazit štúdiu](#)

**Loughran SP et al**, (August 2011) Individual differences in the effects of mobile phone exposure on human sleep: Rethinking the problem, Bioelectromagnetics. 2011 Aug 3. doi: 10.1002/bem.20691. Epub ahead of print [Zobrazit štúdiu](#)

**Sarapultseva EI, Igolkina JV**, (August 2011) Experimental Study of Relationship between Biological Hazards of Low-Dose Radiofrequency Exposure and Energy Flow Density in Spirostomum Ambiguum Infusoria Exposed at a Mobile Connection Frequency (1 GHz), Bull Exp Biol Med. 2011 Aug;151(4):477-80 [Zobrazit štúdiu](#)

**Karaca E et al**, (July 2011) The genotoxic effect of radiofrequency waves on mouse brain, J Neurooncol. 2011 Jul 6. Epub ahead of print [Zobrazit štúdiu](#)

**Levis AG et al**, (June 2011) Mobile phones and head tumours. The discrepancies in cause-effect relationships in the epidemiological studies - how do they arise?, Environ Health. 2011 Jun 17;10:59 [Zobrazit štúdiu](#)

**Kumar S et al**, (2011) The therapeutic effect of a pulsed electromagnetic field on the reproductive patterns of male Wistar rats exposed to a 2.45-GHz microwave field, Clinics (Sao Paulo). 2011;66(7):1237-45 [Zobrazit štúdiu](#)

**Yoon SY et al**, (2011) Induction of Hair Growth by Insulin-Like Growth Factor-1 in 1,763 MHz Radiofrequency-Irradiated Hair Follicle Cells, PLoS One. 2011;6(12):e28474. Epub 2011 Dec 2 [Zobrazit štúdiu](#)

**Hardell L et al**, (May 2011) Pooled analysis of case-control studies on malignant brain tumours and the use of mobile and cordless phones including living and deceased subjects, Int J Oncol. 2011 May;38(5):1465-74. doi: 10.3892/ijo.2011.947. Epub 2011 Feb 17 [Zobrazit štúdiu](#)

**Esmekaya MA et al**, (March 2011) 900 MHz pulse-modulated radiofrequency radiation induces oxidative stress on heart, lung, testis and liver tissues, Gen Physiol Biophys. 2011 Mar;30(1):84-9 [Zobrazit štúdiu](#)

**Volkow ND et al**, (February 2011) Effects of cell phone radiofrequency signal exposure on brain glucose metabolism, JAMA. 2011 Feb 23;305(8):808-13 [Zobrazit štúdiu](#)

**Cao Y et al**, (February 2011) Induction of adaptive response: Pre-exposure of mice to 900 MHz radiofrequency fields reduces hematopoietic damage caused by subsequent exposure to ionising radiation, Int J Radiat Biol. 2011 Feb 7. Epub ahead of print [Zobrazit štúdiu](#)

**Liu ML et al**, (February 2011) Potential Protection of Green Tea Polyphenols Against 1800 MHz Electromagnetic Radiation-Induced Injury on Rat Cortical Neurons, Neurotox Res. 2011 Feb 4. Epub ahead of print [Zobrazit štúdiu](#)

**Trillo MA et al**, (January 2011) Cytostatic response of NB69 cells to weak pulse-modulated 2.2 GHz radar-like signals, Bioelectromagnetics. 2011 Jan 28. doi: 10.1002/bem.20643. Epub ahead of print [Zobrazit štúdiu](#)

**Kesari KK et al**, (January 2011) Effects of Radiofrequency Electromagnetic Wave Exposure from Cellular Phones on the Reproductive Pattern in Male Wistar Rats, Appl Biochem Biotechnol. 2011 Jan 15. Epub ahead of print [Zobrazit štúdiu](#)

**Kumar NR et al**, (January 2011) *Exposure to cell phone radiations produces biochemical changes in worker honey bees*, Toxicol Int. 2011 Jan;18(1):70-2 [Zobrazit štúdiu](#)

**Lowden A et al**, (January 2011) *Sleep after mobile phone exposure in subjects with mobile phone-related symptoms*, Bioelectromagnetics. 2011 Jan;32(1):4-14 [Zobrazit štúdiu](#)

**Lowden A et al**, (January 2011) *Sleep after mobile phone exposure in subjects with mobile phone-related symptoms*, Bioelectromagnetics. 2011 Jan;32(1):4-14 [Zobrazit štúdiu](#)

**Hardell L et al**, (December 2010) *Re-analysis of risk for glioma in relation to mobile telephone use: comparison with the results of the Interphone international case-control study*, Int J Epidemiol. 2010 Dec 17. Epub ahead of print [Zobrazit štúdiu](#)

**Divan H et al**, (December 2010) *Cell phone use and behavioural problems in young children*, J Epidemiol Community Health (2010). doi:10.1136/jech.2010.115402

**Esmekaya MA et al**, (December 2010) *Pulse modulated 900 MHz radiation induces hypothyroidism and apoptosis in thyroid cells: a light, electron microscopy and immunohistochemical study*, Int J Radiat Biol. 2010 Dec;86(12):1106-16. Epub 2010 Sep 1 [Zobrazit štúdiu](#)

**Grigoriev YG et al**, (December 2010) *Confirmation studies of Soviet research on immunological effects of microwaves: Russian immunology results*, Bioelectromagnetics. 2010 Dec;31(8):589-602. doi: 10.1002/bem.20605. Epub 2010 Sep 20 [Zobrazit štúdiu](#)

**Ozgur E et al**, (November 2010) *Mobile phone radiation-induced free radical damage in the liver is inhibited by the antioxidants N-acetyl cysteine and epigallocatechin-gallate*, Int J Radiat Biol. 2010 Nov;86(11):935-45. Epub 2010 Sep 1 [Zobrazit štúdiu](#)

**Hardell L et al**, (August 2010) *Mobile phone use and the risk for malignant brain tumors: a case-control study on deceased cases and controls*, Neuroepidemiology. 2010 Aug;35(2):109-14. Epub 2010 Jun 15 [Zobrazit štúdiu](#)

**Khurana VG et al**, (July 2010) *Epidemiological evidence for a health risk from mobile phone base stations*, Int J Occup Environ Health. 2010 Jul-Sep;16(3):263-7 [Zobrazit štúdiu](#)

**Ragbetli MC et al**, (July 2010) *The effect of mobile phone on the number of Purkinje cells: a stereological study*, Int J Radiat Biol. 2010 Jul;86(7):548-54 [Zobrazit štúdiu](#)

**Yakymenko I, Sidorik E**, (July 2010) *Risks of carcinogenesis from electromagnetic radiation of mobile telephony devices*, Exp Oncol. 2010 Jul;32(2):54-60 [Zobrazit štúdiu](#)

**Hutter HP et al**, (December 2010) *Tinnitus and mobile phone use*, Occup Environ Med. 2010 Dec;67(12):804-8. Epub 2010 Jun 23 [Zobrazit štúdiu](#)

**Maskey D et al**, (July 2010) *Chronic 835-MHz radiofrequency exposure to mice hippocampus alters the distribution of calbindin and GFAP immunoreactivity*, Brain Res. 2010 Jul 30;1346:237-46. Epub 2010 Jun 17 [Zobrazit štúdiu](#)

**Lehrer S et al**, (June 2010) *Association between number of cell phone contracts and brain tumor incidence in nineteen U.S. States*, J Neurooncol. 2010 Jun 30. Epub ahead of print [Zobrazit štúdiu](#)

**Bartsch H et al**, (2010) *Effect of chronic exposure to a GSM-like signal (mobile phone) on survival of female Sprague-Dawley rats: modulatory effects by month of birth and possibly stage of the solar cycle*, Neuro Endocrinol Lett. 2010;31(4):457-73 [Zobrazit štúdiu](#)

**Soderqvist F et al**, (2010) *Radiofrequency fields, transthyretin, and Alzheimer's disease*, J Alzheimers Dis. 2010;20(2):599-606 [Zobrazit štúdiu](#)

**Narayanan SN et al**, (May 2010) *Effect of radio-frequency electromagnetic radiations (RF-EMR) on passive avoidance behaviour and hippocampal morphology in Wistar rats*, Ups J Med Sci. 2010 May;115(2):91-6 [Zobrazit štúdiu](#)

**Panagopoulos DJ, Margaritis LH**, (May 2010) *The identification of an intensity 'window' on the bioeffects of mobile telephony radiation*, Int J Radiat Biol. 2010 May;86(5):358-66 [Zobrazit štúdiu](#)

**Vorobyov V et al**, (May 2010) *Repeated exposure to low-level extremely low frequency-modulated microwaves affects cortex-hypothalamus interplay in freely moving rats: EEG study*, Int J Radiat Biol. 2010 May;86(5):376-83 [Zobrazit štúdiu](#)

**Yu Y, Yao K**, (May 2010) *Non-thermal cellular effects of low-power microwave radiation on the lens and lens epithelial cells*, J Int Med Res. 2010 May-Jun;38(3):729-36 [Zobrazit štúdiu](#)

**Campisi A et al**, (March 2010) *Reactive oxygen species levels and DNA fragmentation on astrocytes in primary culture after acute exposure to low intensity microwave electromagnetic field*, Neurosci Lett. 2010 Mar 31;473(1):52-5. Epub 2010 Feb 13 [Zobrazit štúdiu](#)

**Falzone N et al**, (March 2010) *The effect of pulsed 900-MHz GSM mobile phone radiation on the acrosome reaction, head morphometry and zona binding of human spermatozoa*, Int J Androl. 2010 Mar 7. Epub ahead of print [Zobrazit štúdiu](#)

[štúdiu](#)

**Guler G et al**, (March 2010) *The effect of radiofrequency radiation on DNA and lipid damage in non-pregnant and pregnant rabbits and their newborns*, Gen Physiol Biophys. 2010 Mar;29(1):59-66 [Zobrazit štúdiu](#)

**Carpenter DO et al**, (January 2010) *Electromagnetic fields and cancer: the cost of doing nothing*, Rev Environ Health. 2010 Jan-Mar;25(1):75-80 [Zobrazit štúdiu](#)

**Panda NK et al**, (February 2010) *Audiologic disturbances in long-term mobile phone users*, J Otolaryngol Head Neck Surg. 2010 Feb 1;39(1):5-11 [Zobrazit štúdiu](#)

**Salama N et al**, (February 2010) *Effects of exposure to a mobile phone on testicular function and structure in adult rabbit*, Int J Androl. 2010 Feb;33(1):88-94. Epub 2009 Dec 2 [Zobrazit štúdiu](#)

**Carrubba S et al**, (January 2010) *Mobile-phone pulse triggers evoked potentials*, Neurosci Lett. 2010 Jan 18;469(1):164-8. Epub 2009 Dec 4 [Zobrazit štúdiu](#)

**Arendash GW et al**, (January 2010) *Electromagnetic field treatment protects against and reverses cognitive impairment in Alzheimer's disease mice*, J Alzheimers Dis. 2010 Jan;19(1):191-210 [Zobrazit štúdiu](#)

**Maskey D et al**, (February 2010) *Effect of 835 MHz radiofrequency radiation exposure on calcium binding proteins in the hippocampus of the mouse brain*, Brain Res. 2010 Feb 8;1313:232-41. Epub 2009 Dec 5 [Zobrazit štúdiu](#)

**Thomas S et al**, (February 2010) *Exposure to radio-frequency electromagnetic fields and behavioural problems in Bavarian children and adolescents*, Eur J Epidemiol. 2010 Feb;25(2):135-41. Epub 2009 Dec 4 [Zobrazit štúdiu](#)

**Fragopoulou AF et al**, (June 2010) *Whole body exposure with GSM 900MHz affects spatial memory in mice*, Pathophysiology. 2010 Jun;17(3):179-187. Epub 2009 Dec 1 [Zobrazit štúdiu](#)

**Perez-Castejon C et al**, (December 2009) *Exposure to ELF-pulse modulated X band microwaves increases in vitro human astrocytoma cell proliferation*, Histol Histopathol. 2009 Dec;24(12):1551-61 [Zobrazit štúdiu](#)

**Salama N et al**, (December 2009) *The mobile phone decreases fructose but not citrate in rabbit semen: a longitudinal study*, Syst Biol Reprod Med. 2009 Dec;55(5-6):181-7 [Zobrazit štúdiu](#)

**Salama N et al**, (March 2010) *Effects of exposure to a mobile phone on sexual behavior in adult male rabbit: an observational study*, Int J Impot Res. 2010 Mar;22(2):127-33. Epub 2009 Nov 26 [Zobrazit štúdiu](#)

**Kaufman DW et al**, (November 2009) *Risk factors for leukemia in Thailand*, Ann Hematol. 2009 Nov;88(11):1079-88. Epub 2009 Mar 18 [Zobrazit štúdiu](#)

**Xu S et al**, (October 2009) *Exposure to 1800 MHz radiofrequency radiation induces oxidative damage to mitochondrial DNA in primary cultured neurons*, Brain Res. 2010 Jan 22;1311:189-96. Epub 2009 Oct 30 [Zobrazit štúdiu](#)

**de Tommaso M et al**, (October 2009) *Mobile phones exposure induces changes of contingent negative variation in humans*, Neurosci Lett. 2009 Oct 23;464(2):79-83. Epub 2009 Aug 21 [Zobrazit štúdiu](#)

**Belyaev I et al**, (October 2009) *Microwaves from Mobile Phones Inhibit 53BP1 Focus Formation in Human Stem Cells Stronger than in Differentiated Cells: Possible Mechanistic Link to Cancer Risk*, Environ Health Perspect. 2009 Oct 22. Epub ahead of print [Zobrazit štúdiu](#)

**Myung SK et al**, (November 2009) *Mobile phone use and risk of tumors: a meta-analysis*, J Clin Oncol. 2009 Nov 20;27(33):5565-72. Epub 2009 Oct 13 [Zobrazit štúdiu](#)

**Zhijian C et al**, (January 2010) *Impact of 1.8-GHz radiofrequency radiation (RFR) on DNA damage and repair induced by doxorubicin in human B-cell lymphoblastoid cells*, Mutat Res. 2010 Jan;695(1-2):16-21. Epub 2009 Oct 13 [Zobrazit štúdiu](#)

**Otitoloju AA et al**, (October 2009) *Preliminary study on the induction of sperm head abnormalities in mice, Mus musculus, exposed to radiofrequency radiations from global system for mobile communication base stations*, Bull Environ Contam Toxicol. 2010 Jan;84(1):51-4. Epub 2009 Oct 9 [Zobrazit štúdiu](#)

**Del Vecchio G et al**, (October 2009) *Effect of radiofrequency electromagnetic field exposure on in vitro models of neurodegenerative disease*, Bioelectromagnetics. 2009 Oct;30(7):564-72 [Zobrazit štúdiu](#)

**Desai NR et al**, (October 2009) *Pathophysiology of cell phone radiation: oxidative stress and carcinogenesis with focus on male reproductive system*, Reprod Biol Endocrinol. 2009 Oct 22;7:114 [Zobrazit štúdiu](#)

**Goldwein O, Aframian DJ**, (September 2009) *The influence of handheld mobile phones on human parotid gland secretion*, Oral Dis. 2009 Sep 8. Epub ahead of print [Zobrazit štúdiu](#)

**Soderqvist F et al**, (August 2009) *Exposure to an 890-MHz mobile phone-like signal and serum levels of S100B and transthyretin in volunteers*, Toxicol Lett. 2009 Aug 25;189(1):63-6. Epub 2009 May 7 [Zobrazit štúdiu](#)

**Sharma VP** et al, (October 2009) *Mobile phone radiation inhibits Vigna radiata (mung bean) root growth by inducing oxidative stress*, Sci Total Environ. 2009 Oct 15;407(21):5543-7. Epub 2009 Aug 13 [Zobrazit štúdiu](#)

**Viel JF** et al, (August 2009) *Radiofrequency exposure in the French general population: band, time, location and activity variability*, Environ Int. 2009 Nov;35(8):1150-4. Epub 2009 Aug 4 [Zobrazit štúdiu](#)

**Contalbrigo L** et al, (August 2009) *Effects of different electromagnetic fields on circadian rhythms of some haematochemical parameters in rats*, Biomed Environ Sci. 2009 Aug;22(4):348-53 [Zobrazit štúdiu](#)

**De Iuliis GN** et al, (July 2009) *Mobile phone radiation induces reactive oxygen species production and DNA damage in human spermatozoa in vitro*, PLoS One. 2009 Jul 31;4(7):e6446 [Zobrazit štúdiu](#)

**Abramson MJ** et al, (July 2009) *Mobile telephone use is associated with changes in cognitive function in young adolescents*, Bioelectromagnetics. 2009 Jul 30. Epub ahead of print [Zobrazit štúdiu](#)

**Hardell L, Carlberg M**, (July 2009) *Mobile phones, cordless phones and the risk for brain tumours*, Int J Oncol. 2009 Jul;35(1):5-17. [Zobrazit štúdiu](#)

**Cao Y** et al, (2009) *900-MHz Microwave Radiation Enhances gamma-Ray Adverse Effects on SHG44 Cells*, J Toxicol Environ Health A. 2009;72(11-12):727-32 [Zobrazit štúdiu](#)

**Mailankot M** et al, (2009) *Radio frequency electromagnetic radiation (RF-EMR) from GSM (0.9/1.8GHz) mobile phones induces oxidative stress and reduces sperm motility in rats*, Clinics (Sao Paulo). 2009;64(6):561-5 [Zobrazit štúdiu](#)

**Sannino A** et al, (June 2009) *Induction of adaptive response in human blood lymphocytes exposed to radiofrequency radiation*, Radiat Res. 2009 Jun;171(6):735-42 [Zobrazit štúdiu](#)

**Sirav B, Seyhan N**, (2009) *Blood-brain barrier disruption by continuous-wave radio frequency radiation*, Electromagn Biol Med. 2009;28(2):215-22 [Zobrazit štúdiu](#)

**Del Vecchio G** et al, (May 2009) *Continuous exposure to 900MHz GSM-modulated EMF alters morphological maturation of neural cells*, Neurosci Lett. 2009 May 22;455(3):173-7. Epub 2009 Mar 24 [Zobrazit štúdiu](#)

**Lopez-Martin E** et al, (May 2009) *The action of pulse-modulated GSM radiation increases regional changes in brain activity and c-Fos expression in cortical and subcortical areas in a rat model of picrotoxin-induced seizure proneness*, J Neurosci Res. 2009 May 1;87(6):1484-99 [Zobrazit štúdiu](#)

**Soderqvist F** et al, (April 2009) *Mobile and cordless telephones, serum transthyretin and the blood-cerebrospinal fluid barrier: a cross-sectional study*, Environ Health. 2009 Apr 21;8:19 [Zobrazit štúdiu](#)

**Morgan LL**, (April 2009) *Estimating the risk of brain tumors from cellphone use: Published case-control studies*, Pathophysiology. 2009 Apr 6. Epub ahead of print Click here to read [Zobrazit štúdiu](#)

**Nittby H** et al, (August 2009) *Increased blood-brain barrier permeability in mammalian brain 7 days after exposure to the radiation from a GSM-900 mobile phone*, Pathophysiology. 2009 Aug;16(2-3):103-12. Epub 2009 Apr 2 [Zobrazit štúdiu](#)

**Budak GG** et al, (April 2009) *Effects of GSM-like radiofrequency on distortion product otoacoustic emissions in pregnant adult rabbits*, Clin Invest Med. 2009 Apr 1;32(2):E112-6 [Zobrazit štúdiu](#)

**Mousavy SJ** et al, (April 2009) *Effects of mobile phone radiofrequency on the structure and function of the normal human hemoglobin*, Int J Biol Macromol. 2009 Apr 1;44(3):278-85 [Zobrazit štúdiu](#)

**Orendacova J** et al, (March 2009) *Immunohistochemical Study of Postnatal Neurogenesis After Whole-body Exposure to Electromagnetic Fields: Evaluation of Age- and Dose-Related Changes in Rats*, Cell Mol Neurobiol. 2009 Mar 21. Epub ahead of print [Zobrazit štúdiu](#)

**Ruediger HW**, (March 2009) *Genotoxic effects of radiofrequency electromagnetic fields*, Pathophysiology. 2009 Mar 12. Epub ahead of print [Zobrazit štúdiu](#)

**Pourlis AF**, (March 2009) *Reproductive and developmental effects of EMF in vertebrate animal models*, Pathophysiology. 2009 Mar 7. Epub ahead of print [Zobrazit štúdiu](#)

**Blank M, Goodman R**, (March 2009) *Electromagnetic fields stress living cells*, Pathophysiology. 2009 Mar 4. Epub ahead of print [Zobrazit štúdiu](#)

**Hardell L** et al, (March 2009) *Epidemiological evidence for an association between use of wireless phones and tumor diseases*, Pathophysiology. 2009 Mar 4. Epub ahead of print [Zobrazit štúdiu](#)

**Blackman C**, (March 2009) *Cell phone radiation: Evidence from ELF and RF studies supporting more inclusive risk identification and assessment*, Pathophysiology. 2009 Aug;16(2-3):205-16. Epub 2009 Mar 4 [Zobrazit štúdiu](#)

**Phillips JL** et al, (March 2009) *Electromagnetic fields and DNA damage*, Pathophysiology. 2009 Mar 3. Epub ahead of print [Zobrazit štúdiu](#)

**Budak GG** et al, (March 2009) *Effects of intrauterine and extrauterine exposure to GSM-like radiofrequency on distortion product otoacoustic emissions in infant male rabbits*, Int J Pediatr Otorhinolaryngol. 2009 Mar;73(3):391-9. Epub 2008 Dec 23 [Zobrazit štúdiu](#)

**Gajski G** et al, (March 2009) *Radioprotective effects of honeybee venom (*Apis mellifera*) against 915-MHz microwave radiation-induced DNA damage in wistar rat lymphocytes: in vitro study*, Int J Toxicol. 2009 Mar-Apr;28(2):88-98 [Zobrazit štúdiu](#)

**Kundi M**, (March 2009) *The controversy about a possible relationship between mobile phone use and cancer*, Environ Health Perspect. 2009 Mar;117(3):316-24 [Zobrazit štúdiu](#)

**Prihoda TJ**, (March 2009) *Genetic damage in mammalian somatic cells exposed to extremely low frequency electromagnetic fields: A meta-analysis of data from 87 publications (1990-2007)*, Int J Radiat Biol. 2009 Mar;85(3):196-213 [Zobrazit štúdiu](#)

**Zareen N** et al, (March 2009) *Derangement of chick embryo retinal differentiation caused by radiofrequency electromagnetic fields*, Congenit Anom (Kyoto). 2009 Mar;49(1):15-9 [Zobrazit štúdiu](#)

**Gul A** et al, (February 2009) *The effects of microwave emitted by cellular phones on ovarian follicles in rats*, Arch Gynecol Obstet. 2009 Feb 25. Epub ahead of print [Zobrazit štúdiu](#)

**Bas O** et al, (February 2009) *900 MHz electromagnetic field exposure affects qualitative and quantitative features of hippocampal pyramidal cells in the adult female rat*, Brain Res. 2009 Feb 20. Epub ahead of print [Zobrazit štúdiu](#)

**Schuz J** et al, (2009) *Risks for central nervous system diseases among mobile phone subscribers: a Danish retrospective cohort study*, PLoS ONE. 2009;4(2):e4389. Epub 2009 Feb 5 [Zobrazit štúdiu](#)

**Verschaeve L**, (November 2008) *Genetic damage in subjects exposed to radiofrequency radiation*, Mutat Res. 2008 Nov 27. Epub ahead of print [Zobrazit štúdiu](#)

**Luria R** et al, (November 2008) *Cognitive effects of radiation emitted by cellular phones: The influence of exposure side and time*, Bioelectromagnetics. 2008 Nov 17;30(3):198-204. Epub ahead of print [Zobrazit štúdiu](#)

**Tkalec M** et al, (November 2008) *Effects of radiofrequency electromagnetic fields on seed germination and root meristematic cells of Allium cepa L*, Mutat Res. 2008 Nov 5. Epub ahead of print [Zobrazit štúdiu](#)

**Belyaev IY** et al, (October 2008) *Microwaves from UMTS/GSM mobile phones induce long-lasting inhibition of 53BP1/gamma-H2AX DNA repair foci in human lymphocytes*, Bioelectromagnetics. 2008 Oct 6. Epub ahead of print [Zobrazit štúdiu](#)

**Franzellitti S** et al, (October 2008) *HSP70 Expression in Human Trophoblast Cells Exposed to Different 1.8 GHz Mobile Phone Signals*, Rad. Res. 2008 Oct;170(4): 488-497

**Sokolovic D** et al, (September 2008) *Melatonin Reduces Oxidative Stress Induced by Chronic Exposure of Microwave Radiation from Mobile Phones in Rat Brain*, J Radiat Res (Tokyo). 2008 Sep 29. Epub ahead of print [Zobrazit štúdiu](#)

**Agarwal A** et al, (September 2008) *Effects of radiofrequency electromagnetic waves (RF-EMW) from cellular phones on human ejaculated semen: an in vitro pilot study*, Fertil Steril. 2008 Sep 18. Epub ahead of print [Zobrazit štúdiu](#)

**Wiholm C** et al, (September 2008) *Mobile phone exposure and spatial memory*, Bioelectromagnetics. 2008 Sep 15. Epub ahead of print [Zobrazit štúdiu](#)

**Palumbo R** et al, (September 2008) *Exposure to 900 MHz Radiofrequency Radiation Induces Caspase 3 Activation in Proliferating Human Lymphocytes*, Radiat Res. 2008 Sep;170(3):327-34 [Zobrazit štúdiu](#)

**Odaci E** et al, (August 2008) *Effects of prenatal exposure to a 900 Mhz electromagnetic field on the dentate gyrus of rats: a stereological and histopathological study*, Brain Res. 2008 Aug 16. Epub ahead of print [Zobrazit štúdiu](#)

**Andrzejak R** et al, (August 2008) *The influence of the call with a mobile phone on heart rate variability parameters in healthy volunteers*, Ind Health. 2008 Aug;46(4):409-17 [Zobrazit štúdiu](#)

**Pavicic I, Trosic I**, (August 2008) *In vitro testing of cellular response to ultra high frequency electromagnetic field radiation*, Toxicol In Vitro. 2008 Aug;22(5):1344-8 [Zobrazit štúdiu](#)

**Zhang SZ** et al, (August 2008) *Effect of 1.8 GHz radiofrequency electromagnetic fields on gene expression of rat neurons*, Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2008 Aug;26(8):449-52 [Zobrazit štúdiu](#)

**Eberhardt JL** et al, (2008) *Blood-brain barrier permeability and nerve cell damage in rat brain 14 and 28 days after exposure to microwaves from GSM mobile phones*, Electromagn Biol Med. 2008;27(3):215-29 [Zobrazit štúdiu](#)

**Mathur R**, (2008) *Effect of chronic intermittent exposure to AM radiofrequency field on responses to various types of noxious stimuli in growing rats*, Electromagn Biol Med. 2008;27(3):266-76 [Zobrazit štúdiu](#)

**Matronchik AY, Belyaev IY et al,** (2008) Mechanism for combined action of microwaves and static magnetic field: slow non uniform rotation of charged nucleoid, Electromagn Biol Med. 2008;27(4):340-54 [Zobrazit štúdiu](#)

**Nittby H et al,** (2008) Radiofrequency and extremely low-frequency electromagnetic field effects on the blood-brain barrier, Electromagn Biol Med. 2008;27(2):103-26 [Zobrazit štúdiu](#)

**Perentos N et al,** (2008) The effect of GSM-like ELF radiation on the alpha band of the human resting EEG, Conf Proc IEEE Eng Med Biol Soc. 2008;2008:5680-3 [Zobrazit štúdiu](#)

**Yan JG et al,** (2008) Upregulation of specific mRNA levels in rat brain after cell phone exposure, Electromagn Biol Med. 2008;27(2):147-54 [Zobrazit štúdiu](#)

**Yao K et al,** (May 2008) Electromagnetic noise inhibits radiofrequency radiation-induced DNA damage and reactive oxygen species increase in human lens epithelial cells, Mol Vis. 2008 May 19;14:964-9 [Zobrazit štúdiu](#)

**Divan H et al,** (May 2008) Prenatal and Postnatal Exposure to Cell Phone Use, Epidemiology. 2008 May 7 Epub ahead of print [Zobrazit štúdiu](#)

**George DF et al,** (May 2008) Non-thermal effects in the microwave induced unfolding of proteins observed by chaperone binding, Bioelectromagnetics. 2008 May;29(4):324-30 [Zobrazit štúdiu](#)

**Hardell L et al,** (May 2008) Meta-analysis of long-term mobile phone use and the association with brain tumours, Int J Oncol. 2008 May;32(5):1097-103 [Zobrazit štúdiu](#)

**Manti L et al,** (May 2008) Effects of Modulated Microwave Radiation at Cellular Telephone Frequency (1.95 GHz) on X-Ray-Induced Chromosome Aberrations in Human Lymphocytes In Vitro, Radiat Res. 2008 May;169(5):575-83 [Zobrazit štúdiu](#)

**Schwarz C et al,** (May 2008) Radiofrequency electromagnetic fields (UMTS, 1,950 MHz) induce genotoxic effects in vitro in human fibroblasts but not in lymphocytes, Int Arch Occup Environ Health. 2008 May;81(6):755-67 [Zobrazit štúdiu](#)

**Yao K et al,** (May 2008) Effect of superposed electromagnetic noise on DNA damage of lens epithelial cells induced by microwave radiation, Invest Ophthalmol Vis Sci. 2008 May;49(5):2009-15 [Zobrazit štúdiu](#)

**Baste V et al,** (April 2008) Radiofrequency electromagnetic fields; male infertility and sex ratio of offspring, Eur J Epidemiol. 2008 Apr 16 Epub ahead of print [Zobrazit štúdiu](#)

**Lerchl A et al,** (April 2008) Effects of mobile phone electromagnetic fields at nonthermal SAR values on melatonin and body weight of Djungarian hamsters (*Phodopus sungorus*), J Pineal Res. 2008 Apr;44(3):267-72 [Zobrazit štúdiu](#)

**Rao VS et al,** (March 2008) Nonthermal effects of radiofrequency-field exposure on calcium dynamics in stem cell-derived neuronal cells: elucidation of calcium pathways, Radiat Res. 2008 Mar;169(3):319-29 [Zobrazit štúdiu](#)

**Sadetzki S et al,** (February 2008) Cellular Phone Use and Risk of Benign and Malignant Parotid Gland Tumors A Nationwide Case-Control Study, Am J Epidemiol. 2007 Dec 6 Epub ahead of print [Zobrazit štúdiu](#)

**Aly AA et al,** (February 2008) Effects of 900-MHz radio frequencies on the chemotaxis of human neutrophils in vitro, IEEE Trans Biomed Eng. 2008 Feb;55(2):795-7 [Zobrazit štúdiu](#)

**Karinne A et al,** (February 2008) Mobile phone radiation might alter protein expression in human skin, BMC Genomics. 2008 Feb 11;9:77 [Zobrazit štúdiu](#)

**Rezk AY et al,** (February 2008) Fetal and neonatal responses following maternal exposure to mobile phones, Saudi Med J. 2008 Feb;29(2):218-23 [Zobrazit štúdiu](#)

**Agarwal A et al,** (January 2008) Effect of cell phone usage on semen analysis in men attending infertility clinic, Fertil Steril. 2008 Jan;89(1):124-8 [Zobrazit štúdiu](#)

**Joubert V et al,** (January 2008) Apoptosis is Induced by Radiofrequency Fields through the Caspase-Independent Mitochondrial Pathway in Cortical Neurons, Radiat Res. 2008 Jan;169(1):38-45 [Zobrazit štúdiu](#)

**Mazor R et al,** (January 2008) Increased levels of numerical chromosome aberrations after in vitro exposure of human peripheral blood lymphocytes to radiofrequency electromagnetic fields for 72 hours, Radiat Res. 2008 Jan;169(1):28-37 [Zobrazit štúdiu](#)

**Nittby H et al,** (November 2007) Cognitive impairment in rats after long-term exposure to GSM-900 mobile phone radiation, Bioelectromagnetics. 2007 Nov 28 Epub ahead of print [Zobrazit štúdiu](#)

**Roux D et al,** (November 2007) High frequency (900 MHz) low amplitude (5 V m<sup>-1</sup>) electromagnetic field: a genuine environmental stimulus that affects transcription, translation, calcium and energy charge in tomato., Planta. 2007 Nov 20 Epub ahead of print [Zobrazit štúdiu](#)

**Arnetz BB et al,** (2007) The Effects of 884 MHz GSM Wireless Communication Signals on Self-reported Symptom and Sleep (EEG)- An Experimental Provocation Study, PIERS Online Vol. 3 No. 7 2007 pp: 1148-1150

**Yan JG et al**, (October 2007) Effects of cellular phone emissions on sperm motility in rats, Fertil Steril. 2007 Oct;88(4):957-64. Epub 2007 Jul 12 [Zobrazit štúdiu](#)

**Meral I et al**, (September 2007) Effects of 900-MHz electromagnetic field emitted from cellular phone on brain oxidative stress and some vitamin levels of guinea pigs, Brain Res. 2007 Sep 12;1169:120-4. Epub 2007 Jul 17 [Zobrazit štúdiu](#)

**Hardell L et al**, (September 2007) Long-term use of cellular phones and brain tumours - increased risk associated with use for > 10 years, Occup Environ Med. 2007 Sep;64(9):626-32 [Zobrazit štúdiu](#)

**Friedman J et al**, (August 2007) Mechanism of a short-term ERK activation by electromagnetic fields at mobile phone frequency, Biochem J. 2007 Aug 1;405(3):559-68 [Zobrazit štúdiu](#)

**Guney M et al**, (August 2007) 900 MHz radiofrequency-induced histopathologic changes and oxidative stress in rat endometrium: protection by vitamins E and C, Toxicol Ind Health. 2007 Aug;23(7):411-20 [Zobrazit štúdiu](#)

**Hung CS et al**, (June 2007) Mobile phone 'talk-mode' signal delays EEG-determined sleep onset, Neurosci Lett. 2007 Jun 21;421(1):82-6 [Zobrazit štúdiu](#)

**Hoyto A et al**, (June 2007) Ornithine decarboxylase activity is affected in primary astrocytes but not in secondary cell lines exposed to 872 MHz RF radiation, Int J Radiat Biol. 2007 Jun;83(6):367-74 [Zobrazit štúdiu](#)

**Mild KH et al**, (2007) Pooled analysis of two Swedish case-control studies on the use of mobile and cordless telephones and the risk of brain tumours diagnosed during 1997-2003, Int J Occup Saf Ergon. 2007;13(1):63-71 [Zobrazit štúdiu](#)

**Krause CM et al**, (May 2007) Effects of pulsed and continuous wave 902 MHz mobile phone exposure on brain oscillatory activity during cognitive processing, Bioelectromagnetics 2007 May;28(4):296-308 [Zobrazit štúdiu](#)

**Lahkola A et al**, (April 2007) Mobile phone use and risk of glioma in 5 North European countries, Int J Cancer. 2007 Apr 15;120(8):1769-75 [Zobrazit štúdiu](#)

**Panagopoulos D et al**, (January 2007) Cell death induced by GSM 900-MHz and DCS 1800-MHz mobile telephony radiation, Mutat Res. 2007 Jan 10;626(1-2):69-78 [Zobrazit štúdiu](#)

**Ferreira A et al**, (December 2006) Ultra high frequency-electromagnetic field irradiation during pregnancy leads to an increase in erythrocytes micronuclei incidence in rat offspring, Life Sci 2006 Dec 3;80(1):43-50 [Zobrazit štúdiu](#)

**Oral B et al**, (November 2006) Endometrial apoptosis induced by a 900-MHz mobile phone: preventive effects of vitamins E and C, Adv Ther. 2006 Nov-Dec;23(6):957-73 [Zobrazit štúdiu](#)

**Hardell L et al**, (October 2006) Tumour risk associated with use of cellular telephones or cordless desktop telephones, World J Surg Oncol 2006 Oct 11;4:74 [Zobrazit štúdiu](#)

**Erogul O et al**, (October 2006) Effects of electromagnetic radiation from a cellular phone on human sperm motility: an in vitro study, Arch Med Res 37(7):840-3 [Zobrazit štúdiu](#)

**Hardell L et al**, (September 2006) Pooled analysis of two case-control studies on use of cellular and cordless telephones and the risk for malignant brain tumours diagnosed in 1997-2003, Int Arch Occup Environ Health. 2006 Sep;79(8):630-9. Epub 2006 Mar 16 [Zobrazit štúdiu](#)

**Nylund R, Leszczynski D**, (September 2006) Mobile phone radiation causes changes in gene and protein expression in human endothelial cell lines and the response seems to be genome- and proteome-dependent, Proteomics 2006 Sep;6(17):4769-80 [Zobrazit štúdiu](#)

**Remondini D et al**, (September 2006) Gene expression changes in human cells after exposure to mobile phone microwaves, Proteomics 2006 Sep;6(17):4745-54 [Zobrazit štúdiu](#)

**Aalto S et al**, (July 2006) Mobile phone affects cerebral blood flow in humans, J Cereb Blood Flow Metab. 2006 Jul;26(7):885-90 [Zobrazit štúdiu](#)

**Kuhn S, Kuster N**, (July 2006) Development of Procedures for the EMF Exposure Evaluation of Wireless Devices in Home and Office Environments Supplement 1: Close-to-Body and Base Station Wireless Data Communication Devices, Foundation for Research on Information Technologies in Society, ETH Zurich, Switzerland

**Bachmann M et al**, (2006) Integration of differences in EEG Analysis Reveals Changes in Human EEG Caused by Microwave, Conf Proc IEEE Eng Med Biol Soc. 2006;1:1597-600 [Zobrazit štúdiu](#)

**Koylu H et al**, (June 2006) Melatonin modulates 900 Mhz microwave-induced lipid peroxidation changes in rat brain, Toxicol Ind Health 2006 Jun;22(5):211-6 [Zobrazit štúdiu](#)

**Krause CM et al**, (June 2006) Mobile phone effects on children's event-related oscillatory EEG during an auditory memory task, Int J Radiat Biol 2006 Jun;82(6):443-50 [Zobrazit štúdiu](#)

**Oktay MF, Dasdag S**, (2006) Effects of intensive and moderate cellular phone use on hearing function, Electromagn Biol Med. 2006;25(1):13-21 [Zobrazit štúdiu](#)

**Belyaev IY et al**, (May 2006) Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation, Bioelectromagnetics. 2006 May;27(4):295-306 [Zobrazit štúdiu](#)

**Papageorgiou CC et al**, (April 2006) Acute mobile phone effects on pre-attentive operation, Neurosci Lett. 2006 Apr 10-17;397(1-2):99-103 [Zobrazit štúdiu](#)

**Esen F, Esen H**, (March 2006) Effect of electromagnetic fields emitted by cellular phones on the latency of evoked electrodermal activity, Int J Neurosci. 2006 Mar;116(3):321-9 [Zobrazit štúdiu](#)

**Hardell L et al**, (February 2006) Case-control study of the association between the use of cellular and cordless telephones and malignant brain tumors diagnosed during 2000-2003, Environ Res. 2006 Feb;100(2):232-41 [Zobrazit štúdiu](#)

**Schoemaker MJ et al**, (October 2005) Mobile phone use and risk of acoustic neuroma: results of the Interphone case-control study in five North European countries, Br J Cancer. 2005 Oct 3;93(7):842-8 [Zobrazit štúdiu](#)

**Nikolova T et al**, (October 2005) Electromagnetic fields affect transcript levels of apoptosis-related genes in embryonic stem cell-derived neural progenitor cells, FASEB J. 2005 Oct;19(12):1686-8 [Zobrazit štúdiu](#)

**Fejes I et al**, (September 2005) Is there a relationship between cell phone use and semen quality?, Arch Androl. 2005 Sep-Oct;51(5):385-93 [Zobrazit štúdiu](#)

**Hardell L et al**, (September 2005) Use of cellular or cordless telephones and the risk for non-Hodgkin's lymphoma, Int Arch Occup Environ Health. 2005 Sep;78(8):625-32 [Zobrazit štúdiu](#)

**Markova E et al**, (September 2005) Microwaves from GSM mobile telephones affect 53BP1 and gamma-H2AX foci in human lymphocytes from hypersensitive and healthy persons, Environ Health Perspect. 2005 Sep;113(9):1172-7 [Zobrazit štúdiu](#)

**Wang Q et al**, (September 2005) Effect of 900 MHz electromagnetic fields on the expression of GABA receptor of cerebral cortical neurons in postnatal rats, Wei Sheng Yan Jiu. 2005 Sep;34(5):546-8 [Zobrazit štúdiu](#)

**Ozguner F et al**, (August 2005) Comparative analysis of the protective effects of melatonin and caffeic acid phenethyl ester (CAPE) on mobile phone-induced renal impairment in rat, Mol Cell Biochem. 2005 Aug;276(1-2):31-7 [Zobrazit štúdiu](#)

**Preece AW et al**, (2005) Effect of 902 MHz mobile phone transmission on cognitive function in children, Bioelectromagnetics Suppl 7 S138-43 [Zobrazit štúdiu](#)

**Oktem F et al**, (July 2005) Oxidative damage in the kidney induced by 900-MHz-emitted mobile phone: protection by melatonin, Arch Med Res. 2005 Jul-Aug;36(4):350-5 [Zobrazit štúdiu](#)

**Hardell L et al**, (2005) Case-control study on cellular and cordless telephones and the risk for acoustic neuroma or meningioma in patients diagnosed 2000-2003, Neuroepidemiology. 2005;25(3):120-8 [Zobrazit štúdiu](#)

**Diem E et al**, (June 2005) Non-thermal DNA breakage by mobile-phone radiation (1800 MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro, Mutat Res. 2005 Jun 6;583(2):178-83 [Zobrazit štúdiu](#)

**Hardell L et al**, (June 2005) Use of cellular telephones and brain tumour risk in urban and rural areas, Occup Environ Med. 2005 Jun;62(6):390-4 [Zobrazit štúdiu](#)

**Meo SA, Al-Drees AM**, (2005) Mobile phone related-hazards and subjective hearing and vision symptoms in the Saudi population, Int J Occup Med Environ Health. 2005;18(1):53-7 [Zobrazit štúdiu](#)

**Garcia Callejo FJ et al**, (May 2005) Hearing level and intensive use of mobile phones, Acta Otorrinolaringol Esp. 2005 May;56(5):187-91 [Zobrazit štúdiu](#)

**Belyaev IY et al**, (April 2005) 915 MHz microwaves and 50 Hz magnetic field affect chromatin conformation and 53BP1 foci in human lymphocytes from hypersensitive and healthy persons, Bioelectromagnetics. 2005 Apr;26(3):173-84 [Zobrazit štúdiu](#)

**Balik HH et al**, (March 2005) Some ocular symptoms and sensations experienced by long term users of mobile phones, Pathol Biol (Paris). 2005 Mar;53(2):88-91 [Zobrazit štúdiu](#)

**Wang Q et al**, (March 2005) Effect of 900Mhz electromagnetic fields on energy metabolism in postnatal rat cerebral cortical neurons, Wei Sheng Yan Jiu. 2005 Mar;34(2):155-8 [Zobrazit štúdiu](#)

**Huber R et al**, (February 2005) Exposure to pulse-modulated radio frequency electromagnetic fields affects regional cerebral blood flow, Eur J Neurosci. 2005 Feb;21(4):1000-6 [Zobrazit štúdiu](#)

**Lonn S et al**, (November 2004) *Mobile phone use and the risk of acoustic neuroma*, Epidemiology. 2004 Nov;15(6):653-9 [Zobrazit štúdiu](#)

**Lai H**, (October 2004) *Interaction of microwaves and a temporally incoherent magnetic field on spatial learning in the rat*, Physiol Behav. 2004 Oct 15;82(5):785-9 [Zobrazit štúdiu](#)

**Panagopoulos D et al**, (2004) *Effect of GSM 900-MHz Mobile Phone radiation on the reproductive capacity of Drosophila melanogaster*, Electromagn Biol Med 23(1): 29-43

**Ozguner F et al**, (September 2004) *Prevention of mobile phone induced skin tissue changes by melatonin in rat: an experimental study*, Toxicol Ind Health. 2004 Sep;20(6-10):133-9 [Zobrazit štúdiu](#)

**Wang Q et al**, (July 2004) *Effect of 900MHz electromagnetic fields on energy metabolism of cerebral cortical neurons in postnatal rat*, Wei Sheng Yan Jiu. 2004 Jul;33(4):428-9, 432 [Zobrazit štúdiu](#)

**Al-Khlaiwi T, Meo SA**, (June 2004) *Association of mobile phone radiation with fatigue, headache, dizziness, tension and sleep disturbance in Saudi population*, Saudi Med J. 2004 Jun;25(6):732-6 [Zobrazit štúdiu](#)

**Czyz J et al**, (May 2004) *High frequency electromagnetic fields (GSM signals) affect gene expression levels in tumor suppressor p53-deficient embryonic stem cells*, Bioelectromagnetics. 2004 May;25(4):296-307 [Zobrazit štúdiu](#)

**Sarimov R et al**, (2004) *Nonthermal GSM Microwaves Affect Chromatin Conformation in Human Lymphocytes Similar to Heat Shock*, IEEE Trans Plasma Sci 2004; 32 (4): 1600 - 1608

**D'Costa H et al**, (December 2003) *Human brain wave activity during exposure to radiofrequency field emissions from mobile phones*, Australas Phys Eng Sci Med. 2003 Dec;26(4):162-7 [Zobrazit štúdiu](#)

**Grigor'ev IuG**, (September 2003) *Biological effects of mobile phone electromagnetic field on chick embryo (risk assessment using the mortality rate)*, Radiats Biol Radioecol. 2003 Sep-Oct;43(5):541-3 [Zobrazit štúdiu](#)

**Kramarenko AV, Tan U**, (July 2003) *Effects of high-frequency electromagnetic fields on human EEG: a brain mapping study*, Int J Neurosci. 2003 Jul;113(7):1007-19 [Zobrazit štúdiu](#)

**Salford L et al**, (June 2003) *Nerve cell damage in mammalian brain after exposure to microwaves from GSM mobile phones*, Environ Health Perspect 2003 Jun;111(7):881-3; discussion A408 [Zobrazit štúdiu](#)

**de Pomerai DI et al**, (May 2003) *Microwave radiation can alter protein conformation without bulk heating*, FEBS Lett. 2003 May 22;543(1-3):93-7 [Zobrazit štúdiu](#)

**Huber R et al**, (May 2003) *Radio frequency electromagnetic field exposure in humans: Estimation of SAR distribution in the brain, effects on sleep and heart rate*, Bioelectromagnetics. 2003 May;24(4):262-76 [Zobrazit štúdiu](#)

**Wilen J et al**, (April 2003) *Subjective symptoms among mobile phone users--a consequence of absorption of radiofrequency fields?*, Bioelectromagnetics. 2003 Apr;24(3):152-9 [Zobrazit štúdiu](#)

**Hardell L et al**, (March 2003) *Vestibular schwannoma, tinnitus and cellular telephones*, Neuroepidemiology 2003 Mar-Apr;22(2):124-9 [Zobrazit štúdiu](#)

**Hocking B, Westerman R**, (March 2003) *Neurological effects of radiofrequency radiation*, Occup Med 2003 Mar;53(2):123-7 [Zobrazit štúdiu](#)

**Hardell L et al**, (February 2003) *Further aspects on cellular and cordless telephones and brain tumours*, Int J Oncol. 2003 Feb;22(2):399-407 [Zobrazit štúdiu](#)

**Huber R et al**, (December 2002) *Electromagnetic fields, such as those from mobile phones, alter regional cerebral blood flow and sleep and waking EEG*, J Sleep Res 2002 Dec;11(4):289-95 [Zobrazit štúdiu](#)

**Beason R, Semm P**, (November 2002) *Responses of neurons to an amplitude modulated microwave stimulus*, Neurosci Lett 2002 Nov 29;333(3):175-8 [Zobrazit štúdiu](#)

**Burch JB et al**, (November 2002) *Melatonin metabolite excretion among cellular telephone users*, Int J Radiat Biol. 2002 Nov;78(11):1029-36 [Zobrazit štúdiu](#)

**Hocking B, Westerman R**, (October 2002) *Neurological changes induced by a mobile phone*, Occup Med (Lond). 2002 Oct;52(7):413-5 [Zobrazit štúdiu](#)

**Hardell L et al**, (August 2002) *Cellular and cordless telephones and the risk for brain tumours*, Eur J Cancer Prev. 2002 Aug;11(4):377-86 [Zobrazit štúdiu](#)

**Leszczynski D et al**, (May 2002) *Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: molecular mechanism for cancer- and blood-brain barrier-related effects*, Differentiation. 2002 May;70(2-3):120-9 [Zobrazit štúdiu](#)

**Edelstyn N, Oldershaw A**, (January 2002) *The acute effects of exposure to the electromagnetic field emitted by mobile phones on human attention*, Neuroreport. 2002 Jan 21;13(1):119-21 [Zobrazit štúdiu](#)

**D'Ambrosio G et al**, (January 2002) *Cytogenetic damage in human lymphocytes following GMSK phase modulated microwave exposure*, Bioelectromagnetics. 2002 Jan;23(1):7-13 [Zobrazit štúdiu](#)

**Hardell L et al**, (December 2001) *Ionizing radiation, cellular telephones and the risk for brain tumours*, Eur J Cancer Prev. 2001 Dec;10(6):523-9 [Zobrazit štúdiu](#)

**Tattersall JE et al**, (June 2001) *Effects of low intensity radiofrequency electromagnetic fields on electrical activity in rat hippocampal slices*, Brain Res. 2001 Jun 15;904(1):43-53 [Zobrazit štúdiu](#)

**Sandstrom M et al**, (February 2001) *Mobile phone use and subjective symptoms. Comparison of symptoms experienced by users of analogue and digital mobile phones*, Occup Med (Lond). 2001 Feb;51(1):25-35 [Zobrazit štúdiu](#)

**Stang A et al**, (January 2001) *The possible role of radiofrequency radiation in the development of uveal melanoma*, Epidemiology. 2001 Jan;12(1):7-12 [Zobrazit štúdiu](#)

**Krause CM et al**, (December 2000) *Effects of electromagnetic fields emitted by cellular phones on the electroencephalogram during a visual working memory task*, Int J Radiat Biol. 2000 Dec;76(12):1659-67 [Zobrazit štúdiu](#)

**Chia SE et al**, (November 2000) *Prevalence of headache among handheld cellular telephone users in Singapore: a community study*, Environ Health Perspect. 2000 Nov;108(11):1059-62 [Zobrazit štúdiu](#)

**Huber R et al**, (October 2000) *Exposure to pulsed high-frequency electromagnetic field during waking affects human sleep EEG*, Neuroreport. 2000 Oct 20;11(15):3321-5 [Zobrazit štúdiu](#)

**Grajewski B et al**, (October 2000) *Semen quality and hormone levels among radiofrequency heater operators*, J Occup Environ Med. 2000 Oct;42(10):993-1005 [Zobrazit štúdiu](#)

**Richter E et al**, (July 2000) *Cancer in radar technicians exposed to radiofrequency/microwave radiation: sentinel episodes*, Int J Occup Environ Health. 2000 Jul-Sep;6(3):187-93 [Zobrazit štúdiu](#)

**Koivisto M et al**, (June 2000) *The effects of electromagnetic field emitted by GSM phones on working memory*, Neuroreport. 2000 Jun 5;11(8):1641-3 [Zobrazit štúdiu](#)

**Hardell L et al**, (May 2000) *Case-control study on radiology work, medical x-ray investigations, and use of cellular telephones as risk factors for brain tumors*, MedGenMed. 2000 May 4;2(2):E2 [Zobrazit štúdiu](#)

**Oftedal G et al**, (May 2000) *Symptoms experienced in connection with mobile phone use*, Occup Med (Lond). 2000 May;50(4):237-45 [Zobrazit štúdiu](#)

**Cao Z et al**, (March 2000) *Effects of electromagnetic radiation from handsets of cellular telephone on neurobehavioral function*, Wei Sheng Yan Jiu. 2000 Mar 30;29(2):102-3 [Zobrazit štúdiu](#)

**Krause CM et al**, (March 2000) *Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task*, Neuroreport. 2000 Mar 20;11(4):761-4 [Zobrazit štúdiu](#)

**Koivisto M et al**, (February 2000) *Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans*, Neuroreport. 2000 Feb 7;11(2):413-5 [Zobrazit štúdiu](#)

**Wang B, Lai H**, (January 2000) *Acute exposure to pulsed 2450-MHz microwaves affects water-maze performance of rats*, Bioelectromagnetics. 2000 Jan;21(1):52-6 [Zobrazit štúdiu](#)

**Borbely AA et al**, (November 1999) *Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram*, Neurosci Lett. 1999 Nov 19;275(3):207-10 [Zobrazit štúdiu](#)

**Hardell L et al**, (July 1999) *Use of cellular telephones and the risk for brain tumours: A case-control study*, Int J Oncol. 1999 Jul;15(1):113-6 [Zobrazit štúdiu](#)

**Velizarov S et al**, (February 1999) *The effects of radiofrequency fields on cell proliferation are non-thermal*, Bioelectrochem Bioenerg. 1999 Feb;48(1):177-80 [Zobrazit štúdiu](#)

**Hardell L et al**, (December 1998) *Case-control study on risk factors for testicular cancer*, Int J Oncol. 1998 Dec;13(6):1299-303 [Zobrazit štúdiu](#)

**Eulitz C et al**, (October 1998) *Mobile phones modulate response patterns of human brain activity*, Neuroreport. 1998 Oct 5;9(14):3229-32 [Zobrazit štúdiu](#)

**Freude G et al**, (1998) *Effects of microwaves emitted by cellular phones on human slow brain potentials*, Bioelectromagnetics. 1998;19(6):384-7 [Zobrazit štúdiu](#)

**Haugsdal B et al**, (1998) *Comparison of symptoms experienced by users of analogue and digital mobile phones: a Swedish-Norwegian epidemiological study*, Arbetslivsrapport 23: 1998

**Duan L et al**, (March 1998) *Observations of changes in neurobehavioral functions in workers exposed to high-frequency radiation*, Zhonghua Yu Fang Yi Xue Za Zhi. 1998 Mar;32(2):109-11 [Zobrazit štúdiu](#)

**Donnellan M et al**, (July 1997) *Effects of exposure to electromagnetic radiation at 835 MHz on growth, morphology and secretory characteristics of a mast cell analogue, RBL-2H3*, Cell Biol Int. 1997 Jul;21(7):427-39 [Zobrazit štúdiu](#)

**French PW et al**, (June 1997) *Electromagnetic radiation at 835 MHz changes the morphology and inhibits proliferation of a human astrocytoma cell line*, Bioelectrochemistry and Bioenergetics, June 1997;43(1):13-18

**Singh B, Bate LA**, (November 1996) *Responses of pulmonary intravascular macrophages to 915-MHz microwave radiation: ultrastructural and cytochemical study*, Anat Rec. 1996 Nov;246(3):343-55 [Zobrazit štúdiu](#)

**Dobson J, St. Pierre T**, (October 1996) *Application of the ferromagnetic transduction model to D.C. and pulsed magnetic fields: effects on epileptogenic tissue and implications for cellular phone safety*, Biochem Biophys Res Commun 1996 Oct 23;227(3):718-23 [Zobrazit štúdiu](#)

**Szmigelski S**, (February 1996) *Cancer morbidity in subjects occupationally exposed to high frequency (radiofrequency and microwave) electromagnetic radiation*, Sci Total Environ. 1996 Feb 2;180(1):9-17 [Zobrazit štúdiu](#)

**Reiser H et al**, (October 1995) *The influence of electromagnetic fields on human brain activity*, Eur J Med Res. 1995 Oct 16;1(1):27-32 [Zobrazit štúdiu](#)

**Goldsmith JR**, (January 1995) *Epidemiologic Evidence of Radiofrequency Radiation (Microwave) Effects on Health in Military, Broadcasting, and Occupational Studies*, Int J Occup Environ Health. 1995 Jan;1(1):47-57 [Zobrazit štúdiu](#)

**Lai H et al**, (1994) *Microwave irradiation affects radial-arm maze performance in the rat*, Bioelectromagnetics. 1994;15(2):95-104 [Zobrazit štúdiu](#)

**Ouellet-Hellstrom R, Stewart WF**, (November 1993) *Miscarriages among female physical therapists who report using radio- and microwave-frequency electromagnetic radiation*, Am J Epidemiol. 1993 Nov 15;138(10):775-86 [Zobrazit štúdiu](#)

**Lai H et al**, (May 1989) *Low-level microwave irradiation and central cholinergic systems*, Pharmacol Biochem Behav. 1989 May;33(1):131-8 [Zobrazit štúdiu](#)

## Základňové stanice mobilnej siete (BTS)

---

**Lahham A et al**, (August 2015) *Public Exposure from Indoor Radiofrequency Radiation in the City of Hebron, West Bank-Palestine*, Health Phys. 2015 Aug;109(2):117-21. doi: 10.1097/HP.0000000000000296 [Zobrazit štúdiu](#)

**Redmayne M**, (June 2015) *International policy and advisory response regarding children's exposure to radio frequency electromagnetic fields (RF-EMF)*, Electromagn Biol Med. 2015 Jun 19:1-9. [Zobrazit štúdiu](#)

**Hareuveny R et al**, (June 2015) *Occupational exposures to radiofrequency fields: results of an Israeli national survey*, J Radiol Prot. 2015 Jun;35(2):429-45. doi: 10.1088/0952-4746/35/2/429. Epub 2015 May 15 [Zobrazit štúdiu](#)

**Osei S et al**, (May 2015) *Assessment of levels of occupational exposure to workers in radiofrequency fields of two television stations in Accra, Ghana*, Radiat Prot Dosimetry. 2015 May 15. pii: ncv326. [Zobrazit štúdiu](#)

**Balmori A**, (March 2015) *Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation*, Sci Total Environ. 2015 Jun 15;518-519:58-60. doi: 10.1016/j.scitotenv.2015.02.077. Epub 2015 Mar 4 [Zobrazit štúdiu](#)

**Zhou LY et al**, (April 2015) *Epidemiological investigation of risk factors of the pregnant women with early spontaneous abortion in Beijing*, Chin J Integr Med. 2015 Apr 14. [Zobrazit štúdiu](#)

**Gandhi G et al**, (July 2014) *A cross-sectional case control study on genetic damage in individuals residing in the vicinity of a mobile phone base station*, Electromagn Biol Med. 2014 Jul 9:1-11. [Zobrazit štúdiu](#)

**Pelletier A et al**, (June 2014) *Does exposure to a radiofrequency electromagnetic field modify thermal preference in juvenile rats?*, PLoS One. 2014 Jun 6;9(6):e99007. doi: 10.1371/journal.pone.0099007. eCollection 2014 [Zobrazit štúdiu](#)

**Pilla AA**, (September 2012) *Electromagnetic fields instantaneously modulate nitric oxide signaling in challenged biological systems*, Biochem Biophys Res Commun. 2012 Sep 28;426(3):330-3. doi: 10.1016/j.bbrc.2012.08.078. Epub 2012 Aug 24 [Zobrazit štúdiu](#)

**Hassig M et al**, (February 2012) *Increased occurrence of nuclear cataract in the calf after erection of a mobile phone base station*, Schweiz Arch Tierheilkd. 2012 Feb;154(2):82-6 [Zobrazit štúdiu](#)

**Sirav B, Seyhan N**, (December 2011) *Effects of radiofrequency radiation exposure on blood-brain barrier permeability in male and female rats*, Electromagn Biol Med. 2011 Dec;30(4):253-60 [Zobrazit štúdiu](#)

**Eskander EF et al**, (November 2011) *How does long term exposure to base stations and mobile phones affect human hormone profiles?*, Clin Biochem. 2011 Nov 27. Epub ahead of print [Zobrazit štúdiu](#)

**Dode AC et al**, (July 2011) *Mortality by neoplasia and cellular telephone base stations in the Belo Horizonte municipality, Minas Gerais state, Brazil*, Sci Total Environ. 2011 Jul 7. Epub ahead of print [Zobrazit štúdiu](#)

**Trillo MA et al**, (January 2011) *Cytostatic response of NB69 cells to weak pulse-modulated 2.2 GHz radar-like signals*, Bioelectromagnetics. 2011 Jan 28. doi: 10.1002/bem.20643. Epub ahead of print [Zobrazit štúdiu](#)

**Augner C et al**, (June 2010) *Effects of exposure to GSM mobile phone base station signals on salivary cortisol, alpha-amylase, and immunoglobulin A*, Biomed Environ Sci. 2010 Jun;23(3):199-207. [Zobrazit štúdiu](#)

**Panagopoulos DJ, Margaritis LH**, (May 2010) *The identification of an intensity 'window' on the bioeffects of mobile telephony radiation*, Int J Radiat Biol. 2010 May;86(5):358-66 [Zobrazit štúdiu](#)

**Vorobyov V et al**, (May 2010) *Repeated exposure to low-level extremely low frequency-modulated microwaves affects cortex-hypothalamus interplay in freely moving rats: EEG study*, Int J Radiat Biol. 2010 May;86(5):376-83 [Zobrazit štúdiu](#)

**Carpenter DO et al**, (January 2010) *Electromagnetic fields and cancer: the cost of doing nothing*, Rev Environ Health. 2010 Jan-Mar;25(1):75-80 [Zobrazit štúdiu](#)

**Sirav B et al**, (2009) *Radio frequency radiation (RFR) from TV and radio transmitters at a pilot region in Turkey*, Radiat Prot Dosimetry. 2009;136(2):114-7. Epub 2009 Aug 11 [Zobrazit štúdiu](#)

**Viel JF et al**, (August 2009) *Radiofrequency exposure in the French general population: band, time, location and activity variability*, Environ Int. 2009 Nov;35(8):1150-4. Epub 2009 Aug 4 [Zobrazit štúdiu](#)

**Balmori A**, (March 2009) *Electromagnetic pollution from phone masts. Effects on wildlife*, Pathophysiology. 2009 Mar 3. Epub ahead of print [Zobrazit štúdiu](#)

**Blettner M et al**, (November 2008) *Mobile phone base stations and adverse health effects: Phase 1: A population-based cross-sectional study in Germany*, Occup Environ Med. 2008 Nov 18. Epub ahead of print [Zobrazit štúdiu](#)

**Augner C et al**, (September 2008) *GSM base stations: Short-term effects on well-being*, Bioelectromagnetics. 2008 Sep 19. Epub ahead of print [Zobrazit štúdiu](#)

**Pavicic I, Trosic I**, (August 2008) *In vitro testing of cellular response to ultra high frequency electromagnetic field radiation*, Toxicol In Vitro. 2008 Aug;22(5):1344-8 [Zobrazit štúdiu](#)

**Eberhardt JL et al**, (2008) *Blood-brain barrier permeability and nerve cell damage in rat brain 14 and 28 days after exposure to microwaves from GSM mobile phones*, Electromagn Biol Med. 2008;27(3):215-29 [Zobrazit štúdiu](#)

**Aly AA et al**, (February 2008) *Effects of 900-MHz radio frequencies on the chemotaxis of human neutrophils in vitro*, IEEE Trans Biomed Eng. 2008 Feb;55(2):795-7 [Zobrazit štúdiu](#)

**Everaert J, Bauwens D**, (2007) *A possible effect of electromagnetic radiation from mobile phone base stations on the number of breeding house sparrows (Passer domesticus)*, Electromagn Biol Med. 2007;26(1):63-72 [Zobrazit štúdiu](#)

**Preece AW et al**, (June 2007) *Health response of two communities to military antennae in Cyprus*, Occup Environ Med. 2007 Jun;64(6):402-8 [Zobrazit štúdiu](#)

**Abdel-Rassoul G et al**, (March 2007) *Neurobehavioral effects among inhabitants around mobile phone base stations*, Neurotoxicology. 2007 Mar;28(2):434-40 [Zobrazit štúdiu](#)

**Yurekli A et al**, (2006) *GSM base station electromagnetic radiation and oxidative stress in rats*, Electromagn Biol Med 25(3):177-88 [Zobrazit štúdiu](#)

**Hutter HP et al**, (May 2006) *Subjective symptoms, sleeping problems, and cognitive performance in subjects living near mobile phone base stations*, Occup Environ Med. 2006 May;63(5):307-13 [Zobrazit štúdiu](#)

**Balmori A**, (October 2005) *Possible Effects of Electromagnetic Fields from Phone Masts on a Population of White Stork (Ciconia ciconia)*, Electromagn Biol Med 24: 109-119, 2005

**Reif JS et al**, (August 2005) *Human responses to Residential RF exposure*, 2 RO1 ES0008117-04

**REFLEX Report**, (December 2004) *Risk Evaluation of Potential Environmental Hazards From Low Frequency Electromagnetic Field Exposure Using Sensitive in vitro Methods*, A project funded by the European Union under the programme "Quality of Life and Management of Living Resources"

**Eger H et al**, (November 2004) *The Influence of Being Physically Near to a Cell Phone Transmission Mast on the Incidence of Cancer*, Umwelt Medizin Gesellschaft 17,4 2004

**Bortkiewicz A et al**, (2004) *Subjective symptoms reported by people living in the vicinity of cellular phone base stations: review*, Med Pr. 2004;55(4):345-51 [Zobrazit štúdiu](#)

**Oberfeld G et al**, (October 2004) *The Microwave Syndrome - Further Aspects of a Spanish Study*, Conference Proceedings

**Wolf R, Wolf D**, (April 2004) *Increased incidence of cancer near a cell-phone transmitter station*, International Journal of Cancer Prevention, 1(2) April 2004

**Navarro EA et al**, (December 2003) *The Microwave Syndrome: A Preliminary Study in Spain*, Electromagn Biol Med 22(2-3): 161-169

**Santini R et al**, (September 2003) *Symptoms experienced by people in vicinity of base stations: II/ Incidences of age, duration of exposure, location of subjects in relation to the antennas and other electromagnetic factors*, Pathol Biol (Paris). 2003 Sep;51(7):412-5 [Zobrazit štúdiu](#)

**Santini R et al**, (July 2002) *Investigation on the health of people living near mobile telephone relay stations: I/Incidence according to distance and sex*, Pathol Biol (Paris) 2002 Jul;50(6):369-73 [Zobrazit štúdiu](#)

## Wi-Fi

---

**Akdag M.Z.** et al 2016. Does prolonged radiofrequency radiation emitted from Wi-Fi devices induce DNA damage in various tissues of rats? [Zobrazit štúdiu](#)

**Kuybulu A.E.** et al., 2016. Effects of long-term pre- and post-natal exposure to 2.45GHz wireless devices on developing male rat kidney. [Zobrazit štúdiu](#)

**Celik O.** et al 2015. Oxidative stress of brain and liver is increased by Wi-Fi (2.45GHz) exposure of rats during pregnancy and the development of newborns. [Zobrazit štúdiu](#)

**Dasdag S.** et al., 2015. Effect of long-term exposure of 2.4 GHz radiofrequency radiation emitted from Wi-Fi equipment on testes functions. Electromagn Biol Med.34(1): 37-42. [Zobrazit štúdiu](#)

**Dasdag S.** et al 2015. Effects of 2.4 GHz radiofrequency radiation emitted from Wi-Fi equipment on microRNA expression in brain tissue. Int J Radiat Biol. 91(7): 555-561. [Zobrazit štúdiu](#)

**Megha K.** et al., 2015. Low intensity microwave radiation induced oxidative stress, inflammatory response and DNA damage in rat brain. Neurotoxicology 51: 158-165. [Zobrazit štúdiu](#)

**Misa-Agustiño M.J.** et al., 2015. Exposure to non-ionizing radiation provokes changes in rat thyroid morphology and expression of HSP-90. Exp Biol Med (Maywood). 240(9): 1123-1135. [Zobrazit štúdiu](#)

**Saili L.** et al 2015. Effects of acute exposure to WIFI signals (2.45GHz) on heart variability and blood pressure in Albinos rabbit. Environ Toxicol Pharmacol 40(2): 600-605. [Zobrazit štúdiu](#)

**Saygin M.** et al., 2015. Impact of L-carnitine and selenium treatment on testicular apoptosis in rats exposed to 2.45GHz microwave energy. West Indian Med J. 64(2): 55-61. [Zobrazit štúdiu](#)

**Saygin M.** et al., 2015. Impact of 2.45GHz microwave radiation on the testicular inflammatory pathway biomarkers in young rats: The role of gallic acid. Environ Toxicol. [Zobrazit štúdiu](#)

**Shahin S.** et al., 2015. 2.45GHz microwave radiation impairs learning and spatial memory via oxidative/nitrosative stress induced p53 dependent/independent hippocampal apoptosis: molecular basis and underlying mechanism. Toxicol Sci. 148(2): 380-399. [Zobrazit štúdiu](#)

**Shokri S.** et al., 2015. Effects of Wi-Fi (2.45 GHz) exposure on apoptosis, sperm parameters and testicular histomorphometry in rats: a time course study. Cell J. 17(2): 322-331. [Zobrazit štúdiu](#)

**Taheri M.** et al., 2015. Klebsiella pneumonia, a Microorganism that Approves the Non-linear Responses to Antibiotics and Window Theory after Exposure to Wi-Fi 2.4 GHz Electromagnetic Radiofrequency Radiation. J Biomed Phys Eng. 5(3): 115-120. [Zobrazit štúdiu](#)

**Yildirim M.E.** et al., 2015. What is harmful for male fertility: Cell phone or the wireless internet? Kaohsiung J Med Sci. 31(9): 480-484. [Zobrazit štúdiu](#)

**Yüksel M.** et al 2015. Long-term exposure to electromagnetic radiation from mobile phones and Wi-Fi devices decreases plasma prolactin, progesterone, and estrogen levels but increases uterine oxidative stress in pregnant rats and their offspring. [Zobrazit štúdiu](#)

**Ciftci Z.Z.** et al., (2015). Effects of prenatal and postnatal exposure of Wi-Fi on development of teeth and changes in teeth element concentration in rats : Wi-Fi (2.45 GHz) and teeth element concentrations. Biol Trace Elem Res. 163(1-2): 193-201. [Zobrazit štúdiu](#)

**Cig B. and Naziroglu M.** (2015). Investigation of the effects of distance from sources on apoptosis, oxidative stress and cytosolic calcium accumulation via TRPV1 channels induced by mobile phones and Wi-Fi in breast cancer cells. Biochem Biophys Acta. Epub ahead of print. [Zobrazit štúdiu](#)

**Deshmukh P.S.** et al., (2015). Cognitive impairment and neurogenotoxic effects in rats exposed to low-intensity microwave radiation. Int J. Toxicol. Epub ahead of print. [Zobrazit štúdiu](#)

**Sangun O.** et al., (2015). The effects of long-term exposure to a 2450 MHz electromagnetic field on growth and pubertal development in female Wistar rats. Electromagn. Biol. Med. 34(1): 63-67. [Zobrazit štúdiu](#)

**Balmori A**, (March 2015) *Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation*, *Sci Total Environ.* 2015 Jun 15;518-519:58-60. doi: 10.1016/j.scitotenv.2015.02.077. Epub 2015 Mar 4 [Zobrazit štúdiu](#)

**Gryz K et al**, (March 2015) *The Role of the Location of Personal Exposimeters on the Human Body in Their Use for Assessing Exposure to the Electromagnetic Field in the Radiofrequency Range 98-2450 MHz and Compliance Analysis: Evaluation by Virtual Measurements*, *Biomed Res Int.* 2015;2015:272460. doi: 10.1155/2015/272460. Epub 2015 Mar 24 [Zobrazit štúdiu](#)

**Dasdag S et al**, (March 2015) *Effects of 2.4 GHz radiofrequency radiation emitted from WiFi equipment on microRNA expression in brain tissue*, *Int J Radiat Biol.* 2015 Mar 16:1-26. [Zobrazit štúdiu](#)

**Tomitsch J, Dechant E et al**, (January 2015) *Exposure to electromagnetic fields in households--trends from 2006 to 2012*, *Bioelectromagnetics*. 2015 Jan;36(1):77-85. doi: 10.1002/bem.21887. Epub 2014 Nov 24 [Zobrazit štúdiu](#)

**Carpenter DO**, (November 2014) *Excessive exposure to radiofrequency electromagnetic fields may cause the development of electrohypersensitivity*, *Altern Ther Health Med.* 2014 Nov-Dec;20(6):40-2 [Zobrazit štúdiu](#)

**Sadetzki S et al**, (September 2014) *The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk*, *Front Public Health*. 2014 Sep 23;2:124. doi: 10.3389/fpubh.2014.00124. eCollection 2014 [Zobrazit štúdiu](#)

**Dasdag S.** et al., (2014). *Effect of long-term exposure of 2.4 GHz radiofrequency radiation emitted from Wi-Fi equipment on testes functions*. *Electromagn Biol Med.* 34(1): 37-42. [Zobrazit štúdiu](#)

**Ghazizadeh V. and Naziroglu M.** (2014). *Electromagnetic radiation (Wi-Fi) and epilepsy induce calcium entry and apoptosis through activation of TRPV1 channel in hippocampus and dorsal root ganglion of rats*. *Metab Brain Dis.* 29(3): 787-799. [Zobrazit štúdiu](#)

**Gürler H.S.** et al., (2014). *Increased DNA oxidation (8-OHdG) and protein oxidation (AOPP) by Low level electromagnetic field (2.45 GHz) in rat brain and protective effect of garlic*. *Int. J. Radiat. Biol.* 90(10): 892-896. [Zobrazit štúdiu](#)

**Tök L.** et al., (2014). *Effects of melatonin on Wi-Fi-induced oxidative stress in lens of rats*. *Indian Journal of Ophthalmology* 62(1): 12-15. [Zobrazit štúdiu](#)

**Senavirathna M.D., et al.**, (2014). *Nanometer-scale elongation rate fluctuations in the Myriophyllum aquaticum (Parrot feather) stem were altered by radio-frequency electromagnetic radiation*. *Plant Signal Behav.* 9(4): e28590. [Zobrazit štúdiu](#)

**Margaritis L.H.** et al., (2014). *Drosophila oogenesis as a bio-marker responding to EMF sources*. *Electromagn Biol Med.* 33(3): 165-189. [Zobrazit štúdiu](#)

**Meena R.** et al., (2014). *Therapeutic approaches of melatonin in microwave radiations-induced oxidative stress-mediated toxicity on male fertility pattern of Wistar rats*. *Electromagn Biol Med.* 33(2): 81-91. [Zobrazit štúdiu](#)

**Sorani M.-L.** et al., (2014). *Influence of microwave frequency electromagnetic radiation on terpene emission and content in aromatic plants*. *J Plant Physiol.* 171(15): 1436-1443. [Zobrazit štúdiu](#)

**Shahin S.** et al., (2014). *Microwave irradiation adversely affects reproductive function in male mouse, *Mus musculus*, by inducing oxidative and nitrosative stress*. *Free Radic Res.* 48(5): 511- 525. [Zobrazit štúdiu](#)

**Shahin S.** et al., (2013). *2.45 GHz Microwave Irradiation-Induced Oxidative Stress Affects Implantation or Pregnancy in Mice, *Mus musculus**. *Appl Biochem Biotechnol* 169: 1727-1751. [Zobrazit štúdiu](#)

**Aynali G.** et al., (2013) *Modulation of wireless (2.45 GHz)-induced oxidative toxicity in laryngotracheal mucosa of rat by melatonin*. *Eur Arch Otorhinolaryngol* 270(5): 1695-1700. [Zobrazit štúdiu](#)

**Salah M.B.** et al., (2013). *Effects of olive leave extract on metabolic disorders and oxidative stress induced by 2.45 GHz WIFI signals*. *Environ Toxicol Pharmacol* 36(3): 826-834. [Zobrazit štúdiu](#)

**Ozorak A.** et al., (2013). *Wi-Fi (2.45 GHz)- and mobile phone (900 and 1800 MHz)- induced risks on oxidative stress and elements in kidney and testis of rats during pregnancy and the development of offspring*. *Biol. Trace Elem. Res.* 156(103): 221-29. [Zobrazit štúdiu](#)

**Desmunkh P.S.** et al., (2013). *Detection of Low Level Microwave Radiation Induced Deoxyribonucleic Acid Damage Vis-a-vis Genotoxicity in Brain of Fischer Rats*. *Toxicol Int.* 20(1): 19-24. [Zobrazit štúdiu](#)

**Akar A.** et al., (2013). Effects of low level electromagnetic field exposure at 2.45 GHz on rat cornea. Int J Radiat Biol. 89(4): 243-249. [Zobrazit štúdiu](#)

**Pilla AA**, (September 2012) Electromagnetic fields instantaneously modulate nitric oxide signaling in challenged biological systems, Biochem Biophys Res Commun. 2012 Sep 28;426(3):330-3. doi: 10.1016/j.bbrc.2012.08.078. Epub 2012 Aug 24 [Zobrazit štúdiu](#)

**Bellieni CV** et al., (2012) Exposure to electromagnetic fields from laptop use of "laptop" computers, Arch Environ Occup Health. 2012;67(1):31-6 [Zobrazit štúdiu](#)

**Atasoy HI** et al., (March 2012) Immunohistopathologic demonstration of deleterious effects on growing rat testes of radiofrequency waves emitted from conventional Wi-Fi devices, J Pediatr Urol. 2012 Mar 30. Epub ahead of print [Zobrazit štúdiu](#)

**Avendano C** et al., (January 2012) Use of laptop computers connected to internet through Wi-Fi decreases human sperm motility and increases sperm DNA fragmentation, Fertil Steril. 2012 Jan;97(1):39-45.e2. Epub 2011 Nov 23 [Zobrazit štúdiu](#)

**Ceyhan A.M.** (2012). Protective effects of  $\beta$ -glucan against oxidative injury induced by 2.45-GHz electromagnetic radiation in the skin tissue of rats. Arch Dermatol Res 304(7):521-27. [Zobrazit štúdiu](#)

**Oksay T.** et al., (2012). Protective effects of melatonin against oxidative injury in rat testis induced by wireless (2.45 GHz) devices. Andrologia doi: 10.1111/and.12044, Epub ahead of print. [Zobrazit štúdiu](#)

**Naziroğlu M.** et al., (2012). 2.45-Gz wireless devices induce oxidative stress and proliferation through cytosolic Ca<sup>2+</sup> influx in human leukemia cancer cells. International Journal of Radiation Biology 88(6): 449-456. [Zobrazit štúdiu](#)

**Naziroğlu M.** et al., (2012). Melatonin modulates wireless (2.45 GHz)-induced oxidative injury through TRPM2 and voltage gated Ca(2+) channels in brain and dorsal root ganglion in rat. Physiol Behav. 105(3): 683-92. [Zobrazit štúdiu](#)

**Misa-Augustiño M.J.** et al., (2012). Electromagnetic fields at 2.45 GHz trigger changes in heat shock proteins 90 and 70 without altering apoptotic activity in rat thyroid gland. Biol Open 1(9): 831-839. [Zobrazit štúdiu](#)

**Kumar S** et al., (2011) The therapeutic effect of a pulsed electromagnetic field on the reproductive patterns of male Wistar rats exposed to a 2.45-GHz microwave field, Clinics (Sao Paulo). 2011;66(7):1237-45 [Zobrazit štúdiu](#)

**Papageorgiou CC** et al., (June 2011) Effects of wi-fi signals on the p300 component of event-related potentials during an auditory hayling task, J Integr Neurosci. 2011 Jun;10(2):189-202. doi: 10.1142/S0219635211002695 [Zobrazit štúdiu](#)

**Blank M, Goodman R,** (April 2011) DNA is a fractal antenna in electromagnetic fields, Int J Radiat Biol. 2011 Apr;87(4):409-15. Epub 2011 Feb 28 [Zobrazit štúdiu](#)

**Türker Y.** et al., (2011). Selenium and L-carnitine reduce oxidative stress in the heart of rat induced by 2.45-GHz radiation from wireless devices. Biol Trace Elem Res. 143(3): 1640-1650. [Zobrazit štúdiu](#)

**Fang M, Malone D,** (April 2010) Experimental verification of a radiofrequency power model for Wi-Fi technology, Health Phys. 2010 Apr;98(4):574-83 [Zobrazit štúdiu](#)

**Verloock L** et al., (April 2010) Procedure for assessment of general public exposure from WLAN in offices and in wireless sensor network testbed, Health Phys. 2010 Apr;98(4):628-38 [Zobrazit štúdiu](#)

**Carpenter DO** et al., (January 2010) Electromagnetic fields and cancer: the cost of doing nothing, Rev Environ Health. 2010 Jan-Mar;25(1):75-80 [Zobrazit štúdiu](#)

**Havas M.** et al., (2010). Provocation study using heart rate variability shows microwave radiation from 2.4GHz cordless phone affects autonomic nervous system. European Journal of Oncology Library Vol. 5: 273-300. [Zobrazit štúdiu](#)

**Kesari K.K.** et al., (2010). Mutagenic response of 2.45 GHz radiation exposure on rat brain. Int J Radiat Biol. 86(4): 334-343. [Zobrazit štúdiu](#)

**Maganioti A. E.** et al., (2010). Wi-Fi electromagnetic fields exert gender related alterations on EEG. 6th International Workshop on Biological Effects of Electromagnetic fields. Paper. [Zobrazit štúdiu](#)

**Viel JF** et al., (August 2009) Radiofrequency exposure in the French general population: band, time, location and activity variability, Environ Int. 2009 Nov;35(8):1150-4. Epub 2009 Aug 4 [Zobrazit štúdiu](#)

**Peyman A et al**, (June 2009) *Evaluation Of Exposure Of School Children To Electromagnetic Fields From Wireless Computer Networks (Wi-Fi): Phase 1 Laboratory Measurements*

**Naziroğlu M. and Gumral N.** (2009). *Modulator effects of L-carnitine and selenium on wireless devices (2.45 GHz)-induced oxidative stress and electroencephalography records in brain of rat*. Int J Radiat Biol. 85(8): 680-689. [Zobrazit štúdiu](#)

**Gumral N.** et al., (2009). *Effects of selenium and L-carnitine on oxidative stress in blood of rat induced by 2.45-GHz radiation from wireless devices*. Biol Trace Elem Res. 132(1-3): 153-163. [Zobrazit štúdiu](#)

**Sinha R.K.** (2008). *Chronic non-thermal exposure of modulated 2450 MHz microwave radiation alters thyroid hormones and behavior of male rats*. Int J Radiat Biol. 84(6): 505-513. [Zobrazit štúdiu](#)

**Foster KR**, (March 2007) *Radiofrequency exposure from wireless LANs utilizing Wi-Fi technology*, Health Phys. 2007 Mar;92(3):280-9 [Zobrazit štúdiu](#)

**Kuhn S, Kuster N**, (July 2006) *Development of Procedures for the EMF Exposure Evaluation of Wireless Devices in Home and Office Environments Supplement 1: Close-to-Body and Base Station Wireless Data Communication Devices*, Foundation for Research on Information Technologies in Society, ETH Zurich, Switzerland

**Paulraj R. and Behari J.** (2006). *Protein kinase C activity in developing rat brain cells exposed to 2.45 GHz radiation*. Electromagn Biol Med. 25(1): 61-70. [Zobrazit štúdiu](#)

**Paulraj R. and Behari J.** (2006). *Single strand DNA breaks in rat brain cells exposed to microwave radiation*. Mutat Res. 596(1-2): 76-80. [Zobrazit štúdiu](#)

## Rozhlasové a TV vysielače

---

- Sirav B et al,** (2009) *Radio frequency radiation (RFR) from TV and radio transmitters at a pilot region in Turkey*, Radiat Prot Dosimetry. 2009;136(2):114-7. Epub 2009 Aug 11 [Zobrazit štúdiu](#)
- Viel JF et al,** (August 2009) *Radiofrequency exposure in the French general population: band, time, location and activity variability*, Environ Int. 2009 Nov;35(8):1150-4. Epub 2009 Aug 4 [Zobrazit štúdiu](#)
- Huttunen P et al,** (March 2009) *FM-radio and TV tower signals can cause spontaneous hand movements near moving RF reflector*, Pathophysiology. 2009 Mar 4. Epub ahead of print [Zobrazit štúdiu](#)
- Baste V et al,** (April 2008) *Radiofrequency electromagnetic fields; male infertility and sex ratio of offspring*, Eur J Epidemiol. 2008 Apr 16 Epub ahead of print [Zobrazit štúdiu](#)
- Clark ML et al,** (October 2007) *Biomonitoring of estrogen and melatonin metabolites among women residing near radio and television broadcasting transmitters*, J Occup Environ Med. 2007 Oct;49(10):1149-56 [Zobrazit štúdiu](#)
- Ha M et al,** (August 2007) *Radio-frequency radiation exposure from AM radio transmitters and childhood leukemia and brain cancer*, Am J Epidemiol. 2007 Aug 1;166(3):270-9 [Zobrazit štúdiu](#)
- Reif JS et al,** (August 2005) *Human responses to Residential RF exposure*, 2 RO1 ES0008117-04
- Hallberg O, Johansson O,** (2005) *FM broadcasting exposure time and malignant melanoma incidence*, Electromagnetic Biology and Medicine 24; 1-8
- Park SK et al,** (August 2004) *Ecological study on residences in the vicinity of AM radio broadcasting towers and cancer death: preliminary observations in Korea*, Int Arch Occup Environ Health. 2004 Aug;77(6):387-94 [Zobrazit štúdiu](#)
- Hallberg O, Johansson O,** (July 2004) *Malignant melanoma of the skin - not a sunshine story!*, Med Sci Monit. 2004 Jul;10(7):CR336-40 [Zobrazit štúdiu](#)
- Ha M et al,** (December 2003) *Incidence of cancer in the vicinity of Korean AM radio transmitters*, Arch Environ Health. 2003 Dec;58(12):756-62 [Zobrazit štúdiu](#)
- Hocking B, Gordon I,** (September 2003) *Decreased survival for childhood leukemia in proximity to television towers*, Arch Environ Health. 2003 Sep;58(9):560-4 [Zobrazit štúdiu](#)
- Michelozzi P et al,** (June 2002) *Adult and childhood leukemia near a high-power radio station in Rome, Italy*, Am J Epidemiol. 2002 Jun 15;155(12):1096-103 [Zobrazit štúdiu](#)
- Hallberg O, Johansson O,** (January 2002) *Melanoma incidence and frequency modulation (FM) broadcasting*, Arch Environ Health. 2002 Jan-Feb;57(1):32-40 [Zobrazit štúdiu](#)
- Michelozzi P et al,** (November 2001) *Leukemia mortality and incidence of infantile leukemia near the Vatican Radio Station of Rome*, Epidemiol Prev. 2001 Nov-Dec;25(6):249-55 [Zobrazit štúdiu](#)
- Lalic H et al,** (April 2001) *Comparison of chromosome aberrations in peripheral blood lymphocytes from people occupationally exposed to ionizing and radiofrequency radiation*, Acta Med Okayama. 2001 Apr;55(2):117-27 [Zobrazit štúdiu](#)
- Stang A et al,** (January 2001) *The possible role of radiofrequency radiation in the development of uveal melanoma*, Epidemiology. 2001 Jan;12(1):7-12 [Zobrazit štúdiu](#)
- Richter E et al,** (July 2000) *Cancer in radar technicians exposed to radiofrequency/microwave radiation: sentinel episodes*, Int J Occup Environ Health. 2000 Jul-Sep;6(3):187-93 [Zobrazit štúdiu](#)
- Moszczynski P et al,** (1999) *The effect of various occupational exposures to microwave radiation on the concentrations of immunoglobulins and T lymphocyte subsets*, Wiad Lek. 1999;52(1-2):30-4 [Zobrazit štúdiu](#)
- Dmoch A, Moszczynski P,** (1998) *Levels of immunoglobulin and subpopulations of T lymphocytes and NK cells in men occupationally exposed to microwave radiation in frequencies of 6-12 GHz*, Med Pr. 1998;49(1):45-9 [Zobrazit štúdiu](#)
- Szmigelski S et al,** (1998) *Alteration of diurnal rhythms of blood pressure and heart rate to workers exposed to radiofrequency electromagnetic fields*, Blood Press Monit. 1998;3(6):323-30 [Zobrazit štúdiu](#)
- Duan L et al,** (March 1998) *Observations of changes in neurobehavioral functions in workers exposed to high-frequency radiation*, Zhonghua Yu Fang Yi Xue Za Zhi. 1998 Mar;32(2):109-11 [Zobrazit štúdiu](#)
- Hjollund NH et al,** (November 1997) *Semen analysis of personnel operating military radar equipment*, Reprod Toxicol. 1997 Nov-Dec;11(6):897 [Zobrazit štúdiu](#)

**Schilling CJ**, (April 1997) Effects of acute exposure to ultrahigh radiofrequency radiation on three antenna engineers, Occup Environ Med. 1997 Apr;54(4):281-4 [Zobrazit štúdiu](#)

**Bortkiewicz A et al**, (March 1997) Ambulatory ECG monitoring in workers exposed to electromagnetic fields, J Med Eng Technol. 1997 Mar-Apr;21(2):41-6 [Zobrazit štúdiu](#)

**Dolk H et al**, (January 1997) Cancer incidence near radio and television transmitters in Great Britain. I. Sutton Coldfield transmitter, Am J Epidemiol. 1997 Jan 1;145(1):1-9 [Zobrazit štúdiu](#)

**Hocking B et al**, (December 1996) Cancer incidence and mortality and proximity to TV towers, Med J Aust. 1996 Dec 2-16;165(11-12):601-5 [Zobrazit štúdiu](#)

**Weyandt TB et al**, (November 1996) Semen analysis of military personnel associated with military duty assignments, Reprod Toxicol. 1996 Nov-Dec;10(6):521-8 [Zobrazit štúdiu](#)

**Bortkiewicz A et al**, (July 1996) Heart rate variability in workers exposed to medium-frequency electromagnetic fields, J Auton Nerv Syst. 1996 Jul 5;59(3):91-7 [Zobrazit štúdiu](#)

**Grayson JK**, (March 1996) Radiation exposure, socioeconomic status, and brain tumor risk in the US Air Force: a nested case-control study, Am J Epidemiol. 1996 Mar 1;143(5):480-6 [Zobrazit štúdiu](#)

**Tynes T et al**, (March 1996) Incidence of breast cancer in Norwegian female radio and telegraph operators, Cancer Causes Control. 1996 Mar;7(2):197-204 [Zobrazit štúdiu](#)

**Kolodynki AA, Kolodynka VV**, (February 1996) Motor and psychological functions of school children living in the area of the Skrunda Radio Location Station in Latvia, Sci Total Environ. 1996 Feb 2;180(1):87-93 [Zobrazit štúdiu](#)

**Maskarinec G et al**, (1994) Investigation of increased incidence in childhood leukemia near radio towers in Hawaii: preliminary observations, J Environ Pathol Toxicol Oncol. 1994;13(1):33-7 [Zobrazit štúdiu](#)

**Goldoni J et al**, (September 1993) Health status of personnel occupationally exposed to radiowaves, Arh Hig Rada Toksikol. 1993 Sep;44(3):223-8 [Zobrazit štúdiu](#)

**Davis RL, Mostofi FK**, (August 1993) Cluster of testicular cancer in police officers exposed to hand-held radar, Am J Ind Med. 1993 Aug;24(2):231-3 [Zobrazit štúdiu](#)

**Holt JA**, (June 1980) Changing epidemiology of malignant melanoma in Queensland, Med J Aust. 1980 Jun 14;1(12):619-20 [Zobrazit štúdiu](#)

## Rozvody elektriny, vysoké napätie a iné zdroje nízkych frekvencií

---

**Vanderstraeten J et al,** (July 2015) Could Magnetic Fields Affect the Circadian Clock Function of Cryptochromes? Testing the Basic Premise of the Cryptochrome Hypothesis (ELF Magnetic Fields), *Health Phys.* 2015 Jul;109(1):84-9. doi: 10.1097/HP.0000000000000292 [Zobrazit štúdiu](#)

**Koeman T et al,** (June 2015) Occupational exposures and risk of dementia-related mortality in the prospective Netherlands Cohort Study, *Am J Ind Med.* 2015 Jun;58(6):625-35. doi: 10.1002/ajim.22462. Epub 2015 May 5 [Zobrazit štúdiu](#)

**Kottou S et al,** (May 2015) Preliminary background indoor EMF measurements in Greece, *Phys Med.* 2015 May 21. pii: S1120-1797(15)00112-X. doi: 10.1016/j.ejmp.2015.05.002. [Zobrazit štúdiu](#)

**Prato FS,** (May 2015) Non-thermal extremely low frequency magnetic field effects on opioid related behaviors: Snails to humans, mechanisms to therapy, *Bioelectromagnetics.* 2015 May 11. doi: 10.1002/bem.21918. [Zobrazit štúdiu](#)

**Nofouzi K et al,** (April 2015) Influence of extremely low frequency electromagnetic fields on growth performance, innate immune response, biochemical parameters and disease resistance in rainbow trout, *Oncorhynchus mykiss*, *Fish Physiol Biochem.* 2015 Apr 14. [Zobrazit štúdiu](#)

**Brouwer M et al,** (February 2015) Occupational exposures and Parkinson's disease mortality in a prospective Dutch cohort, *Occup Environ Med.* 2015 Feb 23. pii: oemed-2014-102209. doi: 10.1136/oemed-2014-102209. [Zobrazit štúdiu](#)

**Bolte JF et al,** (January 2015) Everyday exposure to power frequency magnetic fields and associations with non-specific physical symptoms, *Environ Pollut.* 2015 Jan;196:224-9 [Zobrazit štúdiu](#)

**D'Angelo C et al,** (January 2015) Experimental model for ELF-EMF exposure: Concern for human health, *Saudi J Biol Sci.* 2015 Jan;22(1):75-84. doi: 10.1016/j.sjbs.2014.07.006. Epub 2014 Aug 6 [Zobrazit štúdiu](#)

**Baek S et al,** (October 2014) Electromagnetic Fields Mediate Efficient Cell Reprogramming into a Pluripotent State, *ACS Nano.* 2014 Oct 1. Epub ahead of print [Zobrazit štúdiu](#)

**Lee SK et al,** (September 2014) Extremely low frequency magnetic fields induce spermatogenic germ cell apoptosis: possible mechanism, *Biomed Res Int.* 2014;2014:567183. doi: 10.1155/2014/567183. Epub 2014 Jun 15 [Zobrazit štúdiu](#)

**Turner MC et al,** (September 2014) Occupational exposure to extremely low-frequency magnetic fields and brain tumor risks in the INTEROCC study, *Cancer Epidemiol Biomarkers Prev.* 2014 Sep;23(9):1863-72. doi: 10.1158/1055-9965.EPI-14-0102. Epub 2014 Jun 16 [Zobrazit štúdiu](#)

**Zhao G et al,** (September 2014) Relationship between exposure to extremely low-frequency electromagnetic fields and breast cancer risk: a meta-analysis, *Eur J Gynaecol Oncol.* 2014;35(3):264-9 [Zobrazit štúdiu](#)

**de Vocht F, Lee B,** (August 2014) Residential proximity to electromagnetic field sources and birth weight: Minimizing residual confounding using multiple imputation and propensity score matching, *Environ Int.* 2014 Aug;69:51-7. doi: 10.1016/j.envint.2014.04.012. Epub 2014 May 7 [Zobrazit štúdiu](#)

**Balamuralikrishnan B et al,** (2012) Evaluation of Chromosomal Alteration in Electrical Workers Occupationally Exposed to Low Frequency of Electro Magnetic Field (EMFs) in Coimbatore Population, India, *Asian Pac J Cancer Prev.* 2012;13(6):2961-6 [Zobrazit štúdiu](#)

**Teepen JC, van Dijck JA,** (March 2012) Impact of high electromagnetic field levels on childhood leukaemia incidence, *Int J Cancer.* 2012 Mar 21. doi: 10.1002/ijc.27542. Epub ahead of print [Zobrazit štúdiu](#)

**Bellieni CV et al,** (March 2012) Is newborn melatonin production influenced by magnetic fields produced by incubators?, *Early Hum Dev.* 2012 Mar 13. Epub ahead of print [Zobrazit štúdiu](#)

**Zhao LY et al,** (March 2012) Effects of extremely low frequency electromagnetic radiation on cardiovascular system of workers, *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2012 Mar;30(3):194-5 [Zobrazit štúdiu](#)

**Narinyan L et al,** (January 2012) Age-dependent magnetosensitivity of heart muscle hydration, *Bioelectromagnetics.* 2012 Jan 17. doi: 10.1002/bem.21704. Epub ahead of print [Zobrazit štúdiu](#)

**Touitou Y et al,** (January 2012) Long-term (up to 20years) effects of 50-Hz magnetic field exposure on blood chemistry parameters in healthy men, *Clin Biochem.* 2012 Jan 9. Epub ahead of print [Zobrazit štúdiu](#)

**Pilla A et al,** (December 2011) Electromagnetic fields as first messenger in biological signaling: Application to calmodulin-dependent signaling in tissue repair, *Biochim Biophys Acta.* 2011 Dec;1810(12):1236-45. Epub 2011 Oct 8 [Zobrazit štúdiu](#)

**Li DK et al**, (August 2011) *Maternal Exposure to Magnetic Fields During Pregnancy in Relation to the Risk of Asthma in Offspring*, Arch Pediatr Adolesc Med. 2011 Aug 1. Epub ahead of print [Zobrazit štúdiu](#)

**Wang X et al**, (August 2011) *Occupational and residential exposure to electric and magnetic field and its relationship on acute myeloid leukemia in adults - A Meta-analysis*, Zhonghua Liu Xing Bing Xue Za Zhi. 2011 Aug;32(8):821-6 [Zobrazit štúdiu](#)

**Huang SM et al**, (April 2011) *Occupational Exposure of Dentists to Extremely-low-frequency Magnetic Field*, J Occup Health. 2011 Apr 20;53(2):130-6. Epub 2011 Feb 17 [Zobrazit štúdiu](#)

**Coskun O, Comlekci S**, (November 2010) *Effect of ELF electric field on some on biochemistry characters in the rat serum*, Toxicol Ind Health. 2010 Nov 18. Epub ahead of print [Zobrazit štúdiu](#)

**Baldi I et al**, (November 2010) *Occupational and residential exposure to electromagnetic fields and risk of brain tumors in adults: A case-control study in Gironde, France*, Int J Cancer. 2010 Nov 12. Epub ahead of print [Zobrazit štúdiu](#)

**Andel R et al**, (November 2010) *Work-related exposure to extremely low-frequency magnetic fields and dementia: results from the population-based study of dementia in Swedish twins*, J Gerontol A Biol Sci Med Sci. 2010 Nov;65(11):1220-7. Epub 2010 Jul 9 [Zobrazit štúdiu](#)

**Andel R et al**, (November 2010) *Work-related exposure to extremely low-frequency magnetic fields and dementia: results from the population-based study of dementia in Swedish twins*, J Gerontol A Biol Sci Med Sci. 2010 Nov;65(11):1220-7. Epub 2010 Jul 9 [Zobrazit štúdiu](#)

**Ei-Helaly M, Abu-Hashem E**, (September 2010) *Oxidative stress, melatonin level, and sleep insufficiency among electronic equipment repairers*, Bioelectromagnetics. 2011 May;32(4):325-30. doi: 10.1002/bem.20638. Epub 2010 Dec 15 [Zobrazit štúdiu](#)

**de Bruyn L, de Jager L**, (June 2010) *Effect of long-term exposure to a randomly varied 50 Hz power frequency magnetic field on the fertility of the mouse*, Electromagn Biol Med. 2010 Jun;29(1-2):52-61 [Zobrazit štúdiu](#)

**Miller AB, Green LM**, (2010) *Electric and magnetic fields at power frequencies*, Chronic Dis Can. 2010;29 Suppl 1:69-83 [Zobrazit štúdiu](#)

**Sohrabi MR et al**, (2010) *Living near overhead high voltage transmission power lines as a risk factor for childhood acute lymphoblastic leukemia: a case-control study*, Asian Pac J Cancer Prev. 2010;11(2):423-7 [Zobrazit štúdiu](#)

**Girgert R et al**, (April 2010) *Signal transduction of the melatonin receptor MT1 is disrupted in breast cancer cells by electromagnetic fields*, Bioelectromagnetics. 2010 Apr;31(3):237-45 [Zobrazit štúdiu](#)

**Malagoli C et al**, (March 2010) *Risk of hematological malignancies associated with magnetic fields exposure from power lines: a case-control study in two municipalities of northern Italy*, Environ Health. 2010 Mar 30;9:16 [Zobrazit štúdiu](#)

**Reyes-Guerrero G et al**, (March 2010) *Extremely low-frequency electromagnetic fields differentially regulate estrogen receptor-alpha and -beta expression in the rat olfactory bulb*, Neurosci Lett. 2010 Mar 3;471(2):109-13. Epub 2010 Jan 18 [Zobrazit štúdiu](#)

**Carpenter DO et al**, (January 2010) *Electromagnetic fields and cancer: the cost of doing nothing*, Rev Environ Health. 2010 Jan-Mar;25(1):75-80 [Zobrazit štúdiu](#)

**Focke F et al**, (January 2010) *DNA fragmentation in human fibroblasts under extremely low frequency electromagnetic field exposure*, Mutat Res. 2010 Jan 5;683(1-2):74-83 [Zobrazit štúdiu](#)

**Li DK et al**, (January 2010) *Exposure to magnetic fields and the risk of poor sperm quality*, Reprod Toxicol. 2010 Jan;29(1):86-92. Epub 2009 Nov 6 [Zobrazit štúdiu](#)

**Celikler S et al**, (December 2009) *A biomonitoring study of genotoxic risk to workers of transformers and distribution line stations*, Int J Environ Health Res. 2009 Dec;19(6):421-30 [Zobrazit štúdiu](#)

**Saito T et al**, (2010) *Power-frequency magnetic fields and childhood brain tumors: a case-control study in Japan*, J Epidemiol. 2010;20(1):54-61. Epub 2009 Nov 14 [Zobrazit štúdiu](#)

**Kaufman DW et al**, (November 2009) *Risk factors for leukemia in Thailand*, Ann Hematol. 2009 Nov;88(11):1079-88. Epub 2009 Mar 18 [Zobrazit štúdiu](#)

**Cvetkovic D, Cosic I**, (October 2009) *Alterations of human electroencephalographic activity caused by multiple extremely low frequency magnetic field exposures*, Med Biol Eng Comput. 2009 Oct;47(10):1063-73. Epub 2009 Aug 26 [Zobrazit štúdiu](#)

**Gobba F et al**, (October 2009) *Natural killer cell activity decreases in workers occupationally exposed to extremely low frequency magnetic fields exceeding 1 microT*, Int J Immunopathol Pharmacol. 2009 Oct-Dec;22(4):1059-66 [Zobrazit štúdiu](#)

**Albanese A et al**, (2009) *Alterations in adenylyl kinase activity in human PBMCs after in vitro exposure to electromagnetic field: comparison between extremely low frequency electromagnetic field (ELF) and therapeutic application of a musically modulated electromagnetic field*, J Biomed Biotechnol. 2009;2009:717941. Epub 2009 Sep 16 [Zobrazit štúdiu](#)

**Eleuteri AM et al**, (2009) *50 Hz extremely low frequency electromagnetic fields enhance protein carbonyl groups content in cancer cells: effects on proteasomal systems*, J Biomed Biotechnol. 2009;2009:834239. Epub 2009 Aug 5 [Zobrazit štúdiu](#)

**Robertson JA et al**, (August 2009) *Low-frequency pulsed electromagnetic field exposure can alter neuroprocessing in humans*, J R Soc Interface. 2009 Aug 5. Epub ahead of print [Zobrazit štúdiu](#)

**Contalbrigo L et al**, (August 2009) *Effects of different electromagnetic fields on circadian rhythms of some haematochemical parameters in rats*, Biomed Environ Sci. 2009 Aug;22(4):348-53 [Zobrazit štúdiu](#)

**Li P et al**, (August 2009) *Maternal occupational exposure to extremely low frequency magnetic fields and the risk of brain cancer in the offspring*, Cancer Causes Control. 2009 Aug;20(6):945-55. Epub 2009 Feb 18 [Zobrazit štúdiu](#)

**Gonet B et al**, (July 2009) *Effects of extremely low-frequency magnetic fields on the oviposition of Drosophila melanogaster over three generations*, Bioelectromagnetics. 2009 Jul 23. Epub ahead of print [Zobrazit štúdiu](#)

**Goodman R et al**, (July 2009) *Extremely low frequency electromagnetic fields activate the ERK cascade, increase hsp70 protein levels and promote regeneration in Planaria*, Int J Radiat Biol. 2009 Jul 9:1-9. Epub ahead of print [Zobrazit štúdiu](#)

**Comba P, Fazzo L**, (2009) *Health effects of magnetic fields generated from power lines: new clues for an old puzzle*, Ann Ist Super Sanita. 2009;45(3):233-7 [Zobrazit štúdiu](#)

**Burda H et al**, (April 2009) *Extremely low-frequency electromagnetic fields disrupt magnetic alignment of ruminants*, Proc Natl Acad Sci U S A. 2009 Apr 7;106(14):5708-13. Epub 2009 Mar 19 [Zobrazit štúdiu](#)

**Fazzo L et al**, (April 2009) *Morbidity experience in populations residentially exposed to 50 hz magnetic fields: methodology and preliminary findings of a cohort study*, Int J Occup Environ Health. 2009 Apr-Jun;15(2):133-42 [Zobrazit štúdiu](#)

**Girgert R et al**, (April 2009) *Exposure of mcf-7 breast cancer cells to electromagnetic fields up-regulates the plasminogen activator system*, Int J Gynecol Cancer. 2009 Apr;19(3):334-8 [Zobrazit štúdiu](#)

**Davanipour Z, Sobel E**, (March 2009) *Long-term exposure to magnetic fields and the risks of Alzheimer's disease and breast cancer: Further biological research*, Pathophysiology. 2009 Mar 9. Epub ahead of print [Zobrazit štúdiu](#)

**Novikov VV et al**, (March 2009) *Effect of weak combined static and extremely low-frequency alternating magnetic fields on tumor growth in mice inoculated with the Ehrlich ascites carcinoma*, Bioelectromagnetics. 2009 Mar 6. Epub ahead of print [Zobrazit štúdiu](#)

**Yang Y et al**, (December 2008) *Case-only study of interactions between DNA repair genes (hMLH1, APEX1, MGMT, XRCC1 and XPD) and low-frequency electromagnetic fields in childhood acute leukemia*, Leuk Lymphoma. 2008 Dec;49(12):2344-50 [Zobrazit štúdiu](#)

**Kim YW et al**, (October 2008) *Effects of 60 Hz 14 microT magnetic field on the apoptosis of testicular germ cell in mice*, Bioelectromagnetics. 2008 Oct 6. Epub ahead of print [Zobrazit štúdiu](#)

**Huss A et al**, (November 2008) *Residence Near Power Lines and Mortality From Neurodegenerative Diseases: Longitudinal Study of the Swiss Population*, Am J Epidemiol. 2008 Nov 5. Epub ahead of print Click here to read [Zobrazit štúdiu](#)

**Gobba F et al**, (September 2008) *Extremely Low Frequency-Magnetic Fields (ELF-EMF) occupational exposure and natural killer activity in peripheral blood lymphocytes*, Sci Total Environ. 2008 Sep 18. Epub ahead of print [Zobrazit štúdiu](#)

**Falone S et al**, (June 2008) *Chronic exposure to 50Hz magnetic fields causes a significant weakening of antioxidant defence systems in aged rat brain*, Int J Biochem Cell Biol. 2008 Jun 10. Epub ahead of print [Zobrazit štúdiu](#)

**Al-Akhras MA et al**, (2008) *Influence of 50 Hz magnetic field on sex hormones and body, uterine, and ovarian weights of adult female rats*, Electromagn Biol Med. 2008;27(2):155-63 [Zobrazit štúdiu](#)

**Blank M**, (2008) *Protein and DNA reactions stimulated by electromagnetic fields*, Electromagn Biol Med. 2008;27(1):3-23 [Zobrazit štúdiu](#)

**Milham S, Morgan LL**, (May 2008) *A new electromagnetic exposure metric: High frequency voltage transients associated with increased cancer incidence in teachers in a California school*, Am J Ind Med. 2008 May 29. Epub ahead of print [Zobrazit štúdiu](#)

**Keklikci U et al**, (May 2008) *The effect of extremely low frequency magnetic field on the conjunctiva and goblet cells*, Curr Eye Res. 2008 May;33(5):441-6 [Zobrazit štúdiu](#)

**Garcia AM et al**, (April 2008) *Occupational exposure to extremely low frequency electric and magnetic fields and Alzheimer disease: a meta-analysis*, Int J Epidemiol. 2008 Feb 2 Epub ahead of print [Zobrazit štúdiu](#)

**Henshaw DL et al**, (April 2008) *Can disturbances in the atmospheric electric field created by powerline corona ions disrupt melatonin production in the pineal gland?*, J Pineal Res. 2008 Apr 1. Epub ahead of print [Zobrazit štúdiu](#)

**St-Pierre LS et al**, (April 2008) *Altered blood chemistry and hippocampal histomorphology in adult rats following prenatal exposure to physiologically-patterned, weak (50-500 nanoTesla range) magnetic fields*, Int J Radiat Biol. 2008 Apr;84(4):325-35 [Zobrazit štúdiu](#)

**Liu T et al**, (March 2008) *Chronic exposure to low-intensity magnetic field improves acquisition and maintenance of memory*, Neuroreport. 2008 Mar 25;19(5):549-52 [Zobrazit štúdiu](#)

**Erdal N et al**, (March 2008) *Effects of Long-term Exposure of Extremely Low Frequency Magnetic Field on Oxidative/Nitrosative Stress in Rat Liver*, J Radiat Res (Tokyo). 2008 Mar;49(2):181-7 [Zobrazit štúdiu](#)

**Fedrowitz M, Loscher W**, (January 2008) *Exposure of Fischer 344 rats to a weak power frequency magnetic field facilitates mammary tumorigenesis in the DMBA model of breast cancer*, Carcinogenesis. 2008 Jan;29(1):186-93 [Zobrazit štúdiu](#)

**Lowenthal RM et al**, (September 2007) *Residential exposure to electric power transmission lines and risk of lymphoproliferative and myeloproliferative disorders: a case-control study*, Intern Med J. 2007 Sep;37(9):614-9 [Zobrazit štúdiu](#)

**Pearce MS et al**, (September 2007) *Paternal occupational exposure to electro-magnetic fields as a risk factor for cancer in children and young adults: a case-control study from the North of England*, Pediatr Blood Cancer. 2007 Sep;49(3):280-6 [Zobrazit štúdiu](#)

**Einstein AJ et al**, (July 2007) *Estimating risk of cancer associated with radiation exposure from 64-slice computed tomography coronary angiography*, JAMA. 2007 Jul 18;298(3):317-23 [Zobrazit štúdiu](#)

**Budi A et al**, (May 2007) *Effect of frequency on insulin response to electric field stress*, J Phys Chem B. 2007 May 24;111(20):5748-56 [Zobrazit štúdiu](#)

**SAGE**, (April 2007) *SAGE first interim assessment: Power Lines and Property, Wiring in Homes, and Electrical Equipment in Homes*,

**Feizi AA, Arabi MA**, (January 2007) *Acute childhood leukemias and exposure to magnetic fields generated by high voltage overhead power lines - a risk factor in Iran*, Asian Pac J Cancer Prev. 2007 Jan-Mar;8(1):69-72 [Zobrazit štúdiu](#)

**Kheifets L et al**, (October 2006) *Public Health Impact of Extremely Low-Frequency Electromagnetic Fields*, Environ Health Perspect 114:1532-1537

**Rajkovic V et al**, (September 2006) *Light and electron microscopic study of the thyroid gland in rats exposed to power-frequency electromagnetic fields*, J Exp Biol. 2006 Sep;209(Pt 17):3322-8 [Zobrazit štúdiu](#)

**Cao YN et al**, (August 2006) *Effects of exposure to extremely low frequency electromagnetic fields on reproduction of female mice and development of offsprings*, Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2006 Aug;24(8):468-70 [Zobrazit štúdiu](#)

**Kabuto M et al**, (August 2006) *Childhood leukemia and magnetic fields in Japan: a case-control study of childhood leukemia and residential power-frequency magnetic fields in Japan*, Int J Cancer. 2006 Aug 1;119(3):643-50 [Zobrazit štúdiu](#)

**Espinosa JM et al**, (July 2006) *Exposure to AC and DC magnetic fields induces changes in 5-HT1B receptor binding parameters in rat brain membranes*, Bioelectromagnetics. 2006 Jul;27(5):414-22 [Zobrazit štúdiu](#)

**Jutilainen J, Kumlin T**, (July 2006) *Occupational magnetic field exposure and melatonin: interaction with light-at-night*, Bioelectromagnetics. 2006 Jul;27(5):423-6 [Zobrazit štúdiu](#)

**Fadel RA et al**, (June 2006) *Growth assessment of children exposed to low frequency electromagnetic fields at the Abu Sultan area in Ismailia (Egypt)*, Anthropol Anz. 2006 Jun;64(2):211-26 [Zobrazit štúdiu](#)

**Persinger MA**, (2006) *A potential multiple resonance mechanism by which weak magnetic fields affect molecules and medical problems: the example of melatonin and experimental "multiple sclerosis"*, Med Hypotheses. 2006;66(4):811-5 [Zobrazit štúdiu](#)

**Altpeter ES et al**, (February 2006) *Effect of short-wave (6-22 MHz) magnetic fields on sleep quality and melatonin cycle in humans: the Schwarzenburg shut-down study*, Bioelectromagnetics. 2006 Feb;27(2):142-50 [Zobrazit štúdiu](#)

**Bediz CS et al**, (February 2006) *Zinc supplementation ameliorates electromagnetic field-induced lipid peroxidation in the rat brain*, Tohoku J Exp Med. 2006 Feb;208(2):133-40 [Zobrazit štúdiu](#)

**Jutilainen J et al**, (January 2006) *Do extremely low frequency magnetic fields enhance the effects of environmental carcinogens? A meta-analysis of experimental studies*, Int J Radiat Biol. 2006 Jan;82(1):1-12 [Zobrazit štúdiu](#)

**Blask DE et al**, (December 2005) Melatonin-depleted blood from premenopausal women exposed to light at night stimulates growth of human breast cancer xenografts in nude rats, *Cancer Res.* 2005 Dec 1;65(23):11174-84 [Zobrazit štúdiu](#)

**Budi A et al**, (December 2005) Electric field effects on insulin chain-B conformation, *J Phys Chem B.* 2005 Dec 1;109(47):22641-8 [Zobrazit štúdiu](#)

**Li L et al**, (December 2005) Pulsed electric field exposure of insulin induces anti-proliferative effects on human hepatocytes, *Bioelectromagnetics.* 2005 Dec;26(8):639-47 [Zobrazit štúdiu](#)

**Girgert R et al**, (November 2005) Induction of tamoxifen resistance in breast cancer cells by ELF electromagnetic fields, *Biochem Biophys Res Commun.* 2005 Nov 4;336(4):1144-9 [Zobrazit štúdiu](#)

**Rajkovic V et al**, (November 2005) The effect of extremely low-frequency electromagnetic fields on skin and thyroid amine- and peptide-containing cells in rats: an immunohistochemical and morphometrical study, *Environ Res.* 2005 Nov;99(3):369-77 [Zobrazit štúdiu](#)

**Winker R et al**, (August 2005) Chromosomal damage in human diploid fibroblasts by intermittent exposure to extremely low-frequency electromagnetic fields, *Mutat Res.* 2005 Aug 1;585(1-2):43-9 [Zobrazit štúdiu](#)

**Rajkovic V et al**, (July 2005) Histological characteristics of cutaneous and thyroid mast cell populations in male rats exposed to power-frequency electromagnetic fields, *Int J Radiat Biol.* 2005 Jul;81(7):491-9 [Zobrazit štúdiu](#)

**Ivancsits S et al**, (June 2005) Cell type-specific genotoxic effects of intermittent extremely low-frequency electromagnetic fields, *Mutat Res.* 2005 Jun 6;583(2):184-8 [Zobrazit štúdiu](#)

**Draper G et al**, (June 2005) Childhood cancer in relation to distance from high voltage power lines in England and Wales: a case-control study, *BMJ.* 2005 Jun 4;330(7503):1290 [Zobrazit štúdiu](#)

**Chiu RS, Stuchly MA**, (June 2005) Electric fields in bone marrow substructures at power-line frequencies, *IEEE Trans Biomed Eng.* 2005 Jun;52(6):1103-9 [Zobrazit štúdiu](#)

**Henshaw DL, Reiter RJ**, (2005) Do magnetic fields cause increased risk of childhood leukemia via melatonin disruption?, *Bioelectromagnetics.* 2005;Suppl 7:S86-97 [Zobrazit štúdiu](#)

**Sims S, Dent P**, (2005) High-voltage Overhead Power Lines and Property Values: A Residential Study in the UK, *Urban Studies*, Vol. 42, No. 4, 665-694 (2005)

**Miyakoshi J**, (February 2005) Effects of static magnetic fields at the cellular level, *Prog Biophys Mol Biol.* 2005 Feb-Apr;87(2-3):213-23 [Zobrazit štúdiu](#)

**Liu Y et al**, (January 2005) Magnetic field effect on singlet oxygen production in a biochemical system, *Chem Commun (Camb).* 2005 Jan 14;(2):174-6 [Zobrazit štúdiu](#)

**Lupke M et al**, (September 2004) Cell activating capacity of 50 Hz magnetic fields to release reactive oxygen intermediates in human umbilical cord blood-derived monocytes and in Mono Mac 6 cells, *Free Radic Res.* 2004 Sep;38(9):985-93 [Zobrazit štúdiu](#)

**Simko M, Mattsson MO**, (September 2004) Extremely low frequency electromagnetic fields as effectors of cellular responses in vitro: possible immune cell activation, *J Cell Biochem.* 2004 Sep 1;93(1):83-92 [Zobrazit štúdiu](#)

**Kliukiene J et al**, (May 2004) Residential and occupational exposures to 50-Hz magnetic fields and breast cancer in women: a population-based study, *Am J Epidemiol.* 2004 May 1;159(9):852-61 [Zobrazit štúdiu](#)

**Lai H, Singh NP**, (May 2004) Magnetic-field-induced DNA strand breaks in brain cells of the rat, *Environ Health Perspect.* 2004 May;112(6):687-94 [Zobrazit štúdiu](#)

**Lee BC et al**, (January 2004) Effects of extremely low frequency magnetic field on the antioxidant defense system in mouse brain: a chemiluminescence study, *J Photochem Photobiol B.* 2004 Jan 23;73(1-2):43-8 [Zobrazit štúdiu](#)

**Fedrowitz M et al**, (January 2004) Significant differences in the effects of magnetic field exposure on 7,12-dimethylbenz(a)anthracene-induced mammary carcinogenesis in two substrains of Sprague-Dawley rats, *Cancer Res.* 2004 Jan 1;64(1):243-51 [Zobrazit štúdiu](#)

**Feychtig M et al**, (July 2003) Occupational magnetic field exposure and neurodegenerative disease, *Epidemiology.* 2003 Jul;14(4):413-9; discussion 427-8 [Zobrazit štúdiu](#)

**Hakansson N et al**, (July 2003) Neurodegenerative diseases in welders and other workers exposed to high levels of magnetic fields, *Epidemiology.* 2003 Jul;14(4):420-6; discussion 427-8 [Zobrazit štúdiu](#)

**Infante-Rivard C, Deadman JE**, (July 2003) Maternal occupational exposure to extremely low frequency magnetic fields during pregnancy and childhood leukemia, *Epidemiology.* 2003 Jul;14(4):437-41 [Zobrazit štúdiu](#)

**Ivancsits S et al**, (July 2003) Intermittent extremely low frequency electromagnetic fields cause DNA damage in a dose-dependent way, *Int Arch Occup Environ Health.* 2003 Jul;76(6):431-6 [Zobrazit štúdiu](#)

**Ivancsits S et al**, (July 2003) Age-related effects on induction of DNA strand breaks by intermittent exposure to electromagnetic fields, Mech Ageing Dev. 2003 Jul;124(7):847-50 [Zobrazit štúdiu](#)

**Cho YH, Chung HW**, (June 2003) The effect of extremely low frequency electromagnetic fields (ELF-EMF) on the frequency of micronuclei and sister chromatid exchange in human lymphocytes induced by benzo(a)pyrene, Toxicol Lett. 2003 Jun 5;143(1):37-44 [Zobrazit štúdiu](#)

**Lewy H et al**, (June 2003) Magnetic field (50 Hz) increases N-acetyltransferase, hydroxy-indole-O-methyltransferase activity and melatonin release through an indirect pathway, Int J Radiat Biol. 2003 Jun;79(6):431-5 [Zobrazit štúdiu](#)

**Tynes T et al**, (May 2003) Residential and occupational exposure to 50 Hz magnetic fields and malignant melanoma: a population based study, Occup Environ Med. 2003 May;60(5):343-7 [Zobrazit štúdiu](#)

**Charles LE et al**, (April 2003) Electromagnetic fields, polychlorinated biphenyls, and prostate cancer mortality in electric utility workers, Am J Epidemiol. 2003 Apr 15;157(8):683-91 [Zobrazit štúdiu](#)

**van Wijngaarden E**, (January 2003) An exploratory investigation of suicide and occupational exposure, J Occup Environ Med. 2003 Jan;45(1):96-101 [Zobrazit štúdiu](#)

**Kaune WT**, (December 2002) Thermal noise limit on the sensitivity of cellular membranes to power frequency electric and magnetic fields, Bioelectromagnetics. 2002 Dec;23(8):622-8 [Zobrazit štúdiu](#)

**Kavet R, Zaffanella LE**, (September 2002) Contact voltage measured in residences: implications to the association between magnetic fields and childhood leukemia, Bioelectromagnetics. 2002 Sep;23(6):464-74 [Zobrazit štúdiu](#)

**Ivancsits S et al**, (August 2002) Induction of DNA strand breaks by intermittent exposure to extremely-low-frequency electromagnetic fields in human diploid fibroblasts, Mutat Res. 2002 Aug 26;519(1-2):1-13 [Zobrazit štúdiu](#)

**Henshaw DL**, (July 2002) Does our electricity distribution system pose a serious risk to public health?, Med Hypotheses. 2002 Jul;59(1):39-51 [Zobrazit štúdiu](#)

**California EMF Program**, (June 2002) An Evaluation of the Possible Risks From Electric and Magnetic Fields (EMFs) From Power Lines, Internal Wiring, Electrical Occupations and Appliances,

**Fedrowitz M et al**, (March 2002) Magnetic field exposure increases cell proliferation but does not affect melatonin levels in the mammary gland of female Sprague Dawley rats, Cancer Res. 2002 Mar 1;62(5):1356-63 [Zobrazit štúdiu](#)

**Noonan CW et al**, (February 2002) Occupational exposure to magnetic fields in case-referent studies of neurodegenerative diseases, Scand J Work Environ Health. 2002 Feb;28(1):42-8 [Zobrazit štúdiu](#)

**Villeneuve PJ et al**, (February 2002) Brain cancer and occupational exposure to magnetic fields among men: results from a Canadian population-based case-control study, Int J Epidemiol. 2002 Feb;31(1):210-7 [Zobrazit štúdiu](#)

**Lee GM et al**, (January 2002) A nested case-control study of residential and personal magnetic field measures and miscarriages, Epidemiology. 2002 Jan;13(1):21-31 [Zobrazit štúdiu](#)

**Li DK et al**, (January 2002) A population-based prospective cohort study of personal exposure to magnetic fields during pregnancy and the risk of miscarriage, Epidemiology. 2002 Jan;13(1):9-20 [Zobrazit štúdiu](#)

**Ahlbom A et al**, (December 2001) Review of the epidemiologic literature on EMF and Health, Environ Health Perspect. 2001 Dec;109 Suppl 6:911-33 [Zobrazit štúdiu](#)

**Johansson O et al**, (November 2001) Cutaneous mast cells are altered in normal healthy volunteers sitting in front of ordinary TVs/PCs--results from open-field provocation experiments, J Cutan Pathol. 2001 Nov;28(10):513-9. [Zobrazit štúdiu](#)

**Davis S et al**, (October 2001) Residential magnetic fields, light-at-night, and nocturnal urinary 6-sulfatoxymelatonin concentration in women, Am J Epidemiol. 2001 Oct 1;154(7):591-600 [Zobrazit štúdiu](#)

**Levallois P et al**, (October 2001) Effects of electric and magnetic fields from high-power lines on female urinary excretion of 6-sulfatoxymelatonin, Am J Epidemiol. 2001 Oct 1;154(7):601-9 [Zobrazit štúdiu](#)

**Simko M et al**, (August 2001) Micronucleus induction in Syrian hamster embryo cells following exposure to 50 Hz magnetic fields, benzo(a)pyrene, and TPA in vitro, Mutat Res. 2001 Aug 22;495(1-2):43-50 [Zobrazit štúdiu](#)

**Beale IL et al**, (August 2001) Association Of Health Problems With 50 -Hz Magnetic Fields In Human Adults Living Near Power Transmission Lines, Journal of the Australasian College of Nutritional & Environmental Medicine, 20(2) August 2001

**Cano MI, Pollan M**, (August 2001) Non-Hodgkin's lymphomas and occupation in Sweden, Int Arch Occup Environ Health. 2001 Aug;74(6):443-9 [Zobrazit štúdiu](#)

**Ishido M et al**, (July 2001) Magnetic fields (MF) of 50 Hz at 1.2 microT as well as 100 microT cause uncoupling of inhibitory pathways of adenylyl cyclase mediated by melatonin 1a receptor in MF-sensitive MCF-7 cells, Carcinogenesis. 2001 Jul;22(7):1043-8 [Zobrazit štúdiu](#)

**van Wijngaarden E et al**, (July 2001) *Population-based case-control study of occupational exposure to electromagnetic fields and breast cancer*, Ann Epidemiol. 2001 Jul;11(5):297-303 [Zobrazit štúdiu](#)

**Ahlbom A**, (2001) *Neurodegenerative diseases, suicide and depressive symptoms in relation to EMF*, Bioelectromagnetics. 2001;Suppl 5:S132-43 [Zobrazit štúdiu](#)

**Li X et al**, (June 2001) *Effects of low frequency pulsed electric field on insulin studied by fluorescent spectrum*, Guang Pu Xue Yu Guang Pu Fen Xi. 2001 Jun;21(3):406-8 [Zobrazit štúdiu](#)

**Wartenberg D**, (2001) *Residential EMF exposure and childhood leukemia: meta-analysis and population attributable risk*, Bioelectromagnetics. 2001;Suppl 5:S86-104 [Zobrazit štúdiu](#)

**Milham S, Ossiander EM**, (March 2001) *Historical evidence that residential electrification caused the emergence of the childhood leukemia peak*, Med Hypotheses. 2001 Mar;56(3):290-5 [Zobrazit štúdiu](#)

**Schuz J et al**, (March 2001) *Residential magnetic fields as a risk factor for childhood acute leukaemia: results from a German population-based case-control study*, Int J Cancer. 2001 Mar 1;91(5):728-35 [Zobrazit štúdiu](#)

**Blackman CF et al**, (February 2001) *The influence of 1.2 microT, 60 Hz magnetic fields on melatonin- and tamoxifen-induced inhibition of MCF-7 cell growth*, Bioelectromagnetics. 2001 Feb;22(2):122-8 [Zobrazit štúdiu](#)

**Hansen J**, (January 2001) *Increased breast cancer risk among women who work predominantly at night*, Epidemiology. 2001 Jan;12(1):74-7 [Zobrazit štúdiu](#)

**Cecconi S et al**, (November 2000) *Evaluation of the effects of extremely low frequency electromagnetic fields on mammalian follicle development*, Hum Reprod. 2000 Nov;15(11):2319-25 [Zobrazit štúdiu](#)

**Ahlbom A et al**, (September 2000) *A pooled analysis of magnetic fields and childhood leukaemia*, Br J Cancer. 2000 Sep;83(5):692-8 [Zobrazit štúdiu](#)

**Johansen C**, (September 2000) *Exposure to electromagnetic fields and risk of central nervous system disease in utility workers*, Epidemiology. 2000 Sep;11(5):539-43 [Zobrazit štúdiu](#)

**van Wijngaarden E et al**, (April 2000) *Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study*, Occup Environ Med. 2000 Apr;57(4):258-63 [Zobrazit štúdiu](#)

**Miyakoshi J et al**, (February 2000) *Suppression of heat-induced HSP-70 by simultaneous exposure to 50 mT magnetic field*, Life Sci. 2000 Feb 18;66(13):1187-96 [Zobrazit štúdiu](#)

**Burch JB et al**, (February 2000) *Melatonin metabolite levels in workers exposed to 60-Hz magnetic fields: work in substations and with 3-phase conductors*, J Occup Environ Med. 2000 Feb;42(2):136-42 [Zobrazit štúdiu](#)

**Wei M et al**, (February 2000) *Exposure to 60-Hz magnetic fields and proliferation of human astrocytoma cells in vitro*, Toxicol Appl Pharmacol. 2000 Feb 1;162(3):166-76 [Zobrazit štúdiu](#)

**Fews AP et al**, (December 1999) *Increased exposure to pollutant aerosols under high voltage power lines*, Int J Radiat Biol. 1999 Dec;75(12):1505-21 [Zobrazit štúdiu](#)

**Fews AP et al**, (December 1999) *Corona ions from powerlines and increased exposure to pollutant aerosols*, Int J Radiat Biol. 1999 Dec;75(12):1523-31 [Zobrazit štúdiu](#)

**Pipkin JL et al**, (September 1999) *Induction of stress proteins by electromagnetic fields in cultured HL-60 cells*, Bioelectromagnetics. 1999 Sep;20(6):347-57 [Zobrazit štúdiu](#)

**Thun-Battersby S et al**, (August 1999) *Exposure of Sprague-Dawley rats to a 50-Hertz, 100-microTesla magnetic field for 27 weeks facilitates mammary tumorigenesis in the 7,12-dimethylbenza-anthracene model of breast cancer*, Cancer Res. 1999 Aug 1;59(15):3627-33 [Zobrazit štúdiu](#)

**Green LM et al**, (July 1999) *A case-control study of childhood leukemia in southern Ontario, Canada, and exposure to magnetic fields in residences*, Int J Cancer. 1999 Jul 19;82(2):161-70 [Zobrazit štúdiu](#)

**Galvanovskis J et al**, (1999) *Cytoplasmic Ca<sup>2+</sup> oscillations in human leukemia T-cells are reduced by 50 Hz magnetic fields*, Bioelectromagnetics. 1999;20(5):269-76 [Zobrazit štúdiu](#)

**Graham C, Cook MR**, (1999) *Human sleep in 60 Hz magnetic fields*, Bioelectromagnetics. 1999;20(5):277-83 [Zobrazit štúdiu](#)

**Johansen C, Olsen JH**, (August 1998) *Mortality from amyotrophic lateral sclerosis, other chronic disorders, and electric shocks among utility workers*, Am J Epidemiol. 1998 Aug 15;148(4):362-8 [Zobrazit štúdiu](#)

**Burch JB et al**, (June 1998) *Nocturnal excretion of a urinary melatonin metabolite among electric utility workers*, Scand J Work Environ Health. 1998 Jun;24(3):183-9 [Zobrazit štúdiu](#)

**Lagroye I, Poncy JL**, (1998) *Influences of 50-Hz magnetic fields and ionizing radiation on c-jun and c-fos oncoproteins*, Bioelectromagnetics. 1998;19(2):112-6 [Zobrazit štúdiu](#)

**Lai H et al**, (1998) Acute exposure to a 60 Hz magnetic field affects rats' water-maze performance, Bioelectromagnetics. 1998;19(2):117-22 [Zobrazit štúdiu](#)

**Tuinstra R et al**, (1998) Protein kinase C activity following exposure to magnetic field and phorbol ester, Bioelectromagnetics. 1998;19(8):469-76 [Zobrazit štúdiu](#)

**Zecca L et al**, (1998) Biological effects of prolonged exposure to ELF electromagnetic fields in rats: III. 50 Hz electromagnetic fields, Bioelectromagnetics. 1998;19(1):57-66 [Zobrazit štúdiu](#)

**Cohen B et al**, (May 1998) Deposition of charged particles on lung airways, Health Phys 74(5):554-60 [Zobrazit štúdiu](#)

**Michaelis J et al**, (January 1998) Combined risk estimates for two German population-based case-control studies on residential magnetic fields and childhood acute leukemia, Epidemiology. 1998 Jan;9(1):92-4. [Zobrazit štúdiu](#)

**Verkasalo PK et al**, (December 1997) Magnetic fields of transmission lines and depression, Am J Epidemiol. 1997 Dec 15;146(12):1037-45 [Zobrazit štúdiu](#)

**Eriksson N et al**, (December 1997) The psychosocial work environment and skin symptoms among visual display terminal workers: a case referent study, Int J Epidemiol. 1997 Dec;26(6):1250-7 [Zobrazit štúdiu](#)

**Theriault G, Li CY**, (September 1997) Risks of leukaemia among residents close to high voltage transmission electric lines, Occup Environ Med. 1997 Sep;54(9):625-8 [Zobrazit štúdiu](#)

**Beale IL et al**, (1997) Psychological effects of chronic exposure to 50 Hz magnetic fields in humans living near extra-high-voltage transmission lines, Bioelectromagnetics. 1997;18(8):584-94 [Zobrazit štúdiu](#)

**Kelsh MA, Sahl JD**, (May 1997) Mortality among a cohort of electric utility workers, 1960-1991, Am J Ind Med. 1997 May;31(5):534-44 [Zobrazit štúdiu](#)

**Michaelis J et al**, (March 1997) Childhood leukemia and electromagnetic fields: results of a population-based case-control study in Germany, Cancer Causes Control. 1997 Mar;8(2):167-74 [Zobrazit štúdiu](#)

**Li CY et al**, (January 1997) Residential exposure to 60-Hertz magnetic fields and adult cancers in Taiwan, Epidemiology. 1997 Jan;8(1):25-30 [Zobrazit štúdiu](#)

**Lai H**, (1996) Spatial learning deficit in the rat after exposure to a 60 Hz magnetic field, Bioelectromagnetics. 1996;17(6):494-6 [Zobrazit štúdiu](#)

**Baris D et al**, (January 1996) A case cohort study of suicide in relation to exposure to electric and magnetic fields among electrical utility workers, Occup Environ Med. 1996 Jan;53(1):17-24 [Zobrazit štúdiu](#)

**Wertheimer N et al**, (1995) Childhood cancer in relation to indicators of magnetic fields from ground current sources, Bioelectromagnetics. 1995;16(2):86-96 [Zobrazit štúdiu](#)

**Reif JS et al**, (February 1995) Residential exposure to magnetic fields and risk of canine lymphoma, Am J Epidemiol. 1995 Feb 15;141(4):352-9 [Zobrazit štúdiu](#)

**Feychting M, Ahlbom A**, (September 1994) Magnetic fields, leukemia, and central nervous system tumors in Swedish adults residing near high-voltage power lines, Epidemiology. 1994 Sep;5(5):501-9 [Zobrazit štúdiu](#)

**Gold S et al**, (1994) Exposure of simian virus-40-transformed human cells to magnetic fields results in increased levels of T-antigen mRNA and protein, Bioelectromagnetics. 1994;15(4):329-36 [Zobrazit štúdiu](#)

**Goodman EM et al**, (1994) Magnetic fields after translation in Escherichia coli, Bioelectromagnetics. 1994;15(1):77-83 [Zobrazit štúdiu](#)

**Ubeda A et al**, (1994) Chick embryo development can be irreversibly altered by early exposure to weak extremely-low-frequency magnetic fields, Bioelectromagnetics. 1994;15(5):385-98 [Zobrazit štúdiu](#)

**Liburdy RP et al**, (November 1993) Experimental evidence for 60 Hz magnetic fields operating through the signal transduction cascade. Effects on calcium influx and c-MYC mRNA induction, FEBS Lett. 1993 Nov 22;334(3):301-8 [Zobrazit štúdiu](#)

**Olsen JH et al**, (October 1993) Residence near high voltage facilities and risk of cancer in children, BMJ. 1993 Oct 9;307(6909):891-5 [Zobrazit štúdiu](#)

**Feychting M, Ahlbom A**, (October 1993) Magnetic fields and cancer in children residing near Swedish high-voltage power lines, Am J Epidemiol. 1993 Oct 1;138(7):467-81 [Zobrazit štúdiu](#)

**Lindstrom E et al**, (August 1993) Intracellular calcium oscillations induced in a T-cell line by a weak 50 Hz magnetic field, J Cell Physiol. 1993 Aug;156(2):395-8 [Zobrazit štúdiu](#)

**Loscher W et al**, (July 1993) Tumor promotion in a breast cancer model by exposure to a weak alternating magnetic field, Cancer Lett. 1993 Jul 30;71(1-3):75-81 [Zobrazit štúdiu](#)

**Greene JJ** et al, (May 1993) *Gene-specific modulation of RNA synthesis and degradation by extremely low frequency electromagnetic fields*, Cell Mol Biol (Noisy-le-grand). 1993 May;39(3):261-8 [Zobrazit štúdiu](#)

**Poole C** et al, (February 1993) *Depressive symptoms and headaches in relation to proximity of residence to an alternating-current transmission line right-of-way*, Am J Epidemiol. 1993 Feb 1;137(3):318-30 [Zobrazit štúdiu](#)

**Walleczek J**, (October 1992) *Electromagnetic field effects on cells of the immune system: the role of calcium signaling*, FASEB J. 1992 Oct;6(13):3177-85 [Zobrazit štúdiu](#)

**Phillips JL** et al, (September 1992) *Magnetic field-induced changes in specific gene transcription*, Biochim Biophys Acta. 1992 Sep 24;1132(2):140-4 [Zobrazit štúdiu](#)

**London SJ** et al, (November 1991) *Exposure to residential electric and magnetic fields and risk of childhood leukemia*, Am J Epidemiol. 1991 Nov 1;134(9):923-37 [Zobrazit štúdiu](#)

**Coleman MP** et al, (November 1989) *Leukaemia and residence near electricity transmission equipment: a case-control study*, Br J Cancer. 1989 Nov;60(5):793-8 [Zobrazit štúdiu](#)

**Perry S** et al, (May 1989) *Power frequency magnetic field; depressive illness and myocardial infarction*, Public Health. 1989 May;103(3):177-80 [Zobrazit štúdiu](#)

**Savitz DA** et al, (July 1988) *Case-control study of childhood cancer and exposure to 60-Hz magnetic fields*, Am J Epidemiol. 1988 Jul;128(1):21-38 [Zobrazit štúdiu](#)

**Wilson BW**, (1988) *Chronic exposure to ELF fields may induce depression*, Bioelectromagnetics. 1988;9(2):195-205 [Zobrazit štúdiu](#)

**Toinenius L**, (1986) *50-Hz electromagnetic environment and the incidence of childhood tumors in Stockholm County*, Bioelectromagnetics. 1986;7(2):191-207 [Zobrazit štúdiu](#)

**Wertheimer N, Leeper E**, (March 1979) *Electrical wiring configurations and childhood cancer*, Am J Epidemiol. 1979 Mar;109(3):273-84 [Zobrazit štúdiu](#)

**Reichmanis M** et al, (1979) *Relation between suicide and the electromagnetic field of overhead power lines*, Physiol Chem Phys. 1979;11(5):395-403 [Zobrazit štúdiu](#)

## **Elektrohypersenzitivita**

---

**Carpenter DO**, (November 2014) Excessive exposure to radiofrequency electromagnetic fields may cause the development of electrohypersensitivity, Altern Ther Health Med. 2014 Nov-Dec;20(6):40-2 [Zobrazit štúdiu](#)

**Lamech F**, (November 2014) Self-reporting of symptom development from exposure to radiofrequency fields of wireless smart meters in victoria, australia: a case series, Altern Ther Health Med. 2014 Nov-Dec;20(6):28-39 [Zobrazit štúdiu](#)

**Redmayne M, Johansson O**, (September 2014) Could myelin damage from radiofrequency electromagnetic field exposure help explain the functional impairment electrohypersensitivity? A review of the evidence, J Toxicol Environ Health B Crit Rev. 2014;17(5):247-58. doi: 10.1080/10937404.2014.923356 [Zobrazit štúdiu](#)

**McCarty DE et al**, (December 2011) Electromagnetic hypersensitivity: evidence for a novel neurological syndrome, Int J Neurosci. 2011 Dec;121(12):670-6. Epub 2011 Sep 5 [Zobrazit štúdiu](#)

**Blank M, Goodman R**, (April 2011) DNA is a fractal antenna in electromagnetic fields, Int J Radiat Biol. 2011 Apr;87(4):409-15. Epub 2011 Feb 28 [Zobrazit štúdiu](#)

**Nishimura T et al**, (March 2011) A 1-uT extremely low-frequency electromagnetic field vs. sham control for mild-to-moderate hypertension: a double-blind, randomized study, Hypertens Res. 2011 Mar;34(3):372-7. Epub 2011 Jan 20 [Zobrazit štúdiu](#)

**Lowden A et al**, (January 2011) Sleep after mobile phone exposure in subjects with mobile phone-related symptoms, Bioelectromagnetics. 2011 Jan;32(1):4-14 [Zobrazit štúdiu](#)

**Grigoriev YG et al**, (December 2010) Confirmation studies of Soviet research on immunological effects of microwaves: Russian immunology results, Bioelectromagnetics. 2010 Dec;31(8):589-602. doi: 10.1002/bem.20605. Epub 2010 Sep 20 [Zobrazit štúdiu](#)

**Danker-Hopfe H et al**, (September 2010) Do mobile phone base stations affect sleep of residents? Results from an experimental double-blind sham-controlled field study, Am J Hum Biol. 2010 Sep-Oct;22(5):613-8 [Zobrazit štúdiu](#)

**Johansson A et al**, (January 2010) Symptoms, personality traits, and stress in people with mobile phone-related symptoms and electromagnetic hypersensitivity, J Psychosom Res. 2010 Jan;68(1):37-45 [Zobrazit štúdiu](#)

**Dahmen N et al**, (March 2009) Blood laboratory findings in patients suffering from self-perceived electromagnetic hypersensitivity (EHS), Bioelectromagnetics. 2009 Mar 3;30(4):299-306. Epub ahead of print [Click here to read](#) [Zobrazit štúdiu](#)

**Hallberg O, Johansson O**, (March 2009) Apparent decreases in Swedish public health indicators after 1997-Are they due to improved diagnostics or to environmental factors?, Pathophysiology. 2009 Jun;16(1):43-6. Epub 2009 Feb 10 [Zobrazit štúdiu](#)

**Blettner M et al**, (November 2008) Mobile phone base stations and adverse health effects: Phase 1: A population-based cross-sectional study in Germany, Occup Environ Med. 2008 Nov 18. Epub ahead of print [Zobrazit štúdiu](#)

**Nieto-Hernandez R et al**, (November 2008) Can evidence change belief? Reported mobile phone sensitivity following individual feedback of an inability to discriminate active from sham signals, J Psychosom Res. 2008 Nov;65(5):453-60 [Zobrazit štúdiu](#)

**Wiholm C et al**, (September 2008) Mobile phone exposure and spatial memory, Bioelectromagnetics. 2008 Sep 15. Epub ahead of print [Zobrazit štúdiu](#)

**Landgrebe M et al**, (July 2008) Neuronal correlates of symptom formation in functional somatic syndromes: a fMRI study, Neuroimage. 2008 Jul 15;41(4):1336-44 [Zobrazit štúdiu](#)

**Landgrebe M et al**, (March 2008) Cognitive and neurobiological alterations in electromagnetic hypersensitive patients: results of a case-control study, Psychol Med. 2008 Mar 26;:1-11 [Zobrazit štúdiu](#)

**Lin JC, Wang Z**, (June 2007) Hearing of microwave pulses by humans and animals: effects, mechanism, and thresholds, Health Phys. 2007 Jun;92(6):621-8 [Zobrazit štúdiu](#)

**Schrottner J et al**, (April 2007) Investigation of electric current perception thresholds of different EHS groups, Bioelectromagnetics. 2007 Apr;28(3):208-13 [Zobrazit štúdiu](#)

**Abdel-Rassoul G et al**, (March 2007) Neurobehavioral effects among inhabitants around mobile phone base stations, Neurotoxicology. 2007 Mar;28(2):434-40 [Zobrazit štúdiu](#)

**Landgrebe M et al**, (March 2007) Altered cortical excitability in subjectively electrosensitive patients: results of a pilot study, J Psychosom Res. 2007 Mar;62(3):283-8 [Zobrazit štúdiu](#)

**Eltiti S et al**, (February 2007) Development and evaluation of the electromagnetic hypersensitivity questionnaire, Bioelectromagnetics. 2007 Feb;28(2):137-51 [Zobrazit štúdiu](#)

**Schreier N et al**, (2006) *The prevalence of symptoms attributed to electromagnetic field exposure: a cross-sectional representative survey in Switzerland*, Soz Praventivmed. 2006;51(4):202-9 [Zobrazit štúdiu](#)

**Havas M**, (2006) *Electromagnetic hypersensitivity: biological effects of dirty electricity with emphasis on diabetes and multiple sclerosis*, Electromagn Biol Med. 2006;25(4):259-68 [Zobrazit štúdiu](#)

**Johansson O**, (2006) *Electrohypersensitivity: state-of-the-art of a functional impairment*, Electromagn Biol Med. 2006;25(4):245-58 [Zobrazit štúdiu](#)

**Huss A, Roosli M**, (October 2006) *Consultations in primary care for symptoms attributed to electromagnetic fields--a survey among general practitioners*, BMC Public Health. 2006 Oct 30;6:267 [Zobrazit štúdiu](#)

**Persinger MA**, (2006) *A potential multiple resonance mechanism by which weak magnetic fields affect molecules and medical problems: the example of melatonin and experimental "multiple sclerosis"*, Med Hypotheses. 2006;66(4):811-5 [Zobrazit štúdiu](#)

**Hutter HP et al**, (May 2006) *Subjective symptoms, sleeping problems, and cognitive performance in subjects living near mobile phone base stations*, Occup Environ Med. 2006 May;63(5):307-13 [Zobrazit štúdiu](#)

**Papageorgiou CC et al**, (April 2006) *Acute mobile phone effects on pre-attentive operation*, Neurosci Lett. 2006 Apr 10-17;397(1-2):99-103 [Zobrazit štúdiu](#)

**Irvine N et al**, (November 2005) *Definition, Epidemiology and Management of Electrical Sensitivity*, HPA-RPD-010

**Rajkovic V et al**, (July 2005) *Histological characteristics of cutaneous and thyroid mast cell populations in male rats exposed to power-frequency electromagnetic fields*, Int J Radiat Biol. 2005 Jul;81(7):491-9 [Zobrazit štúdiu](#)

**Meo SA, Al-Drees AM**, (2005) *Mobile phone related-hazards and subjective hearing and vision symptoms in the Saudi population*, Int J Occup Med Environ Health. 2005;18(1):53-7 [Zobrazit štúdiu](#)

**Leitgeb N et al**, (May 2005) *Does "electromagnetic pollution" cause illness? An inquiry among Austrian general practitioners*, Wien Med Wochenschr. 2005 May;115(9-10):237-41 [Zobrazit štúdiu](#)

**Bortkiewicz A et al**, (2004) *Subjective symptoms reported by people living in the vicinity of cellular phone base stations: review*, Med Pr. 2004;55(4):345-51 [Zobrazit štúdiu](#)

**Oberfeld G et al**, (October 2004) *The Microwave Syndrome - Further Aspects of a Spanish Study*, Conference Proceedings

**Al-Khlaiwi T, Meo SA**, (June 2004) *Association of mobile phone radiation with fatigue, headache, dizziness, tension and sleep disturbance in Saudi population*, Saudi Med J. 2004 Jun;25(6):732-6 [Zobrazit štúdiu](#)

**Westerman R, Hocking B**, (May 2004) *Diseases of modern living: neurological changes associated with mobile phones and radiofrequency radiation in humans*, Neurosci Lett. 2004 May 6;361(1-3):13-6 [Zobrazit štúdiu](#)

**Navarro EA et al**, (December 2003) *The Microwave Syndrome: A Preliminary Study in Spain*, Electromagn Biol Med 22(2-3): 161-169

**Leitgeb N, Schrottner J**, (September 2003) *Electrosensitivity and electromagnetic hypersensitivity*, Bioelectromagnetics. 2003 Sep;24(6):387-94 [Zobrazit štúdiu](#)

**Santini R et al**, (September 2003) *Symptoms experienced by people in vicinity of base stations: II/ Incidences of age, duration of exposure, location of subjects in relation to the antennas and other electromagnetic factors*, Pathol Biol (Paris). 2003 Sep;51(7):412-5 [Zobrazit štúdiu](#)

**Hocking B, Westerman R**, (October 2002) *Neurological changes induced by a mobile phone*, Occup Med (Lond). 2002 Oct;52(7):413-5 [Zobrazit štúdiu](#)

**Stenberg B et al**, (October 2002) *Medical and social prognosis for patients with perceived hypersensitivity to electricity and skin symptoms related to the use of visual display terminals*, Scand J Work Environ Health. 2002 Oct;28(5):349-57 [Zobrazit štúdiu](#)

**Levallois P**, (August 2002) *Hypersensitivity of human subjects to environmental electric and magnetic field exposure: a review of the literature*, Environ Health Perspect. 2002 Aug;110 Suppl 4:613-8 [Zobrazit štúdiu](#)

**Levallois P et al**, (August 2002) *Study of self-reported hypersensitivity to electromagnetic fields in California*, Environ Health Perspect. 2002 Aug;110 Suppl 4:619-23 [Zobrazit štúdiu](#)

**Santini R et al**, (July 2002) *Investigation on the health of people living near mobile telephone relay stations: I/Incidence according to distance and sex*, Pathol Biol (Paris) 2002 Jul;50(6):369-73 [Zobrazit štúdiu](#)

**Hillert L et al**, (February 2002) *Prevalence of self-reported hypersensitivity to electric or magnetic fields in a population-based questionnaire survey*, Scand J Work Environ Health. 2002 Feb;28(1):33-41 [Zobrazit štúdiu](#)

**Edelstyn N, Oldershaw A**, (January 2002) *The acute effects of exposure to the electromagnetic field emitted by mobile phones on human attention*, Neuroreport. 2002 Jan 21;13(1):119-21 [Zobrazit štúdiu](#)

**Johansson O et al**, (November 2001) *Cutaneous mast cells are altered in normal healthy volunteers sitting in front of ordinary TVs/PCs--results from open-field provocation experiments*, J Cutan Pathol. 2001 Nov;28(10):513-9. [Zobrazit štúdiu](#)

**Lyskov E et al**, (October 2001) *Provocation study of persons with perceived electrical hypersensitivity and controls using magnetic field exposure and recording of electrophysiological characteristics*, Bioelectromagnetics. 2001 Oct;22(7):457-62 [Zobrazit štúdiu](#)

**Lyskov E et al**, (November 2001) *Int J Psychophysiol*. 2001 Nov;42(3):233-41, Int J Psychophysiol. 2001 Nov;42(3):233-41 [Zobrazit štúdiu](#)

**Oftedal G et al**, (May 2000) *Symptoms experienced in connection with mobile phone use*, Occup Med (Lond). 2000 May;50(4):237-45 [Zobrazit štúdiu](#)

**Gangi S, Johansson O**, (April 2000) *A theoretical model based upon mast cells and histamine to explain the recently proclaimed sensitivity to electric and/or magnetic fields in humans*, Med Hypotheses. 2000 Apr;54(4):663-71 [Zobrazit štúdiu](#)

**Freude G et al**, (January 2000) *Microwaves emitted by cellular telephones affect human slow brain potentials*, Eur J Appl Physiol. 2000 Jan;81(1-2):18-27 [Zobrazit štúdiu](#)

**Hillert L et al**, (November 1999) *Hypersensitivity to electricity: working definition and additional characterization of the syndrome*, J Psychosom Res. 1999 Nov;47(5):429-38 [Zobrazit štúdiu](#)

**Bergdahl J et al**, (October 1998) *Odontologic survey of referred patients with symptoms allegedly caused by electricity or visual display units*, Acta Odontol Scand. 1998 Oct;56(5):303-7 [Zobrazit štúdiu](#)

**Haugsdal B et al**, (1998) *Comparison of symptoms experienced by users of analogue and digital mobile phones: a Swedish-Norwegian epidemiological study*, Arbetslivsrapport 23: 1998

**Eriksson N et al**, (December 1997) *The psychosocial work environment and skin symptoms among visual display terminal workers: a case referent study*, Int J Epidemiol. 1997 Dec;26(6):1250-7 [Zobrazit štúdiu](#)

**Gangi S, Johansson O**, (December 1997) *Skin changes in "screen dermatitis" versus classical UV- and ionizing irradiation-related damage--similarities and differences*, Exp Dermatol. 1997 Dec;6(6):283-91 [Zobrazit štúdiu](#)

**Sandstrom M et al**, (January 1997) *Neurophysiological effects of flickering light in patients with perceived electrical hypersensitivity*, J Occup Environ Med. 1997 Jan;39(1):15-22 [Zobrazit štúdiu](#)

**Forman SA et al**, (October 1995) *Psychological symptoms and intermittent hypertension following acute microwave exposure*, J Occup Med. 1982 Nov;24(11):932-4 [Zobrazit štúdiu](#)

**Johansson O et al**, (October 1994) *Skin changes in patients claiming to suffer from "screen dermatitis": a two-case open-field provocation study*, Exp Dermatol. 1994 Oct;3(5):234-8 [Zobrazit štúdiu](#)

**Szyjkowska A et al**, (October 2005) *Subjective symptoms related to mobile phone use--a pilot study*, Pol Merkur Lekarski. 2005 Oct;19(112):529-32 [Zobrazit štúdiu](#)

## **EEG a mozgové reakcie**

---

**Schmid MR et al,** (June 2012) *Sleep EEG alterations: effects of pulsed magnetic fields versus pulse-modulated radio frequency electromagnetic fields*, J Sleep Res. 2012 Jun 22. doi: 10.1111/j.1365-2869.2012.01025.x. Epub ahead of print [Zobrazit štúdiu](#)

**Loughran SP et al,** (August 2011) *Individual differences in the effects of mobile phone exposure on human sleep: Rethinking the problem*, Bioelectromagnetics. 2011 Aug 3. doi: 10.1002/bem.20691. Epub ahead of print [Zobrazit štúdiu](#)

**Vorobyov V et al,** (May 2010) *Repeated exposure to low-level extremely low frequency-modulated microwaves affects cortex-hypothalamus interplay in freely moving rats: EEG study*, Int J Radiat Biol. 2010 May;86(5):376-83 [Zobrazit štúdiu](#)

**Fragopoulou AF et al,** (June 2010) *Whole body exposure with GSM 900MHz affects spatial memory in mice*, Pathophysiology. 2010 Jun;17(3):179-187. Epub 2009 Dec 1 [Zobrazit štúdiu](#)

**Cvetkovic D, Cosic I,** (October 2009) *Alterations of human electroencephalographic activity caused by multiple extremely low frequency magnetic field exposures*, Med Biol Eng Comput. 2009 Oct;47(10):1063-73. Epub 2009 Aug 26 [Zobrazit štúdiu](#)

**Robertson JA et al,** (August 2009) *Low-frequency pulsed electromagnetic field exposure can alter neuroprocessing in humans*, J R Soc Interface. 2009 Aug 5. Epub ahead of print [Zobrazit štúdiu](#)

**Abramson MJ et al,** (July 2009) *Mobile telephone use is associated with changes in cognitive function in young adolescents*, Bioelectromagnetics. 2009 Jul 30. Epub ahead of print [Zobrazit štúdiu](#)

**Lopez-Martin E et al,** (May 2009) *The action of pulse-modulated GSM radiation increases regional changes in brain activity and c-Fos expression in cortical and subcortical areas in a rat model of picrotoxin-induced seizure proneness*, J Neurosci Res. 2009 May 1;87(6):1484-99 [Zobrazit štúdiu](#)

**Luria R et al,** (November 2008) *Cognitive effects of radiation emitted by cellular phones: The influence of exposure side and time*, Bioelectromagnetics. 2008 Nov 17;30(3):198-204. Epub ahead of print [Zobrazit štúdiu](#)

**Wiholm C et al,** (September 2008) *Mobile phone exposure and spatial memory*, Bioelectromagnetics. 2008 Sep 15. Epub ahead of print [Zobrazit štúdiu](#)

**Andrzejak R et al,** (August 2008) *The influence of the call with a mobile phone on heart rate variability parameters in healthy volunteers*, Ind Health. 2008 Aug;46(4):409-17 [Zobrazit štúdiu](#)

**Cook CM et al,** (July 2008) *Changes in human EEG alpha activity following exposure to two different pulsed magnetic field sequences*, Bioelectromagnetics. 2008 Jul 28 Epub [Zobrazit štúdiu](#)

**Perentos N et al,** (2008) *The effect of GSM-like ELF radiation on the alpha band of the human resting EEG*, Conf Proc IEEE Eng Med Biol Soc. 2008;2008:5680-3 [Zobrazit štúdiu](#)

**Liu T et al,** (March 2008) *Chronic exposure to low-intensity magnetic field improves acquisition and maintenance of memory*, Neuroreport. 2008 Mar 25;19(5):549-52 [Zobrazit štúdiu](#)

**Arnetz BB et al,** (2007) *The Effects of 884 MHz GSM Wireless Communication Signals on Self-reported Symptom and Sleep (EEG)- An Experimental Provocation Study*, PIERS Online Vol. 3 No. 7 2007 pp: 1148-1150

**Abdel-Rassoul G et al,** (March 2007) *Neurobehavioral effects among inhabitants around mobile phone base stations*, Neurotoxicology. 2007 Mar;28(2):434-40 [Zobrazit štúdiu](#)

**Landgrebe M et al,** (March 2007) *Altered cortical excitability in subjectively electrosensitive patients: results of a pilot study*, J Psychosom Res. 2007 Mar;62(3):283-8 [Zobrazit štúdiu](#)

**Bachmann M et al,** (2006) *Integration of differences in EEG Analysis Reveals Changes in Human EEG Caused by Microwave*, Conf Proc IEEE Eng Med Biol Soc. 2006;1:1597-600 [Zobrazit štúdiu](#)

**Papageorgiou CC et al,** (April 2006) *Acute mobile phone effects on pre-attentive operation*, Neurosci Lett. 2006 Apr 10-17;397(1-2):99-103 [Zobrazit štúdiu](#)

**Preece AW et al,** (2005) *Effect of 902 MHz mobile phone transmission on cognitive function in children*, Bioelectromagnetics Suppl 7 S138-43 [Zobrazit štúdiu](#)

**Wang Q et al,** (March 2005) *Effect of 900Mhz electromagnetic fields on energy metabolism in postnatal rat cerebral cortical neurons*, Wei Sheng Yan Jiu. 2005 Mar;34(2):155-8 [Zobrazit štúdiu](#)

**Huber R et al,** (February 2005) *Exposure to pulse-modulated radio frequency electromagnetic fields affects regional cerebral blood flow*, Eur J Neurosci. 2005 Feb;21(4):1000-6 [Zobrazit štúdiu](#)

**Lai H**, (October 2004) *Interaction of microwaves and a temporally incoherent magnetic field on spatial learning in the rat*, Physiol Behav. 2004 Oct 15;82(5):785-9 [Zobrazit štúdiu](#)

**Wang Q et al**, (July 2004) *Effect of 900MHz electromagnetic fields on energy metabolism of cerebral cortical neurons in postnatal rat*, Wei Sheng Yan Jiu. 2004 Jul;33(4):428-9, 432 [Zobrazit štúdiu](#)

**D'Costa H et al**, (December 2003) *Human brain wave activity during exposure to radiofrequency field emissions from mobile phones*, Australas Phys Eng Sci Med. 2003 Dec;26(4):162-7 [Zobrazit štúdiu](#)

**Kramarenko AV, Tan U**, (July 2003) *Effects of high-frequency electromagnetic fields on human EEG: a brain mapping study*, Int J Neurosci. 2003 Jul;113(7):1007-19 [Zobrazit štúdiu](#)

**Huber R et al**, (May 2003) *Radio frequency electromagnetic field exposure in humans: Estimation of SAR distribution in the brain, effects on sleep and heart rate*, Bioelectromagnetics. 2003 May;24(4):262-76 [Zobrazit štúdiu](#)

**Hocking B, Westerman R**, (March 2003) *Neurological effects of radiofrequency radiation*, Occup Med 2003 Mar;53(2):123-7 [Zobrazit štúdiu](#)

**Huber R et al**, (December 2002) *Electromagnetic fields, such as those from mobile phones, alter regional cerebral blood flow and sleep and waking EEG*, J Sleep Res 2002 Dec;11(4):289-95 [Zobrazit štúdiu](#)

**Hocking B, Westerman R**, (October 2002) *Neurological changes induced by a mobile phone*, Occup Med (Lond). 2002 Oct;52(7):413-5 [Zobrazit štúdiu](#)

**Krause CM et al**, (December 2000) *Effects of electromagnetic fields emitted by cellular phones on the electroencephalogram during a visual working memory task*, Int J Radiat Biol. 2000 Dec;76(12):1659-67 [Zobrazit štúdiu](#)

**Huber R et al**, (October 2000) *Exposure to pulsed high-frequency electromagnetic field during waking affects human sleep EEG*, Neuroreport. 2000 Oct 20;11(15):3321-5 [Zobrazit štúdiu](#)

**Koivisto M et al**, (June 2000) *The effects of electromagnetic field emitted by GSM phones on working memory*, Neuroreport. 2000 Jun 5;11(8):1641-3 [Zobrazit štúdiu](#)

**van Wijngaarden E et al**, (April 2000) *Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study*, Occup Environ Med. 2000 Apr;57(4):258-63 [Zobrazit štúdiu](#)

**Cao Z et al**, (March 2000) *Effects of electromagnetic radiation from handsets of cellular telephone on neurobehavioral function*, Wei Sheng Yan Jiu. 2000 Mar 30;29(2):102-3 [Zobrazit štúdiu](#)

**Krause CM et al**, (March 2000) *Effects of electromagnetic field emitted by cellular phones on the EEG during a memory task*, Neuroreport. 2000 Mar 20;11(4):761-4 [Zobrazit štúdiu](#)

**Koivisto M et al**, (February 2000) *Effects of 902 MHz electromagnetic field emitted by cellular telephones on response times in humans*, Neuroreport. 2000 Feb 7;11(2):413-5 [Zobrazit štúdiu](#)

**Freude G et al**, (January 2000) *Microwaves emitted by cellular telephones affect human slow brain potentials*, Eur J Appl Physiol. 2000 Jan;81(1-2):18-27 [Zobrazit štúdiu](#)

**Wang B, Lai H**, (January 2000) *Acute exposure to pulsed 2450-MHz microwaves affects water-maze performance of rats*, Bioelectromagnetics. 2000 Jan;21(1):52-6 [Zobrazit štúdiu](#)

**Borbely AA et al**, (November 1999) *Pulsed high-frequency electromagnetic field affects human sleep and sleep electroencephalogram*, Neurosci Lett. 1999 Nov 19;275(3):207-10 [Zobrazit štúdiu](#)

**Eulitz C et al**, (October 1998) *Mobile phones modulate response patterns of human brain activity*, Neuroreport. 1998 Oct 5;9(14):3229-32 [Zobrazit štúdiu](#)

**Freude G et al**, (1998) *Effects of microwaves emitted by cellular phones on human slow brain potentials*, Bioelectromagnetics. 1998;19(6):384-7 [Zobrazit štúdiu](#)

**Lai H et al**, (1998) *Acute exposure to a 60 Hz magnetic field affects rats' water-maze performance*, Bioelectromagnetics. 1998;19(2):117-22 [Zobrazit štúdiu](#)

**Lai H**, (1996) *Spatial learning deficit in the rat after exposure to a 60 Hz magnetic field*, Bioelectromagnetics. 1996;17(6):494-6 [Zobrazit štúdiu](#)

**Reiser H et al**, (October 1995) *The influence of electromagnetic fields on human brain activity*, Eur J Med Res. 1995 Oct 16;1(1):27-32 [Zobrazit štúdiu](#)

**Lai H et al**, (1994) *Microwave irradiation affects radial-arm maze performance in the rat*, Bioelectromagnetics. 1994;15(2):95-104 [Zobrazit štúdiu](#)

**Lai H et al**, (May 1989) *Low-level microwave irradiation and central cholinergic systems*, Pharmacol Biochem Behav. 1989 May;33(1):131-8 [Zobrazit štúdiu](#)

**Reichmanis M et al**, (1979) *Relation between suicide and the electromagnetic field of overhead power lines*, Physiol Chem Phys. 1979;11(5):395-403 [Zobraziť štúdiu](#)

## Efekty rádiofrekvenčných elektromagnetických polí

---

**Balmori A**, (March 2015) *Anthropogenic radiofrequency electromagnetic fields as an emerging threat to wildlife orientation*, Sci Total Environ. 2015 Jun 15;518:58-60. doi: 10.1016/j.scitotenv.2015.02.077. Epub 2015 Mar 4  
[Zobrazit štúdiu](#)

**Aydogan F et al**, (April 2015) *The effects of 2100-MHz radiofrequency radiation on nasal mucosa and mucociliary clearance in rats*, Int Forum Allergy Rhinol. 2015 Apr 16. doi: 10.1002/alr.21509. [Zobrazit štúdiu](#)

**Dasdag S et al**, (April 2015) *Long term and excessive use of 900 MHz radiofrequency radiation alter microRNA expression in brain*, Int J Radiat Biol. 2015 Apr;91(4):306-11. doi: 10.3109/09553002.2015.997896. Epub 2015 Jan 2  
[Zobrazit štúdiu](#)

**Dasdag S et al**, (March 2015) *Effects of 2.4 GHz radiofrequency radition emitted from WiFi equipment on microRNA expression in brain tissue*, Int J Radiat Biol. 2015 Mar 16:1-26. [Zobrazit štúdiu](#)

**Duan W et al**, (March 2015) *Comparison of the Genotoxic Effects Induced by 50 Hz Extremely Low-Frequency Electromagnetic Fields and 1800 MHz Radiofrequency Electromagnetic Fields in GC-2 Cells*, Radiat Res. 2015 Mar;183(3):305-14. doi: 10.1667/RR13851.1. Epub 2015 Feb 17 [Zobrazit štúdiu](#)

**Zong C et al**, (March 2015) *Adaptive response in mice exposed to 900 MHZ radiofrequency fields: Bleomycin-induced DNA and oxidative damage/repair*, Int J Radiat Biol. 2015 Mar;91(3):270-6. doi: 10.3109/09553002.2014.980465. Epub 2015 Jan 27 [Zobrazit štúdiu](#)

**Ghosn R et al**, (February 2015) *Radiofrequency signal affects alpha band in resting electroencephalogram*, J Neurophysiol. 2015 Feb 18:jn.00765.2014. doi: 10.1152/jn.00765.2014. [Zobrazit štúdiu](#)

**Cao H et al**, (February 2015) *Circadian rhythmicity of antioxidant markers in rats exposed to 1.8 GHz radiofrequency fields*, Int J Environ Res Public Health. 2015 Feb 12;12(2):2071-87. doi: 10.3390/ijerph120202071. [Zobrazit štúdiu](#)

**Halgamuge MN et al**, (February 2015) *Reduced growth of soybean seedlings after exposure to weak microwave radiation from GSM 900 mobile phone and base station*, Bioelectromagnetics. 2015 Feb;36(2):87-95. doi: 10.1002/BEM.21890. Epub 2015 Jan 21 [Zobrazit štúdiu](#)

**Aydogan F et al**, (January 2015) *The effect of 2100 MHz radiofrequency radiation of a 3G mobile phone on the parotid gland of rats*, Am J Otolaryngol. 2015 Jan-Feb;36(1):39-46. doi: 10.1016/j.amjoto.2014.10.001. Epub 2014 Oct 5 [Zobrazit štúdiu](#)

**Geronikolou S et al**, (November 2014) *Diverse radiofrequency sensitivity and radiofrequency effects of mobile or cordless phone near fields exposure in Drosophila melanogaster*, PLoS One. 2014 Nov 17;9(11):e112139. doi: 10.1371/journal.pone.0112139. eCollection 2014 [Zobrazit štúdiu](#)

**Mortazavi S et al**, (September 2014) *Electromagnetic Radiofrequency Radiation Emitted from GSM Mobile Phones Decreases the Accuracy of Home Blood Glucose Monitors*, J Biomed Phys Eng. 2014 Sep 1;4(3):111-6. eCollection 2014 [Zobrazit štúdiu](#)

**Redmayne M, Johansson O**, (September 2014) *Could myelin damage from radiofrequency electromagnetic field exposure help explain the functional impairment electrohypersensitivity? A review of the evidence*, J Toxicol Environ Health B Crit Rev. 2014;17(5):247-58. doi: 10.1080/10937404.2014.923356 [Zobrazit štúdiu](#)

**Marjanovic AM et al**, (August 2014) *Cell oxidation-reduction imbalance after modulated radiofrequency radiation*, Electromagn Biol Med. 2014 Aug 13:1-6. Epub ahead of print [Zobrazit štúdiu](#)

**Maskey D et al**, (August 2014) *Alteration of glycine receptor immunoreactivity in the auditory brainstem of mice following three months of exposure to radiofrequency radiation at SAR 4.0 W/kg*, Int J Mol Med. 2014 Aug;34(2):409-19. doi: 10.3892/ijmm.2014.1784. Epub 2014 May 22 [Zobrazit štúdiu](#)

**Pelletier A et al**, (June 2014) *Does exposure to a radiofrequency electromagnetic field modify thermal preference in juvenile rats?*, PLoS One. 2014 Jun 6;9(6):e99007. doi: 10.1371/journal.pone.0099007. eCollection 2014 [Zobrazit štúdiu](#)

**Chen C et al**, (May 2014) *Exposure to 1800 MHz radiofrequency radiation impairs neurite outgrowth of embryonic neural stem cells*, Sci Rep. 2014 May 29;4:5103. doi: 10.1038/srep05103. [Zobrazit štúdiu](#)

**Saikhedkar N et al**, (May 2014) *Effects of mobile phone radiation (900 MHz radiofrequency) on structure and functions of rat brain*, Neurol Res. 2014 May 26:1743132814Y0000000392. Epub ahead of print [Zobrazit štúdiu](#)

**Ozgur E et al**, (May 2014) *Mobile Phone Radiation Alters Proliferation of Hepatocarcinoma Cells*, Cell Biochem Biophys. 2014 May 11. Epub ahead of print [Zobrazit štúdiu](#)

**Liu K et al**, (May 2014) *The protective effect of autophagy on mouse spermatocyte derived cells exposure to 1800MHz radiofrequency electromagnetic radiation*, Toxicol Lett. 2014 May 9;228(3):216-224. doi: 10.1016/j.toxlet.2014.05.004. Epub ahead of print [Zobrazit štúdiu](#)

**Seckin E et al,** (May 2014) *The effect of radiofrequency radiation generated by a Global System for Mobile Communications source on cochlear development in a rat model*, J Laryngol Otol. 2014 May;128(5):400-5. doi: 10.1017/S002221514000723. Epub 2014 May 1 [Zobrazit štúdiu](#)

**Qin F et al,** (January 2014) *Effects of nano-selenium on cognition performance of mice exposed in 1800 MHz radiofrequency fields*, Wei Sheng Yan Jiu. 2014 Jan;43(1):16-21 [Zobrazit štúdiu](#)

**Ingle IV, Ghosh SK,** (December 2012) *Effect of exposure to radio frequency radiation emitted by cell phone on the developing dorsal root ganglion of chick embryo: a light microscopic study*, Nepal Med Coll J. 2012 Dec;14(4):337-41 [Zobrazit štúdiu](#)

**Pilla AA,** (September 2012) *Electromagnetic fields instantaneously modulate nitric oxide signaling in challenged biological systems*, Biochem Biophys Res Commun. 2012 Sep 28;426(3):330-3. doi: 10.1016/j.bbrc.2012.08.078. Epub 2012 Aug 24 [Zobrazit štúdiu](#)

**Kesari KK, Behari J,** (September 2012) *Evidence for mobile phone radiation exposure effects on reproductive pattern of male rats: Role of ROS*, Electromagn Biol Med. 2012 Sep;31(3):213-22 [Zobrazit štúdiu](#)

**Kesari KK et al,** (August 2012) *Biophysical Evaluation of Radiofrequency Electromagnetic Field Effects on Male Reproductive Pattern*, Cell Biochem Biophys. 2012 Aug 29. Epub ahead of print [Zobrazit štúdiu](#)

**Hamzany Y et al,** (August 2012) *Is human saliva an indicator of the adverse health effects of using mobile phones?*, Antioxid Redox Signal. 2012 Aug 15. Epub ahead of print [Zobrazit štúdiu](#)

**Avcı B et al,** (July 2012) *Oxidative stress induced by 1.8 Ghz radio frequency electromagnetic radiation and effects of the garlic extract in rats*, Int J Radiat Biol. 2012 Jul 12. Epub ahead of print [Zobrazit štúdiu](#)

**Schmid MR et al,** (June 2012) *Sleep EEG alterations: effects of pulsed magnetic fields versus pulse-modulated radio frequency electromagnetic fields*, J Sleep Res. 2012 Jun 22. doi: 10.1111/j.1365-2869.2012.01025.x. Epub ahead of print [Zobrazit štúdiu](#)

**Lu YS et al,** (2012) *Reactive Oxygen Species Formation and Apoptosis in Human Peripheral Blood Mononuclear Cell Induced by 900 MHz Mobile Phone Radiation*, Oxid Med Cell Longev. 2012;2012:740280. Epub 2012 Jun 14 [Zobrazit štúdiu](#)

**Chen G et al,** (April 2012) *Using model organism Saccharomyces cerevisiae to evaluate the effects of ELF-MF and RF-EMF exposure on global gene expression*, Bioelectromagnetics. 2012 Apr 9. doi: 10.1002/bem.21724. Epub ahead of print [Zobrazit štúdiu](#)

**Atasoy HI et al,** (March 2012) *Immunohistopathologic demonstration of deleterious effects on growing rat testes of radiofrequency waves emitted from conventional Wi-Fi devices*, J Pediatr Urol. 2012 Mar 30. Epub ahead of print [Zobrazit štúdiu](#)

**Jing J et al,** (March 2012) *The influence of microwave radiation from cellular phone on fetal rat brain*, Electromagn Biol Med. 2012 Mar;31(1):57-66. Epub 2012 Jan 23 [Zobrazit štúdiu](#)

**Trivino Pardo JC et al,** (March 2012) *Microwave electromagnetic field regulates gene expression in T-lymphoblastoid leukemia CCRF-CEM cell line exposed to 900 MHz*, Electromagn Biol Med. 2012 Mar;31(1):1-18 [Zobrazit štúdiu](#)

**Xu XR et al,** (March 2012) *The effects of extremely low frequency electromagnetic field exposure on the pH of the adult male semen and the motility parameters of spermatozoa in vitro*, Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2012 Mar;30(3):178-80 [Zobrazit štúdiu](#)

**Jiang B et al,** (2012) *Adaptive Response in Mice Exposed to 900 MHz Radiofrequency Fields: Primary DNA Damage*, PLoS One. 2012;7(2):e32040. Epub 2012 Feb 28 [Zobrazit štúdiu](#)

**Calabro E et al,** (February 2012) *Modulation of heat shock protein response in SH-SY5Y by mobile phone microwaves*, World J Biol Chem. 2012 Feb 26;3(2):34-40 [Zobrazit štúdiu](#)

**Cam ST, Seyhan N,** (February 2012) *Single-strand DNA breaks in human hair root cells exposed to mobile phone radiation*, Int J Radiat Biol. 2012 Feb 21. Epub ahead of print [Zobrazit štúdiu](#)

**Cammaerts MC et al,** (January 2012) *GSM 900 MHz radiation inhibits ants' association between food sites and encountered cues*, Electromagn Biol Med. 2012 Jan 23. Epub ahead of print [Zobrazit štúdiu](#)

**Dasdag S et al,** (January 2012) *Effect of 900 MHz Radio Frequency Radiation on Beta Amyloid Protein, Protein Carbonyl, and Malondialdehyde in the Brain*, Electromagn Biol Med. 2012 Jan 23. Epub ahead of print [Zobrazit štúdiu](#)

**Fragopoulou AF et al,** (January 2012) *Brain proteome response following whole body exposure of mice to mobile phone or wireless DECT base radiation*, Electromagn Biol Med. 2012 Jan 20. Epub ahead of print [Zobrazit štúdiu](#)

**Blackman C,** (January 2012) *Treating cancer with amplitude-modulated electromagnetic fields: a potential paradigm shift, again?*, Br J Cancer. 2012 Jan 17;106(2):241-2. doi: 10.1038/bjc.2011.576 [Zobrazit štúdiu](#)

**Maskey D et al,** (January 2012) *Calcium-binding proteins and GFAP immunoreactivity alterations in murine hippocampus after 1 month of exposure to 835MHz radiofrequency at SAR values of 1.6 and 4.0W/kg*, Neurosci Lett.

2012 Jan 11;506(2):292-6. Epub 2011 Nov 25 [Zobrazit štúdiu](#)

**Avendano C et al,** (January 2012) *Use of laptop computers connected to internet through Wi-Fi decreases human sperm motility and increases sperm DNA fragmentation*, Fertil Steril. 2012 Jan;97(1):39-45.e2. Epub 2011 Nov 23 [Zobrazit štúdiu](#)

**Guler G et al,** (December 2011) *The effect of radiofrequency radiation on DNA and lipid damage in female and male infant rabbits*, Int J Radiat Biol. 2011 Dec 7. Epub ahead of print [Zobrazit štúdiu](#)

**Esmekaya MA et al,** (December 2011) *Mutagenic and morphologic impacts of 1.8GHz radiofrequency radiation on human peripheral blood lymphocytes (hPBLs) and possible protective role of pre-treatment with Ginkgo biloba (EGb 761)*, Sci Total Environ. 2011 Dec 1;410-411:59-64. Epub 2011 Oct 19 [Zobrazit štúdiu](#)

**Kesari KK et al,** (December 2011) *900-MHz microwave radiation promotes oxidation in rat brain*, Electromagn Biol Med. 2011 Dec;30(4):219-34 [Zobrazit štúdiu](#)

**Sirav B, Seyhan N,** (December 2011) *Effects of radiofrequency radiation exposure on blood-brain barrier permeability in male and female rats*, Electromagn Biol Med. 2011 Dec;30(4):253-60 [Zobrazit štúdiu](#)

**Trosic I et al,** (December 2011) *Effect of electromagnetic radiofrequency radiation on the rats' brain, liver and kidney cells measured by comet assay*, Coll Antropol. 2011 Dec;35(4):1259-64 [Zobrazit štúdiu](#)

**Zimmerman JW et al,** (December 2011) *Cancer cell proliferation is inhibited by specific modulation frequencies*, Br J Cancer. 2011 Dec 1. doi: 10.1038/bjc.2011.523. Epub ahead of print [Zobrazit štúdiu](#)

**Eskander EF et al,** (November 2011) *How does long term exposure to base stations and mobile phones affect human hormone profiles?*, Clin Biochem. 2011 Nov 27. Epub ahead of print [Zobrazit štúdiu](#)

**Sun W et al,** (November 2011) *A 1.8-GHz radiofrequency radiation induces EGF receptor clustering and phosphorylation in cultured human amniotic (FL) cells*, Int J Radiat Biol. 2011 Nov 18. Epub ahead of print [Zobrazit štúdiu](#)

**Ballardin M et al,** (November 2011) *Non-thermal effects of 2.45 GHz microwaves on spindle assembly, mitotic cells and viability of Chinese hamster V-79 cells*, Mutat Res. 2011 Nov 1;716(1-2):1-9. Epub 2011 Jul 30 [Zobrazit štúdiu](#)

**Lukac N et al,** (October 2011) *In vitro effects of radiofrequency electromagnetic waves on bovine spermatozoa motility*, J Environ Sci Health A Tox Hazard Subst Environ Eng. 2011 Oct;46(12):1417-23 [Zobrazit štúdiu](#)

**Jorge-Mora T et al,** (August 2011) *The Effects of Single and Repeated Exposure to 2.45 GHz Radiofrequency Fields on c-Fos Protein Expression in the Paraventricular Nucleus of Rat Hypothalamus*, Neurochem Res. 2011 Aug 5. Epub ahead of print [Zobrazit štúdiu](#)

**Le Quement C et al,** (August 2011) *Whole-genome expression analysis in primary human keratinocyte cell cultures exposed to 60 GHz radiation*, Bioelectromagnetics. 2011 Aug 3. doi: 10.1002/bem.20693. Epub ahead of print [Zobrazit štúdiu](#)

**Loughran SP et al,** (August 2011) *Individual differences in the effects of mobile phone exposure on human sleep: Rethinking the problem*, Bioelectromagnetics. 2011 Aug 3. doi: 10.1002/bem.20691. Epub ahead of print [Zobrazit štúdiu](#)

**Sarapultseva EI, Igolkina JV,** (August 2011) *Experimental Study of Relationship between Biological Hazards of Low-Dose Radiofrequency Exposure and Energy Flow Density in Spirostomum Ambiguum Infusoria Exposed at a Mobile Connection Frequency (1 GHz)*, Bull Exp Biol Med. 2011 Aug;151(4):477-80 [Zobrazit štúdiu](#)

**Karaca E et al,** (July 2011) *The genotoxic effect of radiofrequency waves on mouse brain*, J Neurooncol. 2011 Jul 6. Epub ahead of print [Zobrazit štúdiu](#)

**Kumar S et al,** (2011) *The therapeutic effect of a pulsed electromagnetic field on the reproductive patterns of male Wistar rats exposed to a 2.45-GHz microwave field*, Clinics (Sao Paulo). 2011;66(7):1237-45 [Zobrazit štúdiu](#)

**Papageorgiou CC et al,** (June 2011) *Effects of wi-fi signals on the p300 component of event-related potentials during an auditory hayling task*, J Integr Neurosci. 2011 Jun;10(2):189-202. doi: 10.1142/S0219635211002695 [Zobrazit štúdiu](#)

**Rossi C et al,** (June 2011) *New perspectives in cell communication: Bioelectromagnetic interactions*, Semin Cancer Biol. 2011 Jun;21(3):207-14. Epub 2011 May 6 [Zobrazit štúdiu](#)

**Yoon SY et al,** (2011) *Induction of Hair Growth by Insulin-Like Growth Factor-1 in 1,763 MHz Radiofrequency-Irradiated Hair Follicle Cells*, PLoS One. 2011;6(12):e28474. Epub 2011 Dec 2 [Zobrazit štúdiu](#)

**Esmekaya MA et al,** (March 2011) *900 MHz pulse-modulated radiofrequency radiation induces oxidative stress on heart, lung, testis and liver tissues*, Gen Physiol Biophys. 2011 Mar;30(1):84-9 [Zobrazit štúdiu](#)

**Cao Y et al,** (February 2011) *Induction of adaptive response: Pre-exposure of mice to 900 MHz radiofrequency fields reduces hematopoietic damage caused by subsequent exposure to ionising radiation*, Int J Radiat Biol. 2011 Feb 7.

Epub ahead of print [Zobrazit štúdiu](#)

**Liu ML et al**, (February 2011) *Potential Protection of Green Tea Polyphenols Against 1800 MHz Electromagnetic Radiation-Induced Injury on Rat Cortical Neurons*, Neurotox Res. 2011 Feb 4. Epub ahead of print [Zobrazit štúdiu](#)

**Trillo MA et al**, (January 2011) *Cytostatic response of NB69 cells to weak pulse-modulated 2.2 GHz radar-like signals*, Bioelectromagnetics. 2011 Jan 28. doi: 10.1002/bem.20643. Epub ahead of print [Zobrazit štúdiu](#)

**Kesari KK et al**, (January 2011) *Effects of Radiofrequency Electromagnetic Wave Exposure from Cellular Phones on the Reproductive Pattern in Male Wistar Rats*, Appl Biochem Biotechnol. 2011 Jan 15. Epub ahead of print [Zobrazit štúdiu](#)

**Lowden A et al**, (January 2011) *Sleep after mobile phone exposure in subjects with mobile phone-related symptoms*, Bioelectromagnetics. 2011 Jan;32(1):4-14 [Zobrazit štúdiu](#)

**Masuda H et al**, (January 2011) *Local exposure of the rat cortex to radiofrequency electromagnetic fields increases local cerebral blood flow along with temperature*, J Appl Physiol. 2011 Jan;110(1):142-8. Epub 2010 Oct 28 [Zobrazit štúdiu](#)

**Esmekaya MA et al**, (December 2010) *Pulse modulated 900 MHz radiation induces hypothyroidism and apoptosis in thyroid cells: a light, electron microscopy and immunohistochemical study*, Int J Radiat Biol. 2010 Dec;86(12):1106-16. Epub 2010 Sep 1 [Zobrazit štúdiu](#)

**Grigoriev YG et al**, (December 2010) *Confirmation studies of Soviet research on immunological effects of microwaves: Russian immunology results*, Bioelectromagnetics. 2010 Dec;31(8):589-602. doi: 10.1002/bem.20605. Epub 2010 Sep 20 [Zobrazit štúdiu](#)

**Ozgur E et al**, (November 2010) *Mobile phone radiation-induced free radical damage in the liver is inhibited by the antioxidants N-acetyl cysteine and epigallocatechin-gallate*, Int J Radiat Biol. 2010 Nov;86(11):935-45. Epub 2010 Sep 1 [Zobrazit štúdiu](#)

**Ragbetli MC et al**, (July 2010) *The effect of mobile phone on the number of Purkinje cells: a stereological study*, Int J Radiat Biol. 2010 Jul;86(7):548-54 [Zobrazit štúdiu](#)

**Yakymenko I, Sidorki E**, (July 2010) *Risks of carcinogenesis from electromagnetic radiation of mobile telephony devices*, Exp Oncol. 2010 Jul;32(2):54-60 [Zobrazit štúdiu](#)

**Maskey D et al**, (July 2010) *Chronic 835-MHz radiofrequency exposure to mice hippocampus alters the distribution of calbindin and GFAP immunoreactivity*, Brain Res. 2010 Jul 30;1346:237-46. Epub 2010 Jun 17 [Zobrazit štúdiu](#)

**Bartsch H et al**, (2010) *Effect of chronic exposure to a GSM-like signal (mobile phone) on survival of female Sprague-Dawley rats: modulatory effects by month of birth and possibly stage of the solar cycle*, Neuro Endocrinol Lett. 2010;31(4):457-73 [Zobrazit štúdiu](#)

**Soderqvist F et al**, (2010) *Radiofrequency fields, transthyretin, and Alzheimer's disease*, J Alzheimers Dis. 2010;20(2):599-606 [Zobrazit štúdiu](#)

**Yu Y, Yao K**, (May 2010) *Non-thermal cellular effects of lowpower microwave radiation on the lens and lens epithelial cells*, J Int Med Res. 2010 May-Jun;38(3):729-36 [Zobrazit štúdiu](#)

**Campisi A et al**, (March 2010) *Reactive oxygen species levels and DNA fragmentation on astrocytes in primary culture after acute exposure to low intensity microwave electromagnetic field*, Neurosci Lett. 2010 Mar 31;473(1):52-5. Epub 2010 Feb 13 [Zobrazit štúdiu](#)

**Falzone N et al**, (March 2010) *The effect of pulsed 900-MHz GSM mobile phone radiation on the acrosome reaction, head morphometry and zona binding of human spermatozoa*, Int J Androl. 2010 Mar 7. Epub ahead of print [Zobrazit štúdiu](#)

**Panda NK et al**, (February 2010) *Audiologic disturbances in long-term mobile phone users*, J Otolaryngol Head Neck Surg. 2010 Feb 1;39(1):5-11 [Zobrazit štúdiu](#)

**Salama N et al**, (February 2010) *Effects of exposure to a mobile phone on testicular function and structure in adult rabbit*, Int J Androl. 2010 Feb;33(1):88-94. Epub 2009 Dec 2 [Zobrazit štúdiu](#)

**Carrubba S et al**, (January 2010) *Mobile-phone pulse triggers evoked potentials*, Neurosci Lett. 2010 Jan 18;469(1):164-8. Epub 2009 Dec 4 [Zobrazit štúdiu](#)

**Maskey D et al**, (February 2010) *Effect of 835 MHz radiofrequency radiation exposure on calcium binding proteins in the hippocampus of the mouse brain*, Brain Res. 2010 Feb 8;1313:232-41. Epub 2009 Dec 5 [Zobrazit štúdiu](#)

**Perez-Castejon C et al**, (December 2009) *Exposure to ELF-pulse modulated X band microwaves increases in vitro human astrocytoma cell proliferation*, Histol Histopathol. 2009 Dec;24(12):1551-61 [Zobrazit štúdiu](#)

**Xu S et al**, (October 2009) *Exposure to 1800 MHz radiofrequency radiation induces oxidative damage to mitochondrial DNA in primary cultured neurons*, Brain Res. 2010 Jan 22;1311:189-96. Epub 2009 Oct 30 [Zobrazit štúdiu](#)

**de Tommaso M et al**, (October 2009) *Mobile phones exposure induces changes of contingent negative variation in humans*, Neurosci Lett. 2009 Oct 23;464(2):79-83. Epub 2009 Aug 21 [Zobrazit štúdiu](#)

**Belyaev I et al**, (October 2009) *Microwaves from Mobile Phones Inhibit 53BP1 Focus Formation in Human Stem Cells Stronger than in Differentiated Cells: Possible Mechanistic Link to Cancer Risk*, Environ Health Perspect. 2009 Oct 22. Epub ahead of print [Zobrazit štúdiu](#)

**Zhijian C et al**, (January 2010) *Impact of 1.8-GHz radiofrequency radiation (RFR) on DNA damage and repair induced by doxorubicin in human B-cell lymphoblastoid cells*, Mutat Res. 2010 Jan;695(1-2):16-21. Epub 2009 Oct 13 [Zobrazit štúdiu](#)

**Otitoloju AA et al**, (October 2009) *Preliminary study on the induction of sperm head abnormalities in mice, *Mus musculus*, exposed to radiofrequency radiations from global system for mobile communication base stations*, Bull Environ Contam Toxicol. 2010 Jan;84(1):51-4. Epub 2009 Oct 9 [Zobrazit štúdiu](#)

**Del Vecchio G et al**, (October 2009) *Effect of radiofrequency electromagnetic field exposure on in vitro models of neurodegenerative disease*, Bioelectromagnetics. 2009 Oct;30(7):564-72 [Zobrazit štúdiu](#)

**Desai NR et al**, (October 2009) *Pathophysiology of cell phone radiation: oxidative stress and carcinogenesis with focus on male reproductive system*, Reprod Biol Endocrinol. 2009 Oct 22;7:114 [Zobrazit štúdiu](#)

**Soderqvist F et al**, (August 2009) *Exposure to an 890-MHz mobile phone-like signal and serum levels of S100B and transthyretin in volunteers*, Toxicol Lett. 2009 Aug 25;189(1):63-6. Epub 2009 May 7 [Zobrazit štúdiu](#)

**Sharma VP et al**, (October 2009) *Mobile phone radiation inhibits Vigna radiata (mung bean) root growth by inducing oxidative stress*, Sci Total Environ. 2009 Oct 15;407(21):5543-7. Epub 2009 Aug 13 [Zobrazit štúdiu](#)

**Contalbrigo L et al**, (August 2009) *Effects of different electromagnetic fields on circadian rhythms of some haematochemical parameters in rats*, Biomed Environ Sci. 2009 Aug;22(4):348-53 [Zobrazit štúdiu](#)

**Roychoudhury S et al**, (August 2009) *Influence of a 50 hz extra low frequency electromagnetic field on spermatozoa motility and fertilization rates in rabbits*, J Environ Sci Health A Tox Hazard Subst Environ Eng. 2009 Aug;44(10):1041-7 [Zobrazit štúdiu](#)

**Cao Y et al**, (2009) *900-MHz Microwave Radiation Enhances gamma-Ray Adverse Effects on SHG44 Cells*, J Toxicol Environ Health A. 2009;72(11-12):727-32 [Zobrazit štúdiu](#)

**Sannino A et al**, (June 2009) *Induction of adaptive response in human blood lymphocytes exposed to radiofrequency radiation*, Radiat Res. 2009 Jun;171(6):735-42 [Zobrazit štúdiu](#)

**Sirav B, Seyhan N**, (2009) *Blood-brain barrier disruption by continuous-wave radio frequency radiation*, Electromagn Biol Med. 2009;28(2):215-22 [Zobrazit štúdiu](#)

**Del Vecchio G et al**, (May 2009) *Continuous exposure to 900MHz GSM-modulated EMF alters morphological maturation of neural cells*, Neurosci Lett. 2009 May 22;455(3):173-7. Epub 2009 Mar 24 [Zobrazit štúdiu](#)

**Lopez-Martin E et al**, (May 2009) *The action of pulse-modulated GSM radiation increases regional changes in brain activity and c-Fos expression in cortical and subcortical areas in a rat model of picrotoxin-induced seizure proneness*, J Neurosci Res. 2009 May 1;87(6):1484-99 [Zobrazit štúdiu](#)

**Soderqvist F et al**, (April 2009) *Mobile and cordless telephones, serum transthyretin and the blood-cerebrospinal fluid barrier: a cross-sectional study*, Environ Health. 2009 Apr 21;8:19 [Zobrazit štúdiu](#)

**Nittby H et al**, (August 2009) *Increased blood-brain barrier permeability in mammalian brain 7 days after exposure to the radiation from a GSM-900 mobile phone*, Pathophysiology. 2009 Aug;16(2-3):103-12. Epub 2009 Apr 2 [Zobrazit štúdiu](#)

**Budak GG et al**, (April 2009) *Effects of GSM-like radiofrequency on distortion product otoacoustic emissions in pregnant adult rabbits*, Clin Invest Med. 2009 Apr 1;32(2):E112-6 [Zobrazit štúdiu](#)

**Orendacova J et al**, (March 2009) *Immunohistochemical Study of Postnatal Neurogenesis After Whole-body Exposure to Electromagnetic Fields: Evaluation of Age- and Dose-Related Changes in Rats*, Cell Mol Neurobiol. 2009 Mar 21. Epub ahead of print [Zobrazit štúdiu](#)

**Ruediger HW**, (March 2009) *Genotoxic effects of radiofrequency electromagnetic fields*, Pathophysiology. 2009 Mar 12. Epub ahead of print [Zobrazit štúdiu](#)

**Pourlis AF**, (March 2009) *Reproductive and developmental effects of EMF in vertebrate animal models*, Pathophysiology. 2009 Mar 7. Epub ahead of print [Zobrazit štúdiu](#)

**Blank M, Goodman R**, (March 2009) *Electromagnetic fields stress living cells*, Pathophysiology. 2009 Mar 4. Epub ahead of print [Zobrazit štúdiu](#)

**Blackman C**, (March 2009) *Cell phone radiation: Evidence from ELF and RF studies supporting more inclusive risk identification and assessment*, Pathophysiology. 2009 Aug;16(2-3):205-16. Epub 2009 Mar 4 [Zobrazit štúdiu](#)

**Phillips JL et al**, (March 2009) *Electromagnetic fields and DNA damage, Pathophysiology*. 2009 Mar 3. Epub ahead of print [Zobrazit štúdiu](#)

**Gajski G et al**, (March 2009) *Radioprotective effects of honeybee venom (*Apis mellifera*) against 915-MHz microwave radiation-induced DNA damage in wistar rat lymphocytes: in vitro study*, *Int J Toxicol.* 2009 Mar-Apr;28(2):88-98 [Zobrazit štúdiu](#)

**Gul A et al**, (February 2009) *The effects of microwave emitted by cellular phones on ovarian follicles in rats*, *Arch Gynecol Obstet.* 2009 Feb 25. Epub ahead of print [Zobrazit štúdiu](#)

**Bas O et al**, (February 2009) *900 MHz electromagnetic field exposure affects qualitative and quantitative features of hippocampal pyramidal cells in the adult female rat*, *Brain Res.* 2009 Feb 20. Epub ahead of print [Zobrazit štúdiu](#)

**Verschaeve L**, (November 2008) *Genetic damage in subjects exposed to radiofrequency radiation*, *Mutat Res.* 2008 Nov 27. Epub ahead of print [Zobrazit štúdiu](#)

**Belyaev IY et al**, (October 2008) *Microwaves from UMTS/GSM mobile phones induce long-lasting inhibition of 53BP1/gamma-H2AX DNA repair foci in human lymphocytes*, *Bioelectromagnetics.* 2008 Oct 6. Epub ahead of print [Zobrazit štúdiu](#)

**Franzellitti S et al**, (October 2008) *HSP70 Expression in Human Trophoblast Cells Exposed to Different 1.8 GHz Mobile Phone Signals*, *Rad. Res.* 2008 Oct;170(4): 488-497

**Sokolovic D et al**, (September 2008) *Melatonin Reduces Oxidative Stress Induced by Chronic Exposure of Microwave Radiation from Mobile Phones in Rat Brain*, *J Radiat Res (Tokyo)*. 2008 Sep 29. Epub ahead of print [Zobrazit štúdiu](#)

**Odaci E et al**, (August 2008) *Effects of prenatal exposure to a 900 Mhz electromagnetic field on the dentate gyrus of rats: a stereological and histopathological study*, *Brain Res.* 2008 Aug 16. Epub ahead of print [Zobrazit štúdiu](#)

**Andrzejak R et al**, (August 2008) *The influence of the call with a mobile phone on heart rate variability parameters in healthy volunteers*, *Ind Health.* 2008 Aug;46(4):409-17 [Zobrazit štúdiu](#)

**Pavicic I, Trosic I**, (August 2008) *In vitro testing of cellular response to ultra high frequency electromagnetic field radiation*, *Toxicol In Vitro.* 2008 Aug;22(5):1344-8 [Zobrazit štúdiu](#)

**Zhang SZ et al**, (August 2008) *Effect of 1.8 GHz radiofrequency electromagnetic fields on gene expression of rat neurons*, *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 2008 Aug;26(8):449-52 [Zobrazit štúdiu](#)

**Eberhardt JL et al**, (2008) *Blood-brain barrier permeability and nerve cell damage in rat brain 14 and 28 days after exposure to microwaves from GSM mobile phones*, *Electromagn Biol Med.* 2008;27(3):215-29 [Zobrazit štúdiu](#)

**Mathur R**, (2008) *Effect of chronic intermittent exposure to AM radiofrequency field on responses to various types of noxious stimuli in growing rats*, *Electromagn Biol Med.* 2008;27(3):266-76 [Zobrazit štúdiu](#)

**Matronchik AY, Belyaev IY et al**, (2008) *Mechanism for combined action of microwaves and static magnetic field: slow non uniform rotation of charged nucleoid*, *Electromagn Biol Med.* 2008;27(4):340-54 [Zobrazit štúdiu](#)

**Nittby H et al**, (2008) *Radiofrequency and extremely low-frequency electromagnetic field effects on the blood-brain barrier*, *Electromagn Biol Med.* 2008;27(2):103-26 [Zobrazit štúdiu](#)

**Yan JG et al**, (2008) *Upregulation of specific mRNA levels in rat brain after cell phone exposure*, *Electromagn Biol Med.* 2008;27(2):147-54 [Zobrazit štúdiu](#)

**George DF et al**, (May 2008) *Non-thermal effects in the microwave induced unfolding of proteins observed by chaperone binding*, *Bioelectromagnetics.* 2008 May;29(4):324-30 [Zobrazit štúdiu](#)

**Manti L et al**, (May 2008) *Effects of Modulated Microwave Radiation at Cellular Telephone Frequency (1.95 GHz) on X-Ray-Induced Chromosome Aberrations in Human Lymphocytes In Vitro*, *Radiat Res.* 2008 May;169(5):575-83 [Zobrazit štúdiu](#)

**Schwarz C et al**, (May 2008) *Radiofrequency electromagnetic fields (UMTS, 1,950 MHz) induce genotoxic effects in vitro in human fibroblasts but not in lymphocytes*, *Int Arch Occup Environ Health.* 2008 May;81(6):755-67 [Zobrazit štúdiu](#)

**Yao K et al**, (May 2008) *Effect of superposed electromagnetic noise on DNA damage of lens epithelial cells induced by microwave radiation*, *Invest Ophthalmol Vis Sci.* 2008 May;49(5):2009-15 [Zobrazit štúdiu](#)

**Lerchl A et al**, (April 2008) *Effects of mobile phone electromagnetic fields at nonthermal SAR values on melatonin and body weight of Djungarian hamsters (*Phodopus sungorus*)*, *J Pineal Res.* 2008 Apr;44(3):267-72 [Zobrazit štúdiu](#)

**Perez FP et al**, (April 2008) *Electromagnetic field therapy delays cellular senescence and death by enhancement of the heat shock response*, *Exp Gerontol.* 2008 Apr;43(4):307-16 [Zobrazit štúdiu](#)

**Rao VS et al**, (March 2008) *Nonthermal effects of radiofrequency-field exposure on calcium dynamics in stem cell-derived neuronal cells: elucidation of calcium pathways*, *Radiat Res.* 2008 Mar;169(3):319-29 [Zobrazit štúdiu](#)

**Aly AA et al**, (February 2008) Effects of 900-MHz radio frequencies on the chemotaxis of human neutrophils in vitro, IEEE Trans Biomed Eng. 2008 Feb;55(2):795-7 [Zobrazit štúdiu](#)

**Karinен A et al**, (February 2008) Mobile phone radiation might alter protein expression in human skin, BMC Genomics. 2008 Feb 11;9:77 [Zobrazit štúdiu](#)

**Lopez-Berenguer C et al**, (November 2007) Effects of microwave cooking conditions on bioactive compounds present in broccoli inflorescences, J Agric Food Chem. 2007 Nov 28;55(24):10001-7 [Zobrazit štúdiu](#)

**Roux D et al**, (November 2007) High frequency (900 MHz) low amplitude (5 V m<sup>-1</sup>) electromagnetic field: a genuine environmental stimulus that affects transcription, translation, calcium and energy charge in tomato., Planta. 2007 Nov 20 Epub ahead of print [Zobrazit štúdiu](#)

**Meral I et al**, (September 2007) Effects of 900-MHz electromagnetic field emitted from cellular phone on brain oxidative stress and some vitamin levels of guinea pigs, Brain Res. 2007 Sep 12;1169:120-4. Epub 2007 Jul 17 [Zobrazit štúdiu](#)

**Friedman J et al**, (August 2007) Mechanism of a short-term ERK activation by electromagnetic fields at mobile phone frequency, Biochem J. 2007 Aug 1;405(3):559-68 [Zobrazit štúdiu](#)

**Guney M et al**, (August 2007) 900 MHz radiofrequency-induced histopathologic changes and oxidative stress in rat endometrium: protection by vitamins E and C, Toxicol Ind Health. 2007 Aug;23(7):411-20 [Zobrazit štúdiu](#)

**Hoyto A et al**, (June 2007) Ornithine decarboxylase activity is affected in primary astrocytes but not in secondary cell lines exposed to 872 MHz RF radiation, Int J Radiat Biol. 2007 Jun;83(6):367-74 [Zobrazit štúdiu](#)

**Oral B et al**, (November 2006) Endometrial apoptosis induced by a 900-MHz mobile phone: preventive effects of vitamins E and C, Adv Ther. 2006 Nov-Dec;23(6):957-73 [Zobrazit štúdiu](#)

**Nylund R, Leszczynski D**, (September 2006) Mobile phone radiation causes changes in gene and protein expression in human endothelial cell lines and the response seems to be genome- and proteome-dependent, Proteomics 2006 Sep;6(17):4769-80 [Zobrazit štúdiu](#)

**Belyaev IV et al**, (May 2006) Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation, Bioelectromagnetics. 2006 May;27(4):295-306 [Zobrazit štúdiu](#)

**Nikolova T et al**, (October 2005) Electromagnetic fields affect transcript levels of apoptosis-related genes in embryonic stem cell-derived neural progenitor cells, FASEB J. 2005 Oct;19(12):1686-8 [Zobrazit štúdiu](#)

**Markova E et al**, (September 2005) Microwaves from GSM mobile telephones affect 53BP1 and gamma-H2AX foci in human lymphocytes from hypersensitive and healthy persons, Environ Health Perspect. 2005 Sep;113(9):1172-7 [Zobrazit štúdiu](#)

**Wang Q et al**, (September 2005) Effect of 900 MHz electromagnetic fields on the expression of GABA receptor of cerebral cortical neurons in postnatal rats, Wei Sheng Yan Jiu. 2005 Sep;34(5):546-8 [Zobrazit štúdiu](#)

**Reif JS et al**, (August 2005) Human responses to Residential RF exposure, 2 RO1 ES0008117-04

**Caraglia M et al**, (August 2005) Electromagnetic fields at mobile phone frequency induce apoptosis and inactivation of the multi-chaperone complex in human epidermoid cancer cells, J Cell Physiol. 2005 Aug;204(2):539-48 [Zobrazit štúdiu](#)

**Ozguner F et al**, (August 2005) Comparative analysis of the protective effects of melatonin and caffeic acid phenethyl ester (CAPE) on mobile phone-induced renal impairment in rat, Mol Cell Biochem. 2005 Aug;276(1-2):31-7 [Zobrazit štúdiu](#)

**Oktem F et al**, (July 2005) Oxidative damage in the kidney induced by 900-MHz-emitted mobile phone: protection by melatonin, Arch Med Res. 2005 Jul-Aug;36(4):350-5 [Zobrazit štúdiu](#)

**Diem E et al**, (June 2005) Non-thermal DNA breakage by mobile-phone radiation (1800 MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro, Mutat Res. 2005 Jun 6;583(2):178-83 [Zobrazit štúdiu](#)

**Hallberg O, Johansson O**, (2005) FM broadcasting exposure time and malignant melanoma incidence, Electromagnetic Biology and Medicine 24; 1-8

**Belyaev IV et al**, (April 2005) 915 MHz microwaves and 50 Hz magnetic field affect chromatin conformation and 53BP1 foci in human lymphocytes from hypersensitive and healthy persons, Bioelectromagnetics. 2005 Apr;26(3):173-84 [Zobrazit štúdiu](#)

**Wang Q et al**, (March 2005) Effect of 900Mhz electromagnetic fields on energy metabolism in postnatal rat cerebral cortical neurons, Wei Sheng Yan Jiu. 2005 Mar;34(2):155-8 [Zobrazit štúdiu](#)

**Lai H**, (October 2004) Interaction of microwaves and a temporally incoherent magnetic field on spatial learning in the rat, Physiol Behav. 2004 Oct 15;82(5):785-9 [Zobrazit štúdiu](#)

**Ozguner F et al**, (September 2004) *Prevention of mobile phone induced skin tissue changes by melatonin in rat: an experimental study*, Toxicol Ind Health. 2004 Sep;20(6-10):133-9 [Zobrazit štúdiu](#)

**Wang Q et al**, (July 2004) *Effect of 900MHz electromagnetic fields on energy metabolism of cerebral cortical neurons in postnatal rat*, Wei Sheng Yan Jiu. 2004 Jul;33(4):428-9, 432 [Zobrazit štúdiu](#)

**Czyz J et al**, (May 2004) *High frequency electromagnetic fields (GSM signals) affect gene expression levels in tumor suppressor p53-deficient embryonic stem cells*, Bioelectromagnetics. 2004 May;25(4):296-307 [Zobrazit štúdiu](#)

**Sarimov R et al**, (2004) *Nonthermal GSM Microwaves Affect Chromatin Conformation in Human Lymphocytes Similar to Heat Shock*, IEEE Trans Plasma Sci 2004; 32 (4): 1600 - 1608

**de Pomerai DI et al**, (May 2003) *Microwave radiation can alter protein conformation without bulk heating*, FEBS Lett. 2003 May 22;543(1-3):93-7 [Zobrazit štúdiu](#)

**Burch JB et al**, (November 2002) *Melatonin metabolite excretion among cellular telephone users*, Int J Radiat Biol. 2002 Nov;78(11):1029-36 [Zobrazit štúdiu](#)

**Leszczynski D et al**, (May 2002) *Non-thermal activation of the hsp27/p38MAPK stress pathway by mobile phone radiation in human endothelial cells: molecular mechanism for cancer- and blood-brain barrier-related effects*, Differentiation. 2002 May;70(2-3):120-9 [Zobrazit štúdiu](#)

**D'Ambrosio G et al**, (January 2002) *Cytogenetic damage in human lymphocytes following GMSK phase modulated microwave exposure*, Bioelectromagnetics. 2002 Jan;23(1):7-13 [Zobrazit štúdiu](#)

**Tattersall JE et al**, (June 2001) *Effects of low intensity radiofrequency electromagnetic fields on electrical activity in rat hippocampal slices*, Brain Res. 2001 Jun 15;904(1):43-53 [Zobrazit štúdiu](#)

**Wang B, Lai H**, (January 2000) *Acute exposure to pulsed 2450-MHz microwaves affects water-maze performance of rats*, Bioelectromagnetics. 2000 Jan;21(1):52-6 [Zobrazit štúdiu](#)

**Velizarov S et al**, (February 1999) *The effects of radiofrequency fields on cell proliferation are non-thermal*, Bioelectrochem Bioenerg. 1999 Feb;48(1):177-80 [Zobrazit štúdiu](#)

**Daniells C et al**, (March 1998) *Transgenic nematodes as biomonitor of microwave-induced stress*, Mutat Res. 1998 Mar 13;399(1):55-64 [Zobrazit štúdiu](#)

**Donnellan M et al**, (July 1997) *Effects of exposure to electromagnetic radiation at 835 MHz on growth, morphology and secretory characteristics of a mast cell analogue, RBL-2H3*, Cell Biol Int. 1997 Jul;21(7):427-39 [Zobrazit štúdiu](#)

**French PW et al**, (June 1997) *Electromagnetic radiation at 835 MHz changes the morphology and inhibits proliferation of a human astrocytoma cell line*, Bioelectrochemistry and Bioenergetics, June 1997;43(1):13-18

**Singh B, Bate LA**, (November 1996) *Responses of pulmonary intravascular macrophages to 915-MHz microwave radiation: ultrastructural and cytochemical study*, Anat Rec. 1996 Nov;246(3):343-55 [Zobrazit štúdiu](#)

**Dobson J, St. Pierre T**, (October 1996) *Application of the ferromagnetic transduction model to D.C. and pulsed magnetic fields: effects on epileptogenic tissue and implications for cellular phone safety*, Biochem Biophys Res Commun 1996 Oct 23;227(3):718-23 [Zobrazit štúdiu](#)

**Lai H et al**, (1994) *Microwave irradiation affects radial-arm maze performance in the rat*, Bioelectromagnetics. 1994;15(2):95-104 [Zobrazit štúdiu](#)

**Lai H et al**, (May 1989) *Low-level microwave irradiation and central cholinergic systems*, Pharmacol Biochem Behav. 1989 May;33(1):131-8 [Zobrazit štúdiu](#)

**Holt JA**, (June 1980) *Changing epidemiology of malignant melanoma in Queensland*, Med J Aust. 1980 Jun 14;1(12):619-20 [Zobrazit štúdiu](#)

## Efekty nízkofrekvečných elektrických a magnetických polí

---

**Vanderstraeten J et al,** (July 2015) Could Magnetic Fields Affect the Circadian Clock Function of Cryptochromes? Testing the Basic Premise of the Cryptochrome Hypothesis (ELF Magnetic Fields), *Health Phys.* 2015 Jul;109(1):84-9. doi: 10.1097/HP.0000000000000292 [Zobrazit štúdiu](#)

**Prato FS,** (May 2015) Non-thermal extremely low frequency magnetic field effects on opioid related behaviors: Snails to humans, mechanisms to therapy, *Bioelectromagnetics.* 2015 May 11. doi: 10.1002/bem.21918. [Zobrazit štúdiu](#)

**Qi G et al,** (May 2015) Effects of extremely low-frequency electromagnetic fields (ELF-EMF) exposure on B6C3F1 mice, *Environ Health Prev Med.* 2015 May 5. [Zobrazit štúdiu](#)

**Nofouzi K et al,** (April 2015) Influence of extremely low frequency electromagnetic fields on growth performance, innate immune response, biochemical parameters and disease resistance in rainbow trout, *Oncorhynchus mykiss*, *Fish Physiol Biochem.* 2015 Apr 14. [Zobrazit štúdiu](#)

**Hori T et al,** (March 2015) Exposure to 50 Hz electric fields reduces stress-induced glucocorticoid levels in BALB/c mice in a kV/m- and duration-dependent manner, *Bioelectromagnetics.* 2015 Mar 27. doi: 10.1002/bem.21914. [Zobrazit štúdiu](#)

**Manzella N et al,** (March 2015) Circadian gene expression and extremely low-frequency magnetic fields: An in vitro study, *Bioelectromagnetics.* 2015 Mar 22. doi: 10.1002/bem.21915. [Zobrazit štúdiu](#)

**Duan W et al,** (March 2015) Comparison of the Genotoxic Effects Induced by 50 Hz Extremely Low-Frequency Electromagnetic Fields and 1800 MHz Radiofrequency Electromagnetic Fields in GC-2 Cells, *Radiat Res.* 2015 Mar;183(3):305-14. doi: 10.1667/RR13851.1. Epub 2015 Feb 17 [Zobrazit štúdiu](#)

**Tessaro LW et al,** (March 2015) Bacterial growth rates are influenced by cellular characteristics of individual species when immersed in electromagnetic fields, *Microbiol Res.* 2015 Mar;172:26-33. doi: 10.1016/j.micres.2014.12.008. Epub 2015 Jan 19 [Zobrazit štúdiu](#)

**Todorovic D et al,** (February 2015) Effects of two different waveforms of ELF MF on bioelectrical activity of antennal lobe neurons of *Morimus funereus* (Insecta, Coleoptera), *Int J Radiat Biol.* 2015 Feb 10:1-8. [Zobrazit štúdiu](#)

**Chung YH et al,** (January 2015) Extremely low frequency magnetic field modulates the level of neurotransmitters, *Korean J Physiol Pharmacol.* 2015 Jan;19(1):15-20. doi: 10.4196/kjpp.2015.19.1.15. Epub 2014 Dec 31 [Zobrazit štúdiu](#)

**D'Angelo C et al,** (January 2015) Experimental model for ELF-EMF exposure: Concern for human health, *Saudi J Biol Sci.* 2015 Jan;22(1):75-84. doi: 10.1016/j.sjbs.2014.07.006. Epub 2014 Aug 6 [Zobrazit štúdiu](#)

**Patruno A et al,** (January 2015) Effects of extremely low frequency electromagnetic field (ELF-EMF) on catalase, cytochrome P450 and nitric oxide synthase in erythro-leukemic cells, *Life Sci.* 2015 Jan 15;121:117-23. doi: 10.1016/j.lfs.2014.12.003. Epub 2014 Dec 11 [Zobrazit štúdiu](#)

**Gok DK et al,** (December 2014) The developmental effects of extremely low frequency electric fields on visual and somatosensory evoked potentials in adult rats, *Electromagn Biol Med.* 2014 Dec 11:1-10. [Zobrazit štúdiu](#)

**Grant DN et al,** (December 2014) In vitro electromagnetic stimulation to enhance cell proliferation in extracellular matrix constructs with and without metallic nanoparticles, *J Biomed Mater Res B Appl Biomater.* 2014 Dec 2. doi: 10.1002/jbm.b.33338. [Zobrazit štúdiu](#)

**Huang CY et al,** (November 2014) Distinct epidermal keratinocytes respond to extremely low-frequency electromagnetic fields differently, *PLoS One.* 2014 Nov 19;9(11):e113424. doi: 10.1371/journal.pone.0113424. eCollection 2014 [Zobrazit štúdiu](#)

**Raus Balind et al,** (October 2014) Short- and long-term exposure to alternating magnetic field (50 Hz, 0.5 mT) affects rat pituitary ACTH cells: Stereological study, *Environ Toxicol.* 2014 Oct 27. doi: 10.1002/tox.22059. [Zobrazit štúdiu](#)

**Alsaeed I et al,** (October 2014) Autism-relevant social abnormalities in mice exposed perinatally to extremely low frequency electromagnetic fields, *Int J Dev Neurosci.* 2014 Oct;37:58-64. doi: 10.1016/j.ijdevneu.2014.06.010. Epub 2014 Jun 23. [Zobrazit štúdiu](#)

**Baek S et al,** (October 2014) Electromagnetic Fields Mediate Efficient Cell Reprogramming into a Pluripotent State, *ACS Nano.* 2014 Oct 1. Epub ahead of print [Zobrazit štúdiu](#)

**Hasanzadeh H et al,** (October 2014) Effect of ELF-EMF Exposure on Human Neuroblastoma Cell Line: a Proteomics Analysis, *Iran J Cancer Prev.* 2014 Winter;7(1):22-7. [Zobrazit štúdiu](#)

**Jung IS et al,** (October 2014) Effects of extremely low frequency magnetic fields on NGF induced neuronal differentiation of PC12 cells, *Bioelectromagnetics.* 2014 Oct;35(7):459-69. doi: 10.1002/bem.21861. Epub 2014 Aug 26 [Zobrazit štúdiu](#)

**Isaac Aleman E et al**, (September 2014) Effects of 60 Hz sinusoidal magnetic field on in vitro establishment, multiplication, and acclimatization phases of Coffee arabica seedlings, Bioelectromagnetics. 2014 Sep;35(6):414-25. doi: 10.1002/bem.21859. Epub 2014 Jul 17 [Zobrazit štúdiu](#)

**Lee SK et al**, (September 2014) Extremely low frequency magnetic fields induce spermatogenic germ cell apoptosis: possible mechanism, Biomed Res Int. 2014;2014:567183. doi: 10.1155/2014/567183. Epub 2014 Jun 15 [Zobrazit štúdiu](#)

**Zhao G et al**, (September 2014) Relationship between exposure to extremely low-frequency electromagnetic fields and breast cancer risk: a meta-analysis, Eur J Gynaecol Oncol. 2014;35(3):264-9 [Zobrazit štúdiu](#)

**Zhu H et al**, (August 2014) Effects of extremely low frequency electromagnetic fields on human fetal scleral fibroblasts, Toxicol Ind Health. 2014 Aug 21. pii: 0748233714545837. Epub ahead of print [Zobrazit štúdiu](#)

**Reale M et al**, (August 2014) Neuronal cellular responses to extremely low frequency electromagnetic field exposure: implications regarding oxidative stress and neurodegeneration, PLoS One. 2014 Aug 15;9(8):e104973. doi: 10.1371/journal.pone.0104973. eCollection 2014 [Zobrazit štúdiu](#)

**Seifirad S et al**, (August 2014) Effects of extremely low frequency electromagnetic fields on paraoxonase serum activity and lipid peroxidation metabolites in rat, J Diabetes Metab Disord. 2014 Aug 13;13(1):85. doi: 10.1186/s40200-014-0085-2. eCollection 2014 [Zobrazit štúdiu](#)

**Li C et al**, (July 2014) The extremely low-frequency magnetic field exposure differently affects the AMPAR and NMDAR subunit expressions in the hippocampus, entorhinal cortex and prefrontal cortex without effects on the rat spatial learning and memory, Environ Res. 2014 Jul 18;134C:74-80. doi: 10.1016/j.envres.2014.06.025. Epub ahead of print [Zobrazit štúdiu](#)

**Kantar Gok D et al**, (July 2014) Effects of extremely low-frequency electric fields at different intensities and exposure durations on mismatch negativity, Neuroscience. 2014 Jul 11;272:154-66. doi: 10.1016/j.neuroscience.2014.04.056. Epub 2014 May 6 [Zobrazit štúdiu](#)

**Liu DD et al**, (June 2014) Melatonin protects rat cerebellar granule cells against electromagnetic field-induced increases in Na<sup>+</sup> currents through intracellular Ca<sup>(2+)</sup> release, J Cell Mol Med. 2014 Jun;18(6):1060-70. doi: 10.1111/jcmm.12250. Epub 2014 Feb 18 [Zobrazit štúdiu](#)

**Shafiei SA et al**, (May 2014) Investigation of EEG changes during exposure to extremely low-frequency magnetic field to conduct brain signals, Neurol Sci. 2014 May 27. Epub ahead of print [Zobrazit štúdiu](#)

**Ma Q et al**, (March 2014) Extremely low-frequency electromagnetic fields affect transcript levels of neuronal differentiation-related genes in embryonic neural stem cells, PLoS One. 2014 Mar 3;9(3):e90041. doi: 10.1371/journal.pone.0090041. eCollection 2014 [Zobrazit štúdiu](#)

**Seong Y et al**, (March 2014) Egr1 mediated the neuronal differentiation induced by extremely low-frequency electromagnetic fields, Life Sci. 2014 Mar 3. pii: S0024-3205(14)00278-1. doi: 10.1016/j.lfs.2014.02.022. Epub ahead of print [Zobrazit štúdiu](#)

**Leone L et al**, (February 2014) Epigenetic Modulation of Adult Hippocampal Neurogenesis by Extremely Low-Frequency Electromagnetic Fields, Mol Neurobiol. 2014 Feb 16. Epub ahead of print [Zobrazit štúdiu](#)

**Jia HL et al**, (February 2014) Combined effects of 50 Hz magnetic field and magnetic nanoparticles on the proliferation and apoptosis of PC12 cells, Biomed Environ Sci. 2014 Feb;27(2):97-105. doi: 10.3967/bes2014.022 [Zobrazit štúdiu](#)

**Zhu H et al**, (October 2013) Effect of puerarin on matrix metalloproteinase-2 in human fetal scleral fibroblasts treated with low frequency electromagnetic fields, J Tradit Chin Med. 2013 Oct;33(5):664-8 [Zobrazit štúdiu](#)

**Bayat PD et al**, (November 2012) Effects of prenatal exposure to extremely low electro-magnetic field on in vivo derived blastocysts of mice, Iran J Reprod Med. 2012 Nov;10(6):555-60 [Zobrazit štúdiu](#)

**Potenza L et al**, (September 2012) Effect of 300 mT static and 50 Hz 0.1 mT extremely low frequency magnetic fields on Tuber borchii mycelium, Can J Microbiol. 2012 Sep 25. Epub ahead of print [Zobrazit štúdiu](#)

**Del Re B et al**, (September 2012) Assessing LINE-1 retrotransposition activity in neuroblastoma cells exposed to extremely low-frequency pulsed magnetic fields, Mutat Res. 2012 Sep 7. pii: S1383-5718(12)00276-8. doi: 10.1016/j.mrgentox.2012.07.004. Epub ahead of print [Zobrazit štúdiu](#)

**Das S et al**, (September 2012) Exposure to ELF- magnetic field promotes restoration of sensori-motor functions in adult rats with hemisection of thoracic spinal cord, Electromagn Biol Med. 2012 Sep;31(3):180-94 [Zobrazit štúdiu](#)

**Cho H et al**, (July 2012) Neural stimulation on human bone marrow-derived mesenchymal stem cells by extremely low frequency electromagnetic fields, Biotechnol Prog. 2012 Jul 31. doi: 10.1002/btpr.1607. Epub ahead of print [Zobrazit štúdiu](#)

**Kitaoka K et al**, (July 2012) Chronic exposure to an extremely low-frequency magnetic field induces depression-like behavior and corticosterone secretion without enhancement of the hypothalamic-pituitary-adrenal axis in mice,

Bioelectromagnetics. 2012 Jul 2. doi: 10.1002/bem.21743. Epub ahead of print [Zobrazit štúdiu](#)

**Balamuralikrishnan B et al,** (2012) Evaluation of Chromosomal Alteration in Electrical Workers Occupationally Exposed to Low Frequency of Electro Magnetic Field (EMFs) in Coimbatore Population, India, Asian Pac J Cancer Prev. 2012;13(6):2961-6 [Zobrazit štúdiu](#)

**Ince B et al,** (June 2012) Can exposure to manganese and extremely low frequency magnetic fields affect some important elements in the rat teeth?, Eur Rev Med Pharmacol Sci. 2012 Jun;16(6):763-9 [Zobrazit štúdiu](#)

**Fedrowitz M, Loscher W,** (May 2012) Gene expression in the mammary gland tissue of female Fischer 344 and Lewis rats after magnetic field exposure (50 Hz, 100 uT) for 2 weeks, Int J Radiat Biol. 2012 May;88(5):425-9. Epub 2012 Feb 28 [Zobrazit štúdiu](#)

**Chen G et al,** (April 2012) Using model organism *Saccharomyces cerevisiae* to evaluate the effects of ELF-MF and RF-EMF exposure on global gene expression, Bioelectromagnetics. 2012 Apr 9. doi: 10.1002/bem.21724. Epub ahead of print [Zobrazit štúdiu](#)

**Foroozandeh E et al,** (March 2012) Toxic effects of 50 Hz electromagnetic field on memory consolidation in male and female mice, Toxicol Ind Health. 2012 Mar 7. Epub ahead of print [Zobrazit štúdiu](#)

**Narinya L et al,** (January 2012) Age-dependent magnetosensitivity of heart muscle hydration, Bioelectromagnetics. 2012 Jan 17. doi: 10.1002/bem.21704. Epub ahead of print [Zobrazit štúdiu](#)

**Patruno A et al,** (January 2012) Kinetic Study on the Effects of Extremely Low Frequency Electromagnetic Field on Catalase, Cytochrome P450 and Inducible Nitric Oxide Synthase in Human HaCaT and THP-1 Cell Lines, CNS Neurol Disord Drug Targets. 2012 Jan 10. Epub ahead of print [Zobrazit štúdiu](#)

**Touitou Y et al,** (January 2012) Long-term (up to 20years) effects of 50-Hz magnetic field exposure on blood chemistry parameters in healthy men, Clin Biochem. 2012 Jan 9. Epub ahead of print [Zobrazit štúdiu](#)

**Janac B et al,** (January 2012) Temporal patterns of extremely low frequency magnetic field-induced motor behaviour changes in Mongolian gerbils of different age, Int J Radiat Biol. 2012 Jan 6. Epub ahead of print [Zobrazit štúdiu](#)

**Borhani N et al,** (December 2011) Analysis of DNA fragmentation in mouse embryos exposed to an extremely low-frequency electromagnetic field, Electromagn Biol Med. 2011 Dec;30(4):246-52 [Zobrazit štúdiu](#)

**Chu LY et al,** (December 2011) Extremely low frequency magnetic field induces oxidative stress in mouse cerebellum, Gen Physiol Biophys. 2011 Dec;30(4):415-21 [Zobrazit štúdiu](#)

**Ciejka E et al,** (December 2011) Effects of extremely low frequency magnetic field on oxidative balance in brain of rats, J Physiol Pharmacol. 2011 Dec;62(6):657-61 [Zobrazit štúdiu](#)

**Dominici L et al,** (December 2011) Genotoxic hazard evaluation in welders occupationally exposed to extremely low-frequency magnetic fields (ELF-MF), Int J Hyg Environ Health. 2011 Dec;215(1):68-75. Epub 2011 Aug 20 [Zobrazit štúdiu](#)

**Pilla A et al,** (December 2011) Electromagnetic fields as first messenger in biological signaling: Application to calmodulin-dependent signaling in tissue repair, Biochim Biophys Acta. 2011 Dec;1810(12):1236-45. Epub 2011 Oct 8 [Zobrazit štúdiu](#)

**Legros A et al,** (September 2011) Neurophysiological and behavioral effects of a 60 Hz, 1,800 uT magnetic field in humans, Eur J Appl Physiol. 2011 Sep 6. Epub ahead of print [Zobrazit štúdiu](#)

**Shin EJ et al,** (September 2011) Exposure to extremely low frequency magnetic fields induces fos-related antigen-immunoreactivity via activation of dopaminergic d1 receptor, Exp Neurobiol. 2011 Sep;20(3):130-6. Epub 2011 Sep 20 [Zobrazit štúdiu](#)

**Sulpizio M et al,** (Augst 2011) Molecular basis underlying the biological effects elicited by extremely low-frequency magnetic field (ELF-MF) on neuroblastoma cells, J Cell Biochem. 2011 Aug 8. doi: 10.1002/jcb.23310. Epub ahead of print [Zobrazit štúdiu](#)

**Selmaoui B et al,** (June 2011) Acute Exposure to 50-Hz Magnetic Fields Increases Interleukin-6 in Young Healthy Men, J Clin Immunol. 2011 Jun 28. Epub ahead of print [Zobrazit štúdiu](#)

**Giorgi G et al,** (June 2011) Effect of extremely low frequency magnetic field exposure on DNA transposition in relation to frequency, wave shape and exposure time, Int J Radiat Biol. 2011 Jun;87(6):601-8. Epub 2011 Apr 19 [Zobrazit štúdiu](#)

**Hong ME et al,** (June 2011) Influence of exposure to extremely low frequency magnetic field on neuroendocrine cells and hormones in stomach of rats, Korean J Physiol Pharmacol. 2011 Jun;15(3):137-42. Epub 2011 Jun 30 [Zobrazit štúdiu](#)

**Ravera S et al,** (June 2011) Extremely low-frequency electromagnetic fields affect lipid-linked Carbonic anhydrase, Electromagn Biol Med. 2011 Jun;30(2):67-73 [Zobrazit štúdiu](#)

**Rossi C et al**, (June 2011) *New perspectives in cell communication: Bioelectromagnetic interactions*, Semin Cancer Biol. 2011 Jun;21(3):207-14. Epub 2011 May 6 [Zobrazit štúdiu](#)

**Belyaev I et al**, (May 2011) *Toxicity and SOS response to ELF magnetic field and nalidixic acid in E. coli cells*, Mutat Res. 2011 May 18;722(1):84-8. Epub 2011 Mar 29 [Zobrazit štúdiu](#)

**Luukkonen J et al**, (March 2011) *Pre-exposure to 50 Hz magnetic fields modifies menadione-induced genotoxic effects in human SH-SY5Y neuroblastoma cells*, PLoS One. 2011 Mar 23;6(3):e18021 [Zobrazit štúdiu](#)

**Sert C et al**, (March 2011) *Intracellular Ca(2+)-levels in rat ventricle cells exposed to extremely low frequency magnetic field*, Electromagn Biol Med. 2011 Mar;30(1):14-20. doi: 10.3109/15368378.2011.566773 [Zobrazit štúdiu](#)

**Moghadam MK et al**, (March 2011) *Effects of weak environmental magnetic fields on the spontaneous bioelectrical activity of snail neurons*, J Membr Biol. 2011 Mar;240(2):63-71. Epub 2011 Jan 20 [Zobrazit štúdiu](#)

**Morabito C et al**, (January 2011) *Effects of acute and chronic low frequency electromagnetic field exposure on PC12 cells during neuronal differentiation*, Cell Physiol Biochem. 2010;26(6):947-58. Epub 2011 Jan 4 [Zobrazit štúdiu](#)

**Mayer-Wagner S et al**, (December 2010) *Effects of low frequency electromagnetic fields on the chondrogenic differentiation of human mesenchymal stem cells*, Bioelectromagnetics. 2010 Dec 22. Epub ahead of print [Zobrazit štúdiu](#)

**Akan Z et al**, (December 2010) *Extremely low-frequency electromagnetic fields affect the immune response of monocyte-derived macrophages to pathogens*, Bioelectromagnetics. 2010 Dec;31(8):603-12. doi: 10.1002/bem.20607. Epub 2010 Aug 31 [Zobrazit štúdiu](#)

**Berg H et al**, (December 2010) *Bioelectromagnetic field effects on cancer cells and mice tumors*, Electromagn Biol Med. 2010 Dec;29(4):132-43 [Zobrazit štúdiu](#)

**Martinez-Samano J et al**, (December 2010) *Effects of acute electromagnetic field exposure and movement restraint on antioxidant system in liver, heart, kidney and plasma of Wistar rats: a preliminary report*, Int J Radiat Biol. 2010 Dec;86(12):1088-94. Epub 2010 Aug 11 [Zobrazit štúdiu](#)

**Yan J et al**, (December 2010) *Effects of extremely low-frequency magnetic field on growth and differentiation of human mesenchymal stem cells*, Electromagn Biol Med. 2010 Dec;29(4):165-76. Epub 2010 Oct 5 [Zobrazit štúdiu](#)

**Coskun O, Comlekci S**, (November 2010) *Effect of ELF electric field on some on biochemistry characters in the rat serum*, Toxicol Ind Health. 2010 Nov 18. Epub ahead of print [Zobrazit štúdiu](#)

**Andel R et al**, (November 2010) *Work-related exposure to extremely low-frequency magnetic fields and dementia: results from the population-based study of dementia in Swedish twins*, J Gerontol A Biol Sci Med Sci. 2010 Nov;65(11):1220-7. Epub 2010 Jul 9 [Zobrazit štúdiu](#)

**Cuccuruzzo B et al**, (November 2010) *Exposure to extremely low-frequency (50 Hz) electromagnetic fields enhances adult hippocampal neurogenesis in C57BL/6 mice*, Exp Neurol. 2010 Nov;226(1):173-82. Epub 2010 Sep 15 [Zobrazit štúdiu](#)

**Tenorio BM et al**, (October 2010) *Testicular development evaluation in rats exposed to 60 Hz and 1 mT electromagnetic field*, J Appl Toxicol. 2010 Oct 8. Epub ahead of print [Zobrazit štúdiu](#)

**Kim J et al**, (October 2010) *Repetitive exposure to a 60-Hz time-varying magnetic field induces DNA double-strand breaks and apoptosis in human cells*, Biochem Biophys Res Commun. 2010 Oct 1;400(4):739-44. Epub 2010 Sep 15 [Zobrazit štúdiu](#)

**Sun W et al**, (October 2010) *Effects of 50-Hz magnetic field exposure on hormone secretion and apoptosis-related gene expression in human first trimester villous trophoblasts in vitro*, Bioelectromagnetics. 2010 Oct;31(7):566-72 [Zobrazit štúdiu](#)

**Ulku R et al**, (September 2010) *Extremely Low-Frequency Magnetic Field Decreased Calcium, Zinc and Magnesium Levels in Costa of Rat*, Biol Trace Elem Res. 2010 Sep 25. Epub ahead of print [Zobrazit štúdiu](#)

**Emre M et al**, (September 2010) *Oxidative Stress and Apoptosis in Relation to Exposure to Magnetic Field*, Cell Biochem Biophys. 2010 Sep 8. Epub ahead of print [Zobrazit štúdiu](#)

**EI-Helaly M, Abu-Hashem E**, (September 2010) *Oxidative stress, melatonin level, and sleep insufficiency among electronic equipment repairers*, Bioelectromagnetics. 2011 May;32(4):325-30. doi: 10.1002/bem.20638. Epub 2010 Dec 15 [Zobrazit štúdiu](#)

**Iorio R et al**, (August 2010) *Involvement of mitochondrial activity in mediating ELF-EMF stimulatory effect on human sperm motility*, Bioelectromagnetics. 2010 Aug 5. Epub ahead of print [Zobrazit štúdiu](#)

**Mariucci G et al**, (August 2010) *Brain DNA damage and 70-kDa heat shock protein expression in CD1 mice exposed to extremely low frequency magnetic fields*, Int J Radiat Biol. 2010 Aug;86(8):701-10 [Zobrazit štúdiu](#)

**Rajkovic V et al**, (August 2010) *Combined exposure of peripubertal male rats to the endocrine-disrupting compound atrazine and power-frequency electromagnetic fields causes degranulation of cutaneous mast cells: a new toxic*

*environmental hazard?*, Arch Environ Contam Toxicol. 2010 Aug;59(2):334-41. Epub 2010 Feb 11 [Zobrazit štúdiu](#)

**Akdag MZ et al**, (June 2010) *The effect of long-term extremely low-frequency magnetic field on geometric and biomechanical properties of rats' bone*, Electromagn Biol Med. 2010 Jun;29(1-2):9-18 [Zobrazit štúdiu](#)

**Bernabo N et al**, (June 2010) *Extremely low frequency electromagnetic field exposure affects fertilization outcome in swine animal model*, Theriogenology. 2010 Jun;73(9):1293-305. Epub 2010 Feb 21 [Zobrazit štúdiu](#)

**de Bruyn L, de Jager L**, (June 2010) *Effect of long-term exposure to a randomly varied 50 Hz power frequency magnetic field on the fertility of the mouse*, Electromagn Biol Med. 2010 Jun;29(1-2):52-61 [Zobrazit štúdiu](#)

**Garip AI, Akan Z**, (June 2010) *Effect of ELF-EMF on number of apoptotic cells; correlation with reactive oxygen species and HSP*, Acta Biol Hung. 2010 Jun;61(2):158-67 [Zobrazit štúdiu](#)

**Goraca A et al**, (June 2010) *Effects of extremely low frequency magnetic field on the parameters of oxidative stress in heart*, J Physiol Pharmacol. 2010 Jun;61(3):333-8 [Zobrazit štúdiu](#)

**Kolodziejczyk L et al**, (2010) *Extremely low frequency magnetic field and the hatching rate of *Fasciola hepatica* eggs, the fecundity and survival of liver fluke-infected snail, *Lymnaea truncatula**, Folia Biol (Krakow). 2010;58(3-4):157-61 [Zobrazit štúdiu](#)

**Girgert R et al**, (April 2010) *Signal transduction of the melatonin receptor MT1 is disrupted in breast cancer cells by electromagnetic fields*, Bioelectromagnetics. 2010 Apr;31(3):237-45 [Zobrazit štúdiu](#)

**Reyes-Guerrero G et al**, (March 2010) *Extremely low-frequency electromagnetic fields differentially regulate estrogen receptor-alpha and -beta expression in the rat olfactory bulb*, Neurosci Lett. 2010 Mar 3;471(2):109-13. Epub 2010 Jan 18 [Zobrazit štúdiu](#)

**Focke F et al**, (January 2010) *DNA fragmentation in human fibroblasts under extremely low frequency electromagnetic field exposure*, Mutat Res. 2010 Jan 5;683(1-2):74-83 [Zobrazit štúdiu](#)

**Rajaei F et al**, (January 2010) *Effects of extremely low-frequency electromagnetic field on fertility and heights of epithelial cells in pre-implantation stage endometrium and fallopian tube in mice*, Zhong Xi Yi Jie He Xue Bao. 2010 Jan;8(1):56-60 [Zobrazit štúdiu](#)

**Severini M et al**, (January 2010) *Metamorphosis delay in *Xenopus laevis* (Daudin) tadpoles exposed to a 50 Hz weak magnetic field*, Int J Radiat Biol. 2010 Jan;86(1):37-46 [Zobrazit štúdiu](#)

**Di Campli E et al**, (June 2010) *Effects of extremely low-frequency electromagnetic fields on *Helicobacter pylori* biofilm*, Curr Microbiol. 2010 Jun;60(6):412-8. Epub 2009 Dec 24 [Zobrazit štúdiu](#)

**Morabito C et al**, (February 2010) *Modulation of redox status and calcium handling by extremely low frequency electromagnetic fields in C2C12 muscle cells: A real-time, single-cell approach*, Free Radic Biol Med. 2010 Feb 15;48(4):579-89. Epub 2009 Dec 11 [Zobrazit štúdiu](#)

**Celikler S et al**, (December 2009) *A biomonitoring study of genotoxic risk to workers of transformers and distribution line stations*, Int J Environ Health Res. 2009 Dec;19(6):421-30 [Zobrazit štúdiu](#)

**Del Re B et al**, (December 2009) *Extremely low frequency magnetic field exposure affects DnaK and GroEL expression in *E. coli* cells with impaired heat shock response*, Gen Physiol Biophys. 2009 Dec;28(4):420-4 [Zobrazit štúdiu](#)

**Perez-Castejon C et al**, (December 2009) *Exposure to ELF-pulse modulated X band microwaves increases in vitro human astrocytoma cell proliferation*, Histol Histopathol. 2009 Dec;24(12):1551-61 [Zobrazit štúdiu](#)

**Patruno A et al**, (October 2009) *Extremely low frequency electromagnetic fields modulate expression of inducible nitric oxide synthase, endothelial nitric oxide synthase and cyclooxygenase-2 in the human keratinocyte cell line HaCat: potential therapeutic effects in wound healing*, Br J Dermatol. 2010 Feb 1;162(2):258-66. Epub 2009 Oct 3 [Zobrazit štúdiu](#)

**Gobba F et al**, (October 2009) *Natural killer cell activity decreases in workers occupationally exposed to extremely low frequency magnetic fields exceeding 1 microT*, Int J Immunopathol Pharmacol. 2009 Oct-Dec;22(4):1059-66 [Zobrazit štúdiu](#)

**Albanese A et al**, (2009) *Alterations in adenylate kinase activity in human PBMCs after in vitro exposure to electromagnetic field: comparison between extremely low frequency electromagnetic field (ELF) and therapeutic application of a musically modulated electromagnetic field*, J Biomed Biotechnol. 2009;2009:717941. Epub 2009 Sep 16 [Zobrazit štúdiu](#)

**Eleuteri AM et al**, (2009) *50 Hz extremely low frequency electromagnetic fields enhance protein carbonyl groups content in cancer cells: effects on proteasomal systems*, J Biomed Biotechnol. 2009;2009:834239. Epub 2009 Aug 5 [Zobrazit štúdiu](#)

**Robertson JA et al**, (August 2009) *Low-frequency pulsed electromagnetic field exposure can alter neuroprocessing in humans*, J R Soc Interface. 2009 Aug 5. Epub ahead of print [Zobrazit štúdiu](#)

**Contalbrigo L et al**, (August 2009) Effects of different electromagnetic fields on circadian rhythms of some haematochemical parameters in rats, Biomed Environ Sci. 2009 Aug;22(4):348-53 [Zobrazit štúdiu](#)

**Dundar B et al**, (August 2009) The effect of the prenatal and post-natal long-term exposure to 50 Hz electric field on growth, pubertal development and IGF-1 levels in female Wistar rats, Toxicol Ind Health. 2009 Aug;25(7):479-87 [Zobrazit štúdiu](#)

**Gonet B et al**, (July 2009) Effects of extremely low-frequency magnetic fields on the oviposition of *Drosophila melanogaster* over three generations, Bioelectromagnetics. 2009 Jul 23. Epub ahead of print [Zobrazit štúdiu](#)

**Goodman R et al**, (July 2009) Extremely low frequency electromagnetic fields activate the ERK cascade, increase hsp70 protein levels and promote regeneration in *Planaria*, Int J Radiat Biol. 2009 Jul 9:1-9. Epub ahead of print [Zobrazit štúdiu](#)

**Burda H et al**, (April 2009) Extremely low-frequency electromagnetic fields disrupt magnetic alignment of ruminants, Proc Natl Acad Sci U S A. 2009 Apr 7;106(14):5708-13. Epub 2009 Mar 19 [Zobrazit štúdiu](#)

**Girgert R et al**, (April 2009) Exposure of mcf-7 breast cancer cells to electromagnetic fields up-regulates the plasminogen activator system, Int J Gynecol Cancer. 2009 Apr;19(3):334-8 [Zobrazit štúdiu](#)

**Santini MT et al**, (April 2009) Cellular effects of extremely low frequency (ELF) electromagnetic fields, Int J Radiat Biol. 2009 Apr;85(4):294-313 [Zobrazit štúdiu](#)

**Novikov VV et al**, (March 2009) Effect of weak combined static and extremely low-frequency alternating magnetic fields on tumor growth in mice inoculated with the Ehrlich ascites carcinoma, Bioelectromagnetics. 2009 Mar 6. Epub ahead of print [Zobrazit štúdiu](#)

**Prihoda TJ**, (March 2009) Genetic damage in mammalian somatic cells exposed to extremely low frequency electromagnetic fields: A meta-analysis of data from 87 publications (1990-2007), Int J Radiat Biol. 2009 Mar;85(3):196-213 [Zobrazit štúdiu](#)

**Harris SR et al**, (February 2009) Effect of magnetic fields on cryptochrome-dependent responses in *Arabidopsis thaliana*, 2009 Feb 25. Epub ahead of print [Zobrazit štúdiu](#)

**Yang Y et al**, (December 2008) Case-only study of interactions between DNA repair genes (*hMLH1*, *APEX1*, *MGMT*, *XRCC1* and *XPD*) and low-frequency electromagnetic fields in childhood acute leukemia, Leuk Lymphoma. 2008 Dec;49(12):2344-50 [Zobrazit štúdiu](#)

**Kim YW et al**, (October 2008) Effects of 60 Hz 14 microT magnetic field on the apoptosis of testicular germ cell in mice, Bioelectromagnetics. 2008 Oct 6. Epub ahead of print [Zobrazit štúdiu](#)

**Yokus B et al**, (October 2008) Extremely low frequency magnetic fields cause oxidative DNA damage in rats, Int J Radiat Biol. 2008 Oct;84(10):789-95 [Zobrazit štúdiu](#)

**Palumbo R et al**, (September 2008) Exposure to 900 MHz Radiofrequency Radiation Induces Caspase 3 Activation in Proliferating Human Lymphocytes, Radiat Res. 2008 Sep;170(3):327-34 [Zobrazit štúdiu](#)

**Soda A et al**, (August 2008) Effect of exposure to an extremely low frequency-electromagnetic field on the cellular collagen with respect to signaling pathways in osteoblast-like cells, J Med Invest. 2008 Aug;55(3-4):267-78 [Zobrazit štúdiu](#)

**Binhi V**, (July 2008) Do naturally occurring magnetic nanoparticles in the human body mediate increased risk of childhood leukaemia with EMF exposure?, Int J Radiat Biol. 2008 Jul;84(7):569-79 [Zobrazit štúdiu](#)

**Falone S et al**, (June 2008) Chronic exposure to 50Hz magnetic fields causes a significant weakening of antioxidant defence systems in aged rat brain, Int J Biochem Cell Biol. 2008 Jun 10. Epub ahead of print [Zobrazit štúdiu](#)

**Blank M**, (2008) Protein and DNA reactions stimulated by electromagnetic fields, Electromagn Biol Med. 2008;27(1):3-23 [Zobrazit štúdiu](#)

**Juutilainen J**, (2008) Do electromagnetic fields enhance the effects of environmental carcinogens?, Radiat Prot Dosimetry. 2008;132(2):228-31 [Zobrazit štúdiu](#)

**Cellini L et al**, (May 2008) Bacterial response to the exposure of 50 Hz electromagnetic fields, Bioelectromagnetics. 2008 May;29(4):302-11 [Zobrazit štúdiu](#)

**Vianale G et al**, (April 2008) Extremely low frequency electromagnetic field enhances human keratinocyte cell growth and decreases proinflammatory chemokine production, Br J Dermatol. 2008 Apr 10 Epub ahead of print [Zobrazit štúdiu](#)

**Henshaw DL et al**, (April 2008) Can disturbances in the atmospheric electric field created by powerline corona ions disrupt melatonin production in the pineal gland?, J Pineal Res. 2008 Apr 1. Epub ahead of print [Zobrazit štúdiu](#)

**St-Pierre LS et al**, (April 2008) Altered blood chemistry and hippocampal histomorphology in adult rats following prenatal exposure to physiologically-patterned, weak (50-500 nanoTesla range) magnetic fields, Int J Radiat Biol. 2008

Apr;84(4):325-35 [Zobrazit štúdiu](#)

**Fedrowitz M, Loscher W,** (January 2008) *Exposure of Fischer 344 rats to a weak power frequency magnetic field facilitates mammary tumorigenesis in the DMBA model of breast cancer*, Carcinogenesis. 2008 Jan;29(1):186-93 [Zobrazit štúdiu](#)

**Binihi V,** (January 2007) *A mathematical model of DNA degradation: possible role of magnetic nanoparticles*, arXiv.org - 0701202v1

**Davis S et al,** (August 2006) *Effects of 60-Hz magnetic field exposure on nocturnal 6-sulfatoxymelatonin, estrogens, luteinizing hormone, and follicle-stimulating hormone in healthy reproductive-age women: results of a crossover trial*, Ann Epidemiol. 2006 Aug;16(8):622-31 [Zobrazit štúdiu](#)

**Espinosa JM et al,** (July 2006) *Exposure to AC and DC magnetic fields induces changes in 5-HT1B receptor binding parameters in rat brain membranes*, Bioelectromagnetics. 2006 Jul;27(5):414-22 [Zobrazit štúdiu](#)

**Juutilainen J, Kumlin T,** (July 2006) *Occupational magnetic field exposure and melatonin: interaction with light-at-night*, Bioelectromagnetics. 2006 Jul;27(5):423-6 [Zobrazit štúdiu](#)

**Persinger MA,** (2006) *A potential multiple resonance mechanism by which weak magnetic fields affect molecules and medical problems: the example of melatonin and experimental "multiple sclerosis"*, Med Hypotheses. 2006;66(4):811-5 [Zobrazit štúdiu](#)

**Altpeter ES et al,** (February 2006) *Effect of short-wave (6-22 MHz) magnetic fields on sleep quality and melatonin cycle in humans: the Schwarzenburg shut-down study*, Bioelectromagnetics. 2006 Feb;27(2):142-50 [Zobrazit štúdiu](#)

**Blask DE et al,** (December 2005) *Melatonin-depleted blood from premenopausal women exposed to light at night stimulates growth of human breast cancer xenografts in nude rats*, Cancer Res. 2005 Dec 1;65(23):11174-84 [Zobrazit štúdiu](#)

**Li L et al,** (December 2005) *Pulsed electric field exposure of insulin induces anti-proliferative effects on human hepatocytes*, Bioelectromagnetics. 2005 Dec;26(8):639-47 [Zobrazit štúdiu](#)

**Girgert R et al,** (November 2005) *Induction of tamoxifen resistance in breast cancer cells by ELF electromagnetic fields*, Biochem Biophys Res Commun. 2005 Nov 4;336(4):1144-9 [Zobrazit štúdiu](#)

**Winker R et al,** (August 2005) *Chromosomal damage in human diploid fibroblasts by intermittent exposure to extremely low-frequency electromagnetic fields*, Mutat Res. 2005 Aug 1;585(1-2):43-9 [Zobrazit štúdiu](#)

**Chiu RS, Stuchly MA,** (June 2005) *Electric fields in bone marrow substructures at power-line frequencies*, IEEE Trans Biomed Eng. 2005 Jun;52(6):1103-9 [Zobrazit štúdiu](#)

**Henshaw DL, Reiter RJ,** (2005) *Do magnetic fields cause increased risk of childhood leukemia via melatonin disruption?*, Bioelectromagnetics. 2005;Suppl 7:S86-97 [Zobrazit štúdiu](#)

**Simko M, Mattsson MO,** (September 2004) *Extremely low frequency electromagnetic fields as effectors of cellular responses in vitro: possible immune cell activation*, J Cell Biochem. 2004 Sep 1;93(1):83-92 [Zobrazit štúdiu](#)

**Lai H, Singh NP,** (May 2004) *Magnetic-field-induced DNA strand breaks in brain cells of the rat*, Environ Health Perspect. 2004 May;112(6):687-94 [Zobrazit štúdiu](#)

**Lee BC et al,** (January 2004) *Effects of extremely low frequency magnetic field on the antioxidant defense system in mouse brain: a chemiluminescence study*, J Photochem Photobiol B. 2004 Jan 23;73(1-2):43-8 [Zobrazit štúdiu](#)

**Fedrowitz M et al,** (January 2004) *Significant differences in the effects of magnetic field exposure on 7,12-dimethylbenz(a)anthracene-induced mammary carcinogenesis in two substrains of Sprague-Dawley rats*, Cancer Res. 2004 Jan 1;64(1):243-51 [Zobrazit štúdiu](#)

**Ivancsits S et al,** (July 2003) *Intermittent extremely low frequency electromagnetic fields cause DNA damage in a dose-dependent way*, Int Arch Occup Environ Health. 2003 Jul;76(6):431-6 [Zobrazit štúdiu](#)

**Cho YH, Chung HW,** (June 2003) *The effect of extremely low frequency electromagnetic fields (ELF-EMF) on the frequency of micronuclei and sister chromatid exchange in human lymphocytes induced by benzo(a)pyrene*, Toxicol Lett. 2003 Jun 5;143(1):37-44 [Zobrazit štúdiu](#)

**Lewy H et al,** (June 2003) *Magnetic field (50 Hz) increases N-acetyltransferase, hydroxy-indole-O-methyltransferase activity and melatonin release through an indirect pathway*, Int J Radiat Biol. 2003 Jun;79(6):431-5 [Zobrazit štúdiu](#)

**Kaune WT,** (December 2002) *Thermal noise limit on the sensitivity of cellular membranes to power frequency electric and magnetic fields*, Bioelectromagnetics. 2002 Dec;23(8):622-8 [Zobrazit štúdiu](#)

**Burch JB et al,** (November 2002) *Melatonin metabolite excretion among cellular telephone users*, Int J Radiat Biol. 2002 Nov;78(11):1029-36 [Zobrazit štúdiu](#)

**Kavet R, Zaffanella LE**, (September 2002) Contact voltage measured in residences: implications to the association between magnetic fields and childhood leukemia, Bioelectromagnetics. 2002 Sep;23(6):464-74 [Zobrazit štúdiu](#)

**Fedrowitz M et al**, (March 2002) Magnetic field exposure increases cell proliferation but does not affect melatonin levels in the mammary gland of female Sprague Dawley rats, Cancer Res. 2002 Mar 1;62(5):1356-63 [Zobrazit štúdiu](#)

**Ishido M et al**, (February 2002) The mechanism of biological magnetic field effects on oncostatic actions of melatonin, RIKEN review - No. 44 (February, 2002)

**Tonini R et al**, (November 2001) Calcium protects differentiating neuroblastoma cells during 50 Hz electromagnetic radiation, Biophys J. 2001 Nov;81(5):2580-9 [Zobrazit štúdiu](#)

**Davis S et al**, (October 2001) Residential magnetic fields, light-at-night, and nocturnal urinary 6-sulfatoxymelatonin concentration in women, Am J Epidemiol. 2001 Oct 1;154(7):591-600 [Zobrazit štúdiu](#)

**Levallois P et al**, (October 2001) Effects of electric and magnetic fields from high-power lines on female urinary excretion of 6-sulfatoxymelatonin, Am J Epidemiol. 2001 Oct 1;154(7):601-9 [Zobrazit štúdiu](#)

**Simko M et al**, (August 2001) Micronucleus induction in Syrian hamster embryo cells following exposure to 50 Hz magnetic fields, benzo(a)pyrene, and TPA in vitro, Mutat Res. 2001 Aug 22;495(1-2):43-50 [Zobrazit štúdiu](#)

**Ishido M et al**, (July 2001) Magnetic fields (MF) of 50 Hz at 1.2 microT as well as 100 microT cause uncoupling of inhibitory pathways of adenylyl cyclase mediated by melatonin 1a receptor in MF-sensitive MCF-7 cells, Carcinogenesis. 2001 Jul;22(7):1043-8 [Zobrazit štúdiu](#)

**Blackman CF et al**, (February 2001) The influence of 1.2 microT, 60 Hz magnetic fields on melatonin- and tamoxifen-induced inhibition of MCF-7 cell growth, Bioelectromagnetics. 2001 Feb;22(2):122-8 [Zobrazit štúdiu](#)

**Cecconi S et al**, (November 2000) Evaluation of the effects of extremely low frequency electromagnetic fields on mammalian follicle development, Hum Reprod. 2000 Nov;15(11):2319-25 [Zobrazit štúdiu](#)

**van Wijngaarden E et al**, (April 2000) Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study, Occup Environ Med. 2000 Apr;57(4):258-63 [Zobrazit štúdiu](#)

**Burch JB et al**, (February 2000) Melatonin metabolite levels in workers exposed to 60-Hz magnetic fields: work in substations and with 3-phase conductors, J Occup Environ Med. 2000 Feb;42(2):136-42 [Zobrazit štúdiu](#)

**Wei M et al**, (February 2000) Exposure to 60-Hz magnetic fields and proliferation of human astrocytoma cells in vitro, Toxicol Appl Pharmacol. 2000 Feb 1;162(3):166-76 [Zobrazit štúdiu](#)

**Fews AP et al**, (December 1999) Increased exposure to pollutant aerosols under high voltage power lines, Int J Radiat Biol. 1999 Dec;75(12):1505-21 [Zobrazit štúdiu](#)

**Fews AP et al**, (December 1999) Corona ions from powerlines and increased exposure to pollutant aerosols, Int J Radiat Biol. 1999 Dec;75(12):1523-31 [Zobrazit štúdiu](#)

**Galvanovskis J et al**, (1999) Cytoplasmic Ca<sup>2+</sup> oscillations in human leukemia T-cells are reduced by 50 Hz magnetic fields, Bioelectromagnetics. 1999;20(5):269-76 [Zobrazit štúdiu](#)

**Miller SC, Furniss MJ**, (December 1998) Bruton's tyrosine kinase activity and inositol 1,4,5-trisphosphate production are not altered in DT40 lymphoma B cells exposed to power line frequency magnetic fields, J Biol Chem. 1998 Dec 4;273(49):32618-26 [Zobrazit štúdiu](#)

**Burch JB et al**, (June 1998) Nocturnal excretion of a urinary melatonin metabolite among electric utility workers, Scand J Work Environ Health. 1998 Jun;24(3):183-9 [Zobrazit štúdiu](#)

**Lai H et al**, (1998) Acute exposure to a 60 Hz magnetic field affects rats' water-maze performance, Bioelectromagnetics. 1998;19(2):117-22 [Zobrazit štúdiu](#)

**Tuinstra R et al**, (1998) Protein kinase C activity following exposure to magnetic field and phorbol ester, Bioelectromagnetics. 1998;19(8):469-76 [Zobrazit štúdiu](#)

**Kristupaitis D et al**, (May 1998) Electromagnetic field-induced stimulation of Bruton's tyrosine kinase, J Biol Chem. 1998 May 15;273(20):12397-401 [Zobrazit štúdiu](#)

**Cohen B et al**, (May 1998) Deposition of charged particles on lung airways, Health Phys 74(5):554-60 [Zobrazit štúdiu](#)

**Dibirdik I et al**, (February 1998) Stimulation of Src family protein-tyrosine kinases as a proximal and mandatory step for SYK kinase-dependent phospholipase Cgamma2 activation in lymphoma B cells exposed to low energy electromagnetic fields, J Biol Chem. 1998 Feb 13;273(7):4035-9 [Zobrazit štúdiu](#)

**Lai H**, (1996) Spatial learning deficit in the rat after exposure to a 60 Hz magnetic field, Bioelectromagnetics. 1996;17(6):494-6 [Zobrazit štúdiu](#)

**Uckun FM** et al, (November 1995) *Exposure of B-lineage lymphoid cells to low energy electromagnetic fields stimulates Lyn kinase*, J Biol Chem. 1995 Nov 17;270(46):27666-70 [Zobrazit štúdiu](#)

**Kato M** et al, (January 1994) *Circularly polarized 50-Hz magnetic field exposure reduces pineal gland and blood melatonin concentrations of Long-Evans rats*, Neurosci Lett. 1994 Jan 17;166(1):59-62 [Zobrazit štúdiu](#)

**Liburdy RP** et al, (November 1993) *Experimental evidence for 60 Hz magnetic fields operating through the signal transduction cascade. Effects on calcium influx and c-MYC mRNA induction*, FEBS Lett. 1993 Nov 22;334(3):301-8 [Zobrazit štúdiu](#)

**Walleczek J**, (October 1992) *Electromagnetic field effects on cells of the immune system: the role of calcium signaling*, FASEB J. 1992 Oct;6(13):3177-85 [Zobrazit štúdiu](#)